

Thomas Windsor
Manchester
June 14, 1884

Constantinus Africanus

2738



2 ¼ fl

Incipit prologus libri qui uiaticus intitulatur a constantino editus.

QUONIAM QUIDEM [illegible]

ogni[illegible] in eo [illegible] expe[illegible]

[illegible]

vel propter aliquod vel

[illegible]

Propter [illegible] vero

[illegible] quam [illegible] pars

[illegible] clari

[illegible] non [illegible]

[illegible] designare [illegible]

[illegible] elaborare [illegible]

[illegible]

[illegible] ad [illegible]

[illegible] satagere [illegible] fieri [illegible]

[illegible] aliis inquam [illegible]

[illegible] nostra [illegible]

[illegible] habebant [illegible]

[illegible] magni

[illegible]

[illegible] eorum [illegible]

[illegible] simplicitatis [illegible]

[illegible] succedere [illegible]

[illegible] hic [illegible]

[illegible] modum adhibere [illegible]

subsequuntur. Sapienciam igitur inter perfectos loquimur

destinavimus. Hac vero suggerentibus formula hec.

non crustam subministravimus. Que in nostris labiorum

sic dente canino corroserint: in iugis suis mutari

trepescere: et dormitare se dimittenti. Nomen autem

nostrum huic opusculo censui apponendum quia qui

dam horum [illegible] emulantes labores cum sit

alienus. et [illegible] alienus ei [illegible] sua

[illegible] nomina.

Viaticum nominavi quia [illegible] sui neque labo

riosius neque tediosius [illegible]. Cuius liber totus in

libros dividitur. Quorum in principio posui capi

tula. unicuique libro [illegible] proponenda. ut quis querere

aliqua per singula [illegible] quo

do inmineto haberet. in quo et quoto libro inveniat.

Hec capitula ideo sunt preposita. ut liber [illegible]

[illegible] in quo auctoritatem nostram [illegible]

[illegible] serie(?) [illegible]

De al[opicia]	De pediculis
De pilis cadentibus	De cephalea
De pilorum asperitate capilli	De emigranea
De canis et ipsis pilis tingendis	De dolore [illegible]
De furfuribus in capite nascentibus	De scotomia vertigine
De pustulis	De litargia
De favis	De quiete per gestationem et sompno
De tinea	De [illegible]

De uigiliis — De epilempsia.
De freneisi — De apoplexia et epilempsia.
De ebrietate — De spasmo et tetano
De amore qui eros dicitur — De tremore
De sternutacione

Capillus. De allopicia

De grosso et calido fumo nascuntur, qui ex igneis et unc-tuosis humoribus e quo crescentes exeunt et capilli. ut possit ab ipso nutriri. hunc fumum qui perdidit, et capillos perdit. Frigiditate fumi ergo erunt capilli. ut possit in istis uidemus certis humore uel siccitate parescentibus uel peruntibus, et augmentantibus. Qui si omnino defuerit pereunt in omnibus capilli et fiunt calui. Quibus quia nulle medicine subuenuint iam non amplius come cresce possunt. Si autem fu-mus non ex toto amittatur, sed solum ex aliquo hu-more inficiatur, infirmitas quedam nascitur que allopicia uocatur. Hic autem morbus ideo allopicia uocatur, quia uulpes que grece alopes nuncupatur, hi sepe paciuntur. Quod ex colore cognoscere ipsius cutis loci poteris. Ex quo humore hec passio oriatur. Si est enim citrina. calida. et sicca. non dubitamus ex colera rubea esse ortam. De speciebus.

Proinde hunc humorem medicabimur ex sub-scriptis rebus. mirobol. citrini. uiol. Scamonea. absin-cio. et his similibus. Quod si uel si rubei coloris fuerit.

cognoscitur

ex infectione; hoc est sanguinis. Deinde si etas tempus
uel uirtus pacientis permiserint uenam cephalicam
dextri brachii incidimus. et sanguinem extrahi
mus secundum uim pacientis. Post hec pociones refrigato
rias et sanguinem euacuantes exibemus. Que sunt
hec. oxifenicia. pruna. senatie. manna. tamarindi. et
uiolis. cassia fistula. et similia. Cum siniger locus fu
erit. et uelut plumbeas scamas emiserit. ex colo in
gra ... est credimus. Hunc humorem expellimus
aqua cocta. pil. epi... stomaticon yera rufini.
yera ... yera logodion. et his similibus. Hominibus hi
bens cum aqua epithimi. Si locus albus fuerit. et le
nis. et mollis. et terreo humor uelut oleum exierit.
cognoscimus ex flegmate infecto nasci. cui me
dendum est ex subiectis. Aqua cocta cum agarico. stoma
ticon. yera fortissima. Galeni theodoricon. in qua nux
muscata sit. et similibus. Gargarismos facimus ex
oximelle et aqua calida. pulicem adiungentes.
pigre et gargarismos facimus cum medicaminibus
supradictis flegma deponentibus. Vomitum pro
cemus. cum oximelle. cui commiscemus aquam. cum rafa
no. et flegmina et his similibus. his est galenus pi
gra podes. se expertum testatur. adiunges ibi
medicamina ad deponendos malos humores. que
dicuntur exallopicia. Postquam humores non
ablatum conprimimus ad ... putredinem.

potest inclusam. elaboremus. unguenta igitur
leuia adhibeamus. caput radamus et aceto diligenter
calentes [illegible] superponimus. hi.
capud [illegible] radamus. illud pannis tergamus. [illegible]
aperiatur. uel [illegible] carentibus. Galienus refert
[illegible] post fricationem [illegible] puluere [illegible]
[illegible] sanat. [illegible] (M)edicamentum autem
hic dicere uolumus [illegible] capud [illegible]
[illegible] ut sanguis creat [illegible] iam
rum puluerem sanguinis [illegible]
superducimus et [illegible] sicut ex puluere [illegible]
primo [illegible] singulari [illegible] cum aceto
[illegible] deinde capud cum [illegible]
quibus [illegible] uascencia [illegible] (Si
ex [illegible] humor [illegible] similiter. capud ra
dimus [illegible] scarificare usque ad sanguinem [illegible]
guine allio [illegible] inungimus [illegible] ablutio. cum
[illegible] cum oleo laurino uel [illegible]
[illegible] quoque [illegible] uel [illegible].
in puluere redacta et oleo [illegible] uel spu
ma marina [illegible] admiscere [illegible] cum oleo.
Amigdaleon amaro ut ficus succi folia pulueri[illegible] cum
oleo et aceto [illegible] pungimus adhibemus. uel si
ut fumum columbinum similiter [illegible]. Amig
dalas quoque amaras cum corticibus suis incensas
melle admiscemus et capud inungimus. piganum i. ruta siluestris

[.i. secun] [in ea oreta]
cum aceto. uel cum spinis. elleborum nigrum. uel
[in ea sta] album. [illegible] pulverizatum [illegible]. et cum hoc pul
ueribus locum illum asperso prius cum panno asp-
fricato. Colloquintida. sulphur. [.i. herba pedicularis] staphisagria. sem
[illegible] quibet horum pulverizatum et aceto temperatum
unguentum illinendum est. Alii admiscent album
elleborum. sinapi quoque. uel nasturcii semen. ana.
[illegible] temperatis cum aceto et licet unguentum. Diascorides.
Castaniarum teste incense cum uino mixte et pluri-
[illegible] infantibus ut capita eorum [illegible] et capilli nascan-
tur [illegible]. [illegible] sup
[illegible] [illegible] ladano cum uino et oleo mirtino. distem
[illegible]. Sumitur [illegible] pulverizatum
et cum aceto temperatum [illegible] post inde cum
[illegible]. Super
omnia hec considera. quod omnibus [illegible] unguen-
tis [illegible] uel
[illegible] uel [illegible]
[illegible] uel lau[illegible] unguentum. [illegible]
barbe [illegible] unguentum [illegible]
[illegible]. Vnguentum [illegible] [illegible].
[illegible] spume maris [illegible] columbinum ana [illegible] elle-
bori albi. rute semen [agresti] [illegible] nar-
di [illegible]. nasturcii [illegible] puluerem et
cum uino cocte. uel oleo. [illegible] uel [illegible] cum
oleo laurino. [illegible] noc-

[illegible] me

[illegible]

[illegible] **De pilis cadentibus**

C[illegible] sic [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] ne[illegible] nodum [illegible]

[illegible] de ladano [illegible]

igitur [illegible] ex

[illegible]

[illegible] in

[illegible]

[illegible] constringat [illegible]

[illegible]

[illegible] temperatis [illegible]

[illegible] rosaceo [illegible] unge capud

[illegible] constringuntur pori.

[illegible] folia [illegible]

[illegible]

capitulum

[illegible]

De pressura et asperitate capillorum. viiii.

H[illegible]

[illegible]

[illegible] similiter. Cilios [illegible]

de psillio pa[illegible] [illegible] psilliu[m].

[illegible]

psilliu[m] si suco cu[m]bitur i[n] fudal frid[er]it.

[illegible] tinet [illegible]

[illegible] De

Cani ante [illegible] canis et capillis tingendis.

[illegible] phi [illegible] urans [illegible]

[illegible]

salei

fuligo

rosaseo

pulue

spume marine

sepe

capilli' cbitt ydee. scapie

·i·senye

.R.

de fur' furibus ... capite

... fellis ... aloe ...

... tamen prius ...

que ...

folia lisami pillata.

ablete.

furfuris

[illegible]

diu coq; et lana

[illegible]


de pustulis in capite.

P[illegible] in capite nascuntur [illegible]

[illegible]

i. sepoma — centabolans f. s. — centabolans f. s.

[illegible] cum [illegible] alium [illegible] aliud [illegible]



[illegible] pulli [illegible]

[illegible]

[illegible] ic.

[illegible] temperentur [illegible]

[illegible]

[illegible] aqua [illegible]

[illegible]

[illegible] aqua [illegible]

[illegible]

alb [illegible]

[illegible] ut [illegible]

[illegible] **De fauis.**

A[illegible] scabies [illegible]

[illegible] a [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

alb [illegible] [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

l simile

simul nature aceti . ut est erba [illegible] pistata cum
[illegible] in aceto [illegible]
aceto . aliud . tartari [illegible] cum [illegible]
[illegible] aceto tempera . [illegible] quod flagi
tabat crescere . aliud . lithargirum [illegible]
patam cum aceto . De tinea . ———— . . ———— . . ————

Remoti in cute capitis nascuntur scabie simil
[illegible] ulcer(a) cum excolib(us) [illegible] . Perputredo [illegible]
carbunculi [illegible] inmiscentur . si frequen
tius . non modicus de quo pruritu quasi squame
non modice [illegible] . Hec saepe [illegible]
nit infantibus propter suam habundanciam sangui
nis et mollitiem cutis . His primum noxios cibos
subtrahimus . et humore nocivo sublato unguenta
adhibemus . Si aetatis fuerit qui non sufferat
recipe medicinam . in [illegible]
culis [illegible] . [illegible] sanguine [illegible] . sic [illegible] un
guentis . [illegible] cibos
[illegible]
demus . Infantia quoque capitis [illegible]
mus unguento . Rx . [illegible] cerusse . ana [illegible]
pulueris sarmenti . croci [illegible] [illegible]
[illegible] galle [illegible] pulueris [illegible]
oleo rosaceo tempera et unge . Item tolle galle
non paucis . [illegible] amigdalarum amararum . cum
[illegible] tempera cum aceto et unge . Item
tolle galle non paucis [illegible] . aceti [illegible]
[illegible] . fac quoquere usquequo ad

[illegible] unguentum [illegible]

[illegible]

[illegible] tempera [illegible]

[illegible] bol. ana. ʒ. ii. acacie [illegible]

[illegible] ana. ʒ. i. fac pulverem cum oleo rosaceo.

et cera tempera. et unge postea. cum aqua calida la

va. Sternutamenta infantum. tb; [illegible] facies excito

[illegible]

[illegible] cum [illegible]

[illegible] argentalis. tempera cum oleo rosaceo. hunc quo

que pulverem potandum dabis. R. spodii. zuccari. rose.

ana [illegible]

[illegible] argentalis [illegible]

[illegible] ana. ʒ. ii. fac pulverem. et da infantibus pone

medicinam cum aqua frigida. vel cum lacte nutricis.

De pediculis.

S[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

oleo vel [illegible]

[illegible]

[illegible]

[illegible]

[illegible] tempera [illegible]

[illegible] habe. [illegible]

[illegible]

De cephalea.

D [illegible] .2 capitis [illegible]

[illegible] causa [illegible]

[illegible]

[illegible] dolor [illegible] in libro [illegible]

[illegible]

[illegible] vix [illegible]

[illegible] sic destruccio [illegible]

[illegible]

[illegible] bugs [illegible]

[illegible] adse [illegible]

[illegible] iuuen[illegible] [illegible]

[illegible] ceruali [illegible]

[illegible] ert [illegible]

[illegible]

aug. abiectu[m] [illegible] conu[illegible] olei [illegible]

[illegible] iacere s[illegible]luna [illegible] seruare [illegible] p[er] cam[illegible] [illegible] fu[illegible] [illegible] [illegible]

simulib; tise bt n sint ...

anodini

Dicitur ...
Trauitie.

Simplice

i. repellendis

delimitedes narium. siusic reuma

ysug puella ē. f.

delimites cauares

sequi

[illegible]

cuius [illegible] capiti [illegible]

[illegible] vel [illegible] vel [illegible]

[illegible] a

[illegible] magis movent humores et augmentet [illegible]

[illegible]

[illegible] cucurbita, atriplices, [illegible]

[illegible] pulli columbarum [illegible]

[illegible] habens [illegible] pullos [illegible] columbarum [illegible]

[illegible] frigido [illegible] vel

[illegible]

[illegible]

[illegible]

[illegible] aloe [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] capud [illegible]

[illegible]

[illegible]

[illegible] purgatio [illegible]

[illegible]

[illegible]

[illegible]

[illegible] ardore [illegible]

[illegible]

[illegible]

[illegible] ad [illegible]

[illegible]

[illegible] capitis [illegible]

[illegible] fieri potest

[illegible] Aug. qui dicit dolorem capitis [illegible] abstinentia cibi et potus et maxime vini

[illegible] capitis [illegible]

[illegible] fiat [illegible]

[illegible]

[illegible]

[illegible] ex collis dolore [illegible] [illegible]

[illegible]

[illegible]

[illegible]

[illegible] deliniciones

[illegible]

[illegible] hec passio [illegible]

Si aũ ex calore sol. [illegible] aq̃ ro. mirte suco. si ex calore sol'

[illegible] ul aceto [illegible]

[illegible] oleo rosaceo portulac̃ suco

[illegible] ille sumpp [illegible]

[illegible] suc' [illegible] aqua cali [illegible] in dolore [illegible]

ex frigdore aens capud aqua calidā. i q̃ cocta sit [illegible]

[illegible] infundemus fistulā [illegible] cans.

musci.

damacenu

xilobalsamu.

[illegible]

[illegible]

S[illegible] [illegible]. R. aloes [illegible]

[illegible] ana [illegible] [illegible]

pellium non laxatiua set appone ad reprimendam materiam [illegible]

[illegible] pollis [illegible] ana [illegible]

[illegible] pill. [illegible]

ad modum ponam reficiat

[illegible] sed laxatiuum celebru [illegible]

[illegible] purgat colera et [illegible] flegma sine

aloes

[illegible] R. [illegible]

[illegible] ana [illegible]

[illegible] fiat pillule quasi piperis grana [illegible]

[illegible] x. [illegible] capitis

[illegible]

[illegible] R. [illegible] ana [illegible]

[illegible] pondus

equale [illegible] fac pill. cum [illegible]

[illegible] laxatiuum flegma [illegible]

[illegible] equali pondere.

[illegible]

scamonee 3. ii. coloquintid. agaric. ana. petrosilini. feniculi ana 3. i.

R. aloes [illegible] ana 3. i. pill. fac.

De

C[illegible] in [illegible] **emigranea.**

[illegible] et sinistram partem [illegible] mediam lineam

[illegible]

[illegible] humorum [illegible] parte

[illegible]

[illegible]
[illegible] Quam passionem frequenter
[illegible]
[illegible] decimi
[illegible] ex parte [illegible]
[illegible] purgabitur [illegible]
[illegible]
[illegible]
[illegible] Vnguentum [illegible]
[illegible] decimi recepta Si
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

[illegible] semel [illegible]

[illegible]

Vertigo [illegible] passio [illegible] epilepsia [illegible]

[illegible] vertigo [illegible]

[illegible] quasi [illegible] tenebrosa [illegible]

[illegible] humorum [illegible] habundantia [illegible]

[illegible] in capite mouentur [illegible]

[illegible] Vertigo [illegible]

[illegible]

[illegible] *flebotomari* [illegible] [illegible]

[illegible]

[illegible] parte [illegible] una [illegible]

[illegible]

[illegible] amiseram [illegible]

[illegible]

[illegible]

[illegible]

[illegible] frenetici [illegible] De Litargia. [illegible]

Perfectio memorie [illegible] facilitas recordationis [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] memorie [illegible]

[illegible]

[illegible]

[illegible] frenesi [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] flegmaticos [illegible] capitis [illegible]

[illegible] ℞. aloe [illegible] mirre [illegible] ciminum

macedonicum [illegible] ana [illegible] iii [illegible] mathei [illegible]

[illegible] specierum [illegible] gariofili [illegible] ana [illegible]

[illegible] [illegible] Post

[illegible]

[illegible] nardi [illegible]

[illegible]

[illegible] Similiter [illegible] cephalee [illegible]

[illegible]

[illegible] damascenum [illegible]

[illegible] ℞. sinapis piretri [illegible]

[illegible] castorei [illegible]

[illegible]

[illegible] castoreo [illegible]

[illegible]

[illegible] aqua

[illegible]

[illegible]

[illegible]

[illegible] Similiter [illegible] infirmitas [illegible]

[illegible] calida unguatur [illegible]

[illegible] naribus [illegible] castoreum apponatur [illegible]

[illegible] castoreo [illegible] nigella pip. [illegible]

[illegible] piretro [illegible] origano [illegible] stafisagria

[illegible] cepina [illegible] mellis

[illegible]

[illegible]

[illegible]

De quasi experge facto e sompno.

[illegible] ... homo ille ... [illegible]

[illegible]

De stupore mentis

[illegible]

[illegible] ... de infectione et dissolutione ... [illegible]

[illegible]

[illegible] pendere [illegible]

[illegible]

[illegible]

[illegible]

[illegible] confirma [illegible]

[illegible] camomilla [illegible]

[illegible] Hoc [illegible]

[illegible] nardino [illegible]

[illegible] firmo exer-

[illegible] calidis [illegible]

[illegible] [illegible]

[illegible] muscellino [illegible]

[illegible] fenugrecio

[illegible] bdbicino [illegible]

[illegible]

[illegible] [illegible] infirmitas [illegible]

[illegible] pupillam [illegible]

[illegible] defectione [illegible] dissolutione

[illegible] cum camomilla [illegible] viola.

[illegible] cum sandalis quoque oleo rosa-

ceo [illegible] rosata [illegible] dulcis fontis. De

[illegible] sicut camphora [illegible] similibus

[illegible] delectatione

[illegible] De [illegible]

V[illegible] [illegible] naturalis [illegible]

[illegible] solo odoratu [illegible] epilenticus [illegible]

[illegible]

[illegible] ungue[n]t[um] [illegible]

in accidentibus ... dolore — *in frenesi*

[illegible]

in febribus — *in [illegible]*

[illegible]

[illegible]

[illegible]

[illegible]

cole

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] alcum cum lacte [illegible] Vn [illegible]

de freneti [illegible]

F[illegible] [illegible] dolorem [illegible]

[illegible] sep sequitur [illegible]

[illegible] lingua [illegible]

[illegible] dolores [illegible] augmentum [illegible]

[illegible] sine [illegible]

[illegible] freneticis [illegible] alia passione nascitur [illegible]

[illegible] passio [illegible] ex quo [illegible]

colligantia [illegible] patitur [illegible]

[illegible] sanatur [illegible] que ex [illegible]

[illegible] paulatim augmentatur [illegible] febris

alienato illa q

In loco agit de gaudio et tristicia

passionum

alienacione

[illegible]

quos pariet. & si aliquid nobis aduenerit contraria. Post dimi
nutionem. e contrario : subueniendum. R. oxifenicii. pru
na mirabolani. uiole. manna. cassia f. et similia. Condie dig. ho
e augmentum. Fit decoctio : cole. et extingatur. sic si fit causa
nc. R. manna. in olato melli. cassie f. an. ʒ v. quod colat in
uino dari. usque celebrare uespere. Et si malignitatis dulcis [illegible]
acidi. e sirupo. l' aceto. Huius : ex plurimo. [illegible] l' [illegible]
lauato. e unguentis [illegible]. Fiat [illegible] e sirupo uiolo.
l' [illegible] l' [illegible]. unctum oleo rosato. & aceto super caput.
l' portulace succo. l' semper uiue. & cucurbite. e oleo uiol. l' rosi.
Ponatur in capite frondes salicis l' portulace. Si habet uigilias san
guinis frontis. [illegible] e [illegible] l' papaueris succo. et oleo uiolo.
Si mutatio fiat e lacte mulieris. et oleo uiolo. Si siccitas
[illegible] et asperitas lingue. Lauetur os e psillio, aqua. et oleo uiol.
similiter ligatur. In domo ubi iacet frondes [illegible] uiridis.
sic salicis. mirte. rose. Si pocionem bibere non possit quod [illegible]
sumi. destruere [illegible]. Fiat. de malua. de uiola. [illegible]
[illegible] furfure. usque [illegible] apponatur [illegible] de oleo
uiol. [illegible] fiat [illegible] debet [illegible]
[illegible] sic [illegible]
logodion. [illegible] et similibus. [illegible] agarico.
de epithimo. et agarico. Si in malis sit molestus. [illegible]
ribus per regimen. per [illegible] abstinentia [illegible]
[illegible] mala medicina [illegible]
[illegible] quod medicina [illegible]
[illegible] Si in malis non adeo sit molestus. nec suspicio habeat.

abdnlib adsumerem ascendat ... ictario infirmitas. In ipso
cius sentit. **De ebrietate.**

Oportet uinum bibentes qualitate et quantitate ...
que solui inebriari. Sideri quod qui sub suo corpus ...
et omnis uoluntarium motum ... memoriam et rationem suam. ...
fundit ... inuitari et debilitari. perdit ... uino
... ex isto ebrietas nascitur fumo et indiges-
tio ... ipsum operit sic nebula ... solis.
... Similiter ... et memoria ...
loci. Incipiat ergo medicari. Si ebriosus calide nature fuit.
... caput et uol. ... succo cucurbite ...
... Vel ... malignam succe ... sirupo. In
generali medicine ... reducendo ... digestio. per
balneum ... pedes fricentur ...
... fumum a capite deponit ... ebrioso uomitum
prouocent ... absinthium ... aqua ... absinthium
... sirupo. r. Si quis ... calores ... dolore patitur ... uo-
mitum prouoc. et psillium ... potest ...
... Reficiendus ... pull. et portulaca
... aceto ... mala citrina ...
... Si ebriosus ... frigide nature fuit ...
... balneum et ... pedes fricentur ...
... absinthium ebriosis si flegmatici ... fuit. dissol-
uit ebrietas ... uinum ... bibatur contra ebrietatem
... iuuare ... frigidis ...
... carne ... absinthio ...

caulib; uebetas pcul remoueat̄. q̄uum g̃lli fumu ascedi

uniuntur ad cebrum. De amore qui heros dicitur.

Amor q̄ et eros dr̄. morb' ē cb̄ ↄtiguus. Est aūt ↄ maḡm desi

deriū. c̄ nimia ↄcupiscētia & afflictiōe cogitacionū. Vn̄ qdā

filosophi dicit. heros ē nom̄ maxe delectacoīs significatiuū

sic eī fidelitas ē dilectiōis ultima sita ita & eros delectatiōis

qdā extremitas. Aliqn̄ necessitas nimia nature necessitas in

ducit amorē s̄ḡ fluitare et pellēda. Vn̄ ruf. Coit' iq̄ p ua

lē ualet. q̄b' ii co. nimia duūt. Reddit et lētā. & molestiatio

ne roīs tollit̄. si & ē ñ dilectis loq̄t̄. Aliqn̄ e eros causa

pulc ē formositas. sidata. Q̄ si ā ā simili forma ↄspiciat.

q̄si isan aiā. inea adipisci. ē in infir

mitas furiosa ai subsequens hāc. i. cogitacioēs nimias.

fiūt eoū. oculi cau. cito mobiles. ppt aīe cogitacionē.

sollicitudines adinueniēda q̄ hāc desidit̄. Palpebre eoū

graues. cicūm ipsoꝝ colores. ex calore fit motu. q. et ingi

lans. sequit̄. puls inuenit̄. neq; magnit' dilatāt̄. neq; sua p

cussio s̄ q. op̄ ē cor. Si i cogitacioīb' pfundat̄. accio aie &

corpis corrūpit̄. Q̄ corp aiā i accione sequit̄. aiā & corp' in

sua passiōe imitat̄. G. aie i q̄p ut'. pplexione seq̄t corpis.

Vn̄ sūi eriosis succurrit̄. ū cogitacio eou anferat̄. & aia le

uiget̄ in passione melācolica neccē ē incidāt. & sic et nimio

labore corpis. i passiōe laboriosa incidit hō. Iñd' ex labore

aie i melācolia neccē ē icidāt. Vn̄ meli eriosi iuuat. ne

pfūdāt̄ in cogitacioēs nimias. Vinū tēpat̄ & odorifer' dā.

& audire gn̄a musicoꝝ. colloq̄ dilectissimis amicis. Vsui

... lucifer os uisu ... et fructis
ros. currentem aq. et clarum. Spaciari. Deu deducere ...
na. seminarib' pulere plor. Ruf. Vinu inq' ...
... et ... Gal. Ing' ... uini
... molliter ... sapientissimos ...
... Sic lupinoru amaritudo tollitur ... similiter ...
... dulcedine ... mutata. Item rufus.
Non solum uinu ... bibitu ...
qd' ... similia sic balneu ... Vinu ... balneu
... philosophi ...
... spin. uinu ... corp. ...
... imperatores ...
... ego ... delectat ex ipsis ...
... posit. sic ... consuetudine ...
... audacia ...
...
... pessimu ...
...
... delectacio. ... sapient. ...
... sapientib' ...
... fructib' ...
...
...
... similia. ... ebrietate ... Post
sopnu ... in balneu ...
... philosophi.

qr scribit h̄ grauior ēēt . q. q̄d lib̄ pōs . nāā respondisse exferit . Hō ingp̄ scribit pōt solī ā. Alia sī pōsā ant̄ capitis . ō cimuna . Hē ma medicie ēēa luolos . ex cōde.

De sternutatione

Sternutacio ē uitiū humanis nasēr . aliqn . n . natā opat . ē humores dominatos . sicut fumos expelle laborat . acerb . qn̄ l'ē morbi . l' fuīt uicis . Humanū . n . cebrū humidi ē celebs aim̄ nā . Vn̄ humores idhumat . cooperante natā tn̄ expellunt . ē sternutacionib; . Aliqn̄ qr maḡ fit aliud q̄ ex quib; ē firmiter . Canales . n . nariū humanar curta ē . Vnde uero acerbi' nociua extrinsec uenunt . sic puluis frigiditas aeris . splendor sol' [illegible] . Quēc acerbi uenunt . expellunt acerb . motu suo . tamen tn̄ fit sternutacio . Q̄ si diu pmanet . p q̄ cebri expulsa fit sp fluxus . succurrit lauacioē capitis ē aq ū camomilla . rosa . eadē minori . simili . similia coda sr apponit narib' basilico siue . ē [illegible] sternutacio aufert . Distemperans cap alit fuit natā . colo rosato violato . [illegible] . ungat . De fre . olū [illegible] nigelle . cameleon . ē si milia . appone.

De epilemsia.

Passione q subito hoies cadunt . antiq habuerunt appellacione pmum morbum uocauer . Vulg' dic accubitū . [illegible] dicunt . Corpe dominio subiugantur . sensib; . medicina sua exquisitionē . q. hinc passio ē epilepsia uocat . hinc ē huic . quicū cebrū n pfecte opilant . ppter humores ab declarati assensione sua . q appr nata malcebri . ille huic expellitur . Est epilepsia . apoplexie uicina . Los . n . e [illegible] ū mari . tn̄ nascunt . sunt ē [illegible] . Si tn̄ apoplexiā uoca

dentis. prohibit discurrentes. est ablativa. Epilepsia id est inter-
ime distinctio. Unde medici epilepsiam vocant apoplexiam par-
vam. Que fit ex causis. vel ex humoribus flegmaticis. vel melancoli-
cis. nascentibus in ipsa cerebri. ex ventositate fumi. et illa cerebri ...
vel ex humoribus cuiuslibet alio membro ... sic fit. Cum ... humor ...
qui nascitur in aliis membris. fumi corpus ascendit. per nervos ad cerebrum. et illi-
tudine. est ... animatus spiritus opilatur. Unde caducus morbus vocatur.
sicut illis accedentibus. et ore spumat. Epilepsia ex humoribus
ipsa cerebri et gravitas pervadit capitis. et pigritia. atque tenebro-
sitas oculis. Accidentia universalia sunt. et voluntarius motus
fuit ablativa. nisi corrumpit. et pacientes spasmant. Sed cum ... fa-
natur. aliquando pollucio. et egestio. Hanc passionem ...
pro voluntate emittitur. Hec passio semper venit determinata. Unde
Epilepsia in quo quiescere lunaticum. lunaticus significat esse ...
... Quod ... humidum crescente luna ... Et ...
deficiente luna. frigidissima quod est ... humiditate. Sunt
magna sunt morbi. vel gravia accidentia. intelligantur opere mali-
medicine. Incipiendum a calefactionis dissolventibus. et purga-
tibus humores cerebri. est ieragalenum theodoricon. yeralogodion. et
similibus. Diometico in quo sit coloquintida. et que cerebri ... humo-
ribus purgant. Gargarismum faciant et calidis potionibus. vel ... Plu-
rimum usitatio est calidis oleis caput lavandum. et eis quod ... di-
mus. et per gradum est caput perfectissime ... et sulphurum.
vel ... aqua. balneare. nimia exercitacione utatur. bibat vinum
post ... debalneare. sic clisterizari oportuit. faciendum:
est camemilla. anetum. centaurea. mellilota. coloquintida et

similit. Intervall[illegible] ut ē dr̄ cartacei. mures. diatessaron. et calidū (intervallo dicit̄ ca inter hil. q̄ dat̄ p dr̄ dyamar̄.) andotū dadū sic anacardū diatr̄ piperū. et simil̄. Diascorid. dr̄. Epilepticē sicoaglm leporis bibit. iuuat. Simit̄ asininū epar. si assat. et bibat. et ei ungle incense. dat. cont[illegible] primū epar sic epileptico. epilepsia aparet. p[illegible] dū pi (pos.) retrū accipiat. et (mtte) [illegible]. Q̄d si naribꝰ apponat̄ et collo suspē dat. ualet dr̄. cebi ceruinū. colo. ro. accipiat. et sr̄os epilep ticū fugat. ualet. pili q̄ canis albi nulli nigdine h̄ntis. collo situm suspēsi ualēt. felur sinū simil̄r sp̄e fit (ual.). epilepticis calidis ē mutēd. q̄ illi humores dissoluāt̄ bis. i ē in die manuc. uinū uetustissimū bibat subtile. aq̄ cl̄ar. sin[illegible] ligat aliqd. (uomite ei det. c̄ yemp. hos' meo dr̄ cet') caseo. lent b. b[illegible]. apio. et simil̄. Sicut ille se c̄tinebit [illegible] (l. mellico) cā q̄ cā[illegible]. mell. aromatico. et ē abhorib; ēe medicā̄, d bibo ribꝰ sanaria. s[illegible] ascēdat. Si puero h̄ eug. i adoles c̄tulo. h̄ su. sepi eug. [illegible] humiditatē corpis [illegible] fit moris. l'o fin. et humida eplerioē dn̄ate cebl. i ē tuula cadu ca cebl. dicit. si ita q̄ unicio natiuitatis fuit. et mal'a eple rio dn̄is cebro causa fuit. et ipsa fu[illegible]. et h. i ut q̄ fit. h̄ li[illegible]. sanat̄. in pueritia. i adolescētia. mutationē. Q̄ eis eplerioēs in caliores mutāt̄. et siccores. Sin ab initio na tiuitatis incepit. a malo nutrimo fieri. i q̄cūq alia cā ne causa. li[illegible] opt̄ medicari [illegible]. et s q̄ eoū causa. et [illegible] pariet. Vn. b. dr̄. Peonia. si collo pueri suspēdat. ab epilepsia sanat̄. Testat̄ aū se uidisse puer. viii. anno. huic h̄nte morbū. et cū peonia ei collo erat suspēsa. Q̄ ē a collo cadēt. illico hic i[illegible] (erat.) uexat̄. q̄ē aposita ēet.

Ad epilepsiā [illegible] [illegible] sic peonia [illegible] fit pulu[illegible] [illegible] peon [illegible] corpi [illegible] [illegible] [illegible]

libat e. [illegible]. sedes inde per illa fistula et mittit [illegible] semper
redeunt collo sanum existente. Unde intelligere quod ex inethicum
pars huius minoratur et [illegible] insolubilis in
firmum. Item per ipsi. quare immaturum mutat. medicina
[illegible] infirmos sanat. **De apoplexia et epilepsia.**

Solet ab antiquis ipsius humanum [illegible] sensus
[illegible] et hac morbis oppilet. toti corpori
sensum atque motum auferunt et non intelligens. non movens. neque audiens
quasi ex toto. Os. [illegible] corrumpitur. non solum mutat inanctum.
Si aufertur. molestior et peior. infirmitas efficitur. In
firmitatem hanc filosophi. vocant apoplexiam magnam. Cum
magnitudo. sive parvitas ex quantitate ancilis [illegible]
[illegible]. apoplexia e maior [illegible] et quasi [illegible]
et suspirium et aliquam [illegible] morbum et gravissimum [illegible].
Cum sit angustia. [illegible] in ordinate suspirat et aliquam [illegible]
morbus quasi gravis. si non pervalet simul. Si suspiria sit [illegible].
et [illegible] parva e infirmitas. Unde [illegible]. per [illegible].
apoplexia [illegible] fortis impossibile curari. In parva non
facile curari. Si autem humores ventum [illegible]. [illegible]
partem apoplexiam minorem vocant. et [illegible] non e [illegible]
nomen. [illegible] oppilacio illa minimum [illegible] descendat [illegible].
mollities in illo membro [illegible] [illegible] fuit. Si oppilacio in
[illegible] [illegible]. [illegible] aufert sensum et voluntarium motum
ac [illegible] et omnia spiritualia subpositi. sensu et motu
sit carentia. [illegible] sana. Si faciem [illegible]. mollities
[illegible] corpore [illegible] parte fuit. [illegible] e intelligere cerebrum

opilatio est. Similiter apoplexia est [illegible] [illegible] capitis
in. Dura [illegible] [illegible] [illegible] uoluntarii motus [illegible]
alii [illegible]. [illegible] [illegible] fit. leui [illegible] [illegible] parua
[illegible] [illegible] [illegible] [illegible]. [illegible] [illegible] [illegible] [illegible]
[illegible]. [illegible] impedit. [illegible] .iii. [illegible]. iii. [illegible] [illegible]
[illegible] [illegible] seu [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible]. crossilitru [illegible] [illegible]. Recipit antidotus [illegible]
[illegible] [illegible] [illegible] [illegible]. [illegible] [illegible]. [illegible]
[illegible] [illegible] [illegible]. [illegible]. [illegible] [illegible] [illegible]
[illegible] [illegible] pill' [illegible]. [illegible] pill' [illegible] [illegible]
[illegible] [illegible] [illegible]. [illegible]. [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]. [illegible] [illegible] [illegible].
Gargarismum [illegible] sinapi [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]. Incapite [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] similib'. [illegible] [illegible] cap. coll'a
[illegible] [illegible] [illegible] [illegible] [illegible] decocta [illegible]. camomilla.
[illegible]. mellilot. [illegible]. [illegible]. epitima ponantur in
loca [illegible] [illegible] [illegible] [illegible] pone. [illegible] faciende
sr [illegible] [illegible] moueantur. [illegible] [illegible] [illegible]. [illegible]
[illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] febr' ipsa [illegible]
[illegible] medicina. [illegible] [illegible] calefac [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]. flebotomand' [illegible]. [illegible] [illegible]
[illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible].
[illegible] medicina [illegible] [illegible] [illegible] apoplecticos. epilep
ticos. paraliticos. artetic'. podagric'. [illegible] [illegible]. [illegible].

doli. nefretic. neruos dolor. & mollicies. mihi ita puocat.
R. aloes boelli. colo quintide. sarapini. amoniaci. oppo
nac. e ciute semis. an. ʒ. i. fiat in paruissime pill. cum succo
porri. dent. ʒ. ii. & s. cum aq calida. Et si plus uolueris addere.
& diagridii. turbith. euforbiu & castoreu. Tamen & sic pille si
militer ualent. R. aloe. ʒ. x. mirob. citri. ʒ. v. tapsie. calami.
aro. ana. sinap. an. ʒ. i. & s. piperis. iii. & longi. colo quintide. an.
ʒ. ii. peucedani. ʒ. ii. tempa cum succo porri. & dabis sicut pill. aliis.
Et. R. ierepigre. ʒ. x v. ana. piret. sinapis. an. ʒ. i. & s.
piperis nig. & alb. an. ʒ. ii. tapsie. calami aro. an. ʒ. i. & s.
Salis indi. ʒ. i. & s. peucedani. ʒ. iii. tempa cum succo boelli.
& fac pill. dabis. ʒ. ii. Alie eufurbie. R. eufurbii. colo quin
tide. scamonee. boelli. an. ʒ. ii. amoniaci. sarapini.
opoponac. turbit. an. ʒ. i. castorei. sarcocolle. aloes. an. ma
stic. apii semis. e ciute. s. an. ʒ. s. tempa cum succo apii. l. porri.
dabis. ʒ. ii. Hiera. theod. d. nata ad mundificandum cap. & ad litt.
& apoplexiam. gutture. & paralisi. mollicies. cataractis. R.
turbit. ʒ. x. camedreos. sticados. elleb. n. an. ʒ. iiii. & s. aloes.
colo quintide. an. ʒ. ii. piperis. piret. mandragore. squinanti. ana.
an. ʒ. iii. & s. cinamomi. spice. petrosili. polii. ce. eufurbii.
an. ʒ. ii. piperis. al. & lo. cardamomi. mac. an. ʒ. iii. agarici.
polipodii. epitimi. an. ʒ. iiii. & s. absintii. ʒ. x v. peucedani.
ʒ. vi. nigelle. castorei. an. ʒ. iiii. aristologia. r. ʒ. iii.
fac puluerem. & qd. s. dade ʒ. v. vi. ieiunio cum calida. Al.
R. turbit. scamonee. tapsie. mastic. ana. galinge. spice. cin
namomi. aristologie. lo. an. ʒ. iii. diagri. carpobalsami.

vrioli. costi. mirre. ec. serapini. mel. piretri. an. ʒ. ii. mellis q̄s
s. dati ē. Pulueres calefacientes. R. anisi. seminis feniculi. co
loquint. sem. cicute. apii. an. sticados. acori. dragon. an.
ʒ. iii. fac puluerem. respersis cum amigdaleo. da ʒ. ii. cum aqua calida.
Oleum desiccans nerui paralitici. epileptici. sciatici. unguentum
l'lithontripon. R. nigelle ʒ. ii. semen lauri. ulteri. pistacie. sic me
dullas. decoque in aceto. aqua in distillatione fiat fenugreci. pone et coque. atque
cola. post calefac. mitte semen nigelle. fac puluerem. Deinde pone
in vase pinguedine et colle. usque quod olim sit aqua apparet. postea
expresse inde repone. decoque castoreum. et galanga. fac quoque
in aqua et cola. et mitte ʒ. v. parum olei. in aqua ista. et dabitur. Ad ual
paraliticis. apopletici. et omnibus morbis frigidis. R. onfacii. pirethri
forbii. ʒ. iii. castorei ʒ. vi. fac pistare. et in oleo coque fortiter
quod reseruetur. dabitur cum aqua. in quantum et mastix sit cocta. Ad olim
ualet frigidis passionibus. et gibbositatem. arteticco dolori. epatici.
splenetici. ex frigiditate apostematibus duris. glandis et tibiis. R. sam
buceo. laurinum. fiamelo. an. ʒ. iii. oleum sisamini. ʒ. iii. Omnia co
misce cum. ii. lib. aqua et aceto. celidonie. costi. mastic. an. ʒ. iiii.
pireti. bdellii. thuris. mastici. sicute semen. an. ʒ. ii. pista omnia
et commisce. coque quod ad aquam pereat. et solum olim remaneat. Ad. R.
oleum terebentini. sabine. an. ʒ. iiii. sagape. i. nigelle. galbani. storac.
liquide. an. ʒ. ii. omnia misce. in lib. i. olei nardini. anetri. camomille.
et quousque quod ad aquam consumetur. Unguentum quod R. piretri. olei laurini. sam
bucini. stafisagre. an ʒ. i. mel. sinapis. ʒ. ii. piperis. ʒ. ii. eu
forbii. ʒ. ii. castorei ʒ. iiii. olei et aceto. quantum sufficit. Dentificacioni
ac ualet apopletici. epileptici. et mundat cerebrum ab humoribus grossis.

R̃. cõ[illegible]. cassiam. pipil. et nigelle. pondere equali. fac puluerem et suces . fac pill. in modum lentis. et in uiuue [illegible].

Vnū modo similiter auricula et ablucacio fiat. Al. similiter.

R̃. cõmis. et piper album. et ung. castoreum. an. ʒ. i. Rute. et

nap. an. ʒ. ii. aloes. nigelle. an ʒ. ii. et ss. fac pulverem et nares

apone. Gargarismi. R̃. pirete. sinap. pipil. stafisagre. gr.

lage. calamentis. xx. an. ʒ. i. et ss. Fac pulvere et cu melle et pa.

facies inde gargarism. et cum melle. in modum auellane. Al. ma

les simili. R̃. eugam. Cansuer. Sinap. pirete. calamentis. ex

repigre. et sepi pipil. lo. pondus equale. fac. **De spas-**

mo.

Spasmum et tetanum se no[illegible]

uoluntarie mot. quibus uoluntarium motum habent perdite.

Ex plenitudine humor. et inanitione eorum. Est ac cplet. et in spas-

mi et aniioc et ptervicc. et eni cetani. Qui tetani et spasmo mu-

tificeat. Sed cum inuisibil non apparet spasmi. quia in arcet aqui olim

gunt. Vñ linorum spe somnt. Oportet eum intelligamus quando

hoies subito uenit spasmus. ex plenitudine necesse est eliminari.

Si post acutam febrem fiat labor. et uigilie. et similia. ex in

anitione esse intelligas. hanc speciem spasmi. post acutissimi fe-

bre nascentem. certo esse incurabile. quia nunc non post longum tempus

[illegible]. nam acut morbi et tempus et diminuitur. quantum dis-

soluitur. Si sic feb. et in febri fit incisi et curabil [illegible].

febri dissoluitur humores uni spasmi fit ex quibus eos [illegible].

De spasm. et tetani fit sine febris multi cum febris fuit

[illegible] non curatur feb. n. est brevi dissoluitur. et accepe

expellere. Vñ expeditus uite hoc et Ch. eugu. et spasmū.

[illegible]

... [illegible] ... mulgeat ... puellarum ... [illegible]

Pungere ... [illegible] ... infirmo ... [illegible]

... [illegible] ... omni occasione pacientes facile curantur.

de tremore et rectigacione.

Tremor et rectigacio ... [illegible] ... opositum ... [illegible]

... [illegible] ... spiritus et cinovis ... [illegible]

... [illegible] ... organum ... [illegible]

... [illegible] ... una ... [illegible]

... [illegible] ...

fiat similia .licet fiat. Rec. balneum sulphureum. et nitrosum frequentes . s. sibi sint facillores. et malas non bibens quantum potes.

De lippitudine
De albugine
De sanguine in oculis
De lacrimis
De amirentibus [?] oculis
De obocasium [?] solis
De continua celacione [?]
De tenebrositate
26 De auditus diminucione
De complexionis
De aurium tinnitu
De cornu [?]
De fluxu sanguinis [?]
De vermis labiorum
De gravitudine lingue
De dentium dolore
De dentibus putridis
De dentibus comestis
De dentibus fricandis
De dolore aurium
De cenutacione [?]
De sanie aurium
De commixtione [?] in aure
De narium fetore
De gingivis
De fetore oris
De morbo oris
De lentiginibus

Explicit capitula. Incipit liber secundus de lippitudine et obtalmia.

Superius enim pauca de capitis et cerebri infirmitatibus diximus. Consequens est ut morbos in membris faciat [?], non est permittendos. Incipiamus ergo ab oculis qui digniores sunt partes faciei. Deinde ad alios morbos breviter destinamus tangere. Sic memores [?] semper contingentes oculis. De obtalmia

Obtalmia est calidum apostema nascens super albuginem oculorum et pelliculas est enim minor et maior. Et minor et maior . [illegible]

[illegible] de cerebri et ceteris [?] auditus [illegible]

minus .i. in . [illegible] calor sol' siu pulueris. [illegible] ex hu
morib' adueniens a . c fluentib'. Vn oculi patiunt' apostemata . sic
[illegible] corporis mb'. Causa [illegible] e [illegible] in mbrorum [illegible]
[illegible] habilitatem huior' accipiunt [illegible]. Differentia [illegible]
[illegible] quarum quasi [illegible] cum sua [illegible] scil' oculi [illegible] alteri
contrario [illegible] . ii. species h[illegible] [illegible] scil' [illegible]. V[illegible]
fert [illegible]. quia [illegible] similitudinem [illegible] h[illegible] In
tumore scil' [illegible]. Alia dura [illegible] tumet [illegible]
dol[illegible] dura [illegible] lacrimosa [illegible] uenit h[illegible]. S[illegible]
uenit [illegible] tal' e. S[illegible] signo [illegible] sic ma
[illegible] [illegible] gutta [illegible] rubet oculi [illegible] tumor [illegible]
[illegible] gutt[illegible] [illegible] lacrime [illegible] nimie. S[illegible] sit rubea
[illegible] sentit [illegible] acub' pungat' rubore [illegible]
tate [illegible]. [illegible] [illegible] [illegible] scil' [illegible]
[illegible] nimium [illegible] multo labore [illegible] [illegible]
nimis [illegible] [illegible] obtalmia curare disponimus.
[illegible] sit [illegible] sanitas remaneat [illegible]
infirmo [illegible] ne se moueat [illegible] alto dormiat [illegible]
[illegible] fugiat [illegible] Cibi dentur frigidi [illegible]
[illegible] digestibil'. Potus aqua calida [illegible] neque fumo [illegible] puluis
[illegible] sole [illegible] balneis [illegible] aqua dulci [illegible].
[illegible] nocte [illegible] medicare. [illegible] ex humore
accipite [illegible] habilitet [illegible]
[illegible] uenam [illegible] [illegible] [illegible] pacient' [illegible]
[illegible] [illegible] sit colica [illegible] infirmo [illegible].
[illegible] abstine [illegible] [illegible]

De cura obtalmie.

[illegible] v. [illegible] [illegible] locomo-

tum mare [illegible] alia imponas. [illegible] libe-

ratur partus. Depe [illegible] flebotomie [illegible]

balneare. In [illegible] colliria [illegible] mittim[illegible]

[illegible] lacte [illegible] apponendum [illegible]

collecto

[illegible] apponatur [illegible] dissolvatur [illegible]

operimento [illegible]

[illegible] potest [illegible]. Dolores oculorum nimium

pur potacio / flebotomia. farmacia et balneum curatur. [illegible]

[illegible] potest [illegible]. [illegible] flebotomia [illegible]

et aliorum balneum / [illegible] farmacia [illegible] plenitudo

plenitudo. Propter inquam infirmitas [illegible] loco [illegible]

venerit. [illegible] fluide medicari [illegible]

[illegible] Incipiendum [illegible]

[illegible]. In declinatione [illegible]

[illegible] dissolutiva agitur.

Post infumationem [illegible]

ungere. Si dolor [illegible] fit magnus [illegible]

repugnancia dare cogimur. [illegible] infomitacione [illegible]

[illegible]

papaveris [illegible]. [illegible]

[illegible] mirta et oculis apponam hec. Si dolor fit nimis [illegible]

[illegible] portulaca [illegible] psillium [illegible]

[illegible]

[illegible] infusum. in noctes [illegible]

[illegible] albugine [illegible]

[illegible] refrigerans [illegible]

les calie obtalmie fiunt ex dolore. [illegible]

[illegible]

c albumine oui. fac ex his collirium in modum piperis. Al. Rc. sar-
cocolle ʒ. viii. amidi ʒ. vi. gummi ar. dragag. ana ʒ. v. cathi-
(alio nomine dicitur scoria)
mie. argenti ʒ. iiii. ceruse ʒ. vi. eburis [illegible] ana ʒ. ii. tem-
pera cum albumine oui. Al. ualet pustulis et ulceribus. Rc. sarco-
colle tempere [illegible] lacte asinino dragag. [illegible] ʒ. i. ceruse ʒ. vi.
gummi ar. [illegible] ʒ. i. tempera cum aqua pluuiali. Al. simi-
liter ualet ad [illegible] R. dragag.
exagium i. [illegible] exagia ii. sarcocolle exagia iiii. memite.
exagia iiii. tempera cum aqua [illegible] pluuiali. Al. ualet in [illegible]
[illegible] pellendum [illegible] Rc. ceruse ʒ. ii. cathimie.
exagia ii. memite. dragag. gummi ar. amidi. ana ʒ. i. acacie.
[illegible] ana ʒ. i. tempera cum aqua pluuiali. Al. roseum in [illegible]
[illegible] Rc. [illegible] rose. [illegible] exagia iii. ceruse. costi. ana ex-
agia ii. [illegible] exagia [illegible] tempera cum aqua pluuiali. Al. roseum. Rc.
(gumi ʒ. iii)
rose exagia iiii. costi exagia ii. acacie i. ceruse exagium i.
opii [illegible] tempera cum pluuiali aqua. Puluis ualens ualde [illegible]
(ʒ. iii ceruse costi ana ʒ. ii)
Rc. memite ʒ. i. sarcocolle ʒ. ii. fac puluerem et [illegible] mitte
[illegible] cum albumine oui. Al. Rc. sarcocolle ʒ. v. amidi
ʒ. iiii. spume marine ʒ. iii. zuccari ʒ. ii. fac puluerem.
Al. Rc. sarcocolle [illegible] lacte asinino [illegible] ʒ. vi. costi ʒ. i.
amidi ʒ. iiii. zuccari fac puluerem. De albugine

(et albugine)
Pannus [illegible] fit [illegible] [illegible]
pustula [illegible] fit [illegible] in [illegible]
[illegible] coagulatur. [illegible] subtilis
[illegible] [illegible] grosse
[illegible] medicina. Puluis ualens. Rc. zuccari ʒ. i.

[illegible]

panni [illegible]

spume marine ... sarcocolle. Coll. R. succari. amidi. an.
... Coll. ... spume marine ... Al.
ualet obscuritati oculorum ungule et pannis ungulis ...
... R. coclea marina ... et exsiccata similiter ualet ...
pannis et pruriginem ... in aceto ... sole ...
... desiccata collirium ualet ... panni oculorum.
R. ceruse ... aurea ... plumbi ... an.
... calculo ... spume marine. aloes. ...
... opii. an. ... radix feni ... pul
... in modo ... dissolue ... in lacte mulieris puellam nutrientis
... in oculis. Al. puluis. R. amidi ... sarcocolle ... ceruse ...
antimonii. an. ... Al. ... R. ceruse ... sarcocolle
... succari ... an. ... spume ma
rine ... albuginem ... oculi ...
... ualet ... sanguine ...
... Al. ... oleo laurino similiter ualet.

F Est fistula et sanguis de sanguine in oculis ...
... quando ... descendit ... corrumpit.
fit autem ii. modis ... percussione ... fractura ...
in ... ... medicamen est lac mulieris ... est
puluis ... in oculis ... sanguis ... turturis siue pulli columbini.
... calidus ... sulfur ... in oculis ... sanguine in ...
oculis. Al. aqua ... ualet similiter. Al. uitellum oui ... coctum
... ualet oculis appositum. Val. et lana succida ...
... sepe ... coctum ... ponere ...
... et ... oculis impositum. Al. ... oculorum.

[illegible] sanguinem [illegible] coagulat [illegible] [illegible]
[illegible] albugine [illegible] [illegible] mollificat.
Lini [illegible] mell. [illegible] **De Lacrimis.**

Lacrime [illegible] ex [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] intelligitur. [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] frontis [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] frontem
[illegible] [illegible] ponantur [illegible] [illegible] pill.
[illegible] [illegible] [illegible] pill. [illegible] pill. [illegible] [illegible] pill.
[illegible] pill. [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] ponendum [illegible] [illegible]
[illegible] [illegible] [illegible] ponantur. Rx. ceruse [illegible] [illegible].
[illegible] [illegible] [illegible] [illegible] [illegible]. Al. [illegible] [illegible]
[illegible] [illegible] [illegible]. Rx. [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] pulv. [illegible] [illegible] [illegible]. Al. Rx.
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]. Al. [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] **De amittentibus visum ab occasu solis.**

S[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] pill. [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

medis carne ipsa manducetur. Similiter ma[illegible]

uiuat diu si sanguinem [illegible] illa. De commu-

Uitiis [illegible] et multe sunt species. *oculorum tenebrositate.*

[illegible] alii [illegible]. Sed alii [illegible] ui uero pigre.

[illegible] sed [illegible] alii ut intelligas [illegible] multa plurima

oculorum infectione alii [illegible] pulsus autem.

[illegible] pulsus [illegible] uomitu. [illegible] cibo et superflu[illegible]

et [illegible] hora [illegible] se conducere.

[illegible] cephalica uena [illegible] ligna[illegible]

[illegible] cerebri mi[illegible]

[illegible] oculis [illegible] ligat.

[illegible] ligat [illegible] sellucidis [illegible].

De [illegible] fellucidis [illegible] bonum [illegible]

carne comedatur [illegible]

mal et melle bene cocto [illegible] tponas. Colli-

[illegible] obscuritatem oculorum et lacrimas. [illegible]

purgat et clarificat [illegible]. R. [illegible]

an. [illegible] IIII. [illegible] II. [illegible] II. mirre. coth. an.

[illegible] mirobolani cit[illegible]

[illegible] puluis fiat. [illegible]

[illegible] obscuritatem. Lacrimas [illegible]

[illegible] palpebras [illegible] collirio. R. sarcocolle et lacte

feminee [illegible] II. [illegible]

[illegible] calc[illegible] [illegible] an. [illegible]

[illegible] argent[illegible] an.

[illegible] pulueres fiat. [illegible]

[illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

nauie. Postq̄ [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

.i. galle. [illegible] [illegible] [illegible] pulius [illegible] [illegible]

cerusse. [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] cadmie [illegible] [illegible] [illegible] [illegible]

[illegible] fac puluē [illegible] [illegible] [illegible] [illegible]

lenius. [illegible] cum aq. [illegible] [illegible] lacte [illegible]

[illegible]. **De auditus diminucione.**

A[illegible] [illegible] [illegible] [illegible] [illegible]

philosophi [illegible] uocauerit [illegible] [illegible]. Passio [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] sine [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] paciens

[illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] seu [illegible] [illegible] seu [illegible] [illegible]

[illegible] puluis [illegible] [illegible] [illegible] intelligere [illegible]

causas passion[illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] intelligi [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible]

intelligibilia. [illegible] [illegible] medicina

[illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] capite [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible].

Olea calida ponenda sunt in auriculis. sicut anetileon. camomileon. amig
dalinum amarum et similia. Aliter accipiatur elleborus albus et castoreum
ana [illegible] cum bono vino [illegible] in auriculis [illegible]
[illegible] elleborus [illegible] pulvis [illegible] aceto [illegible]
[illegible] Hec [illegible] medicamentum [illegible]
[illegible] auriculam [illegible] vermicula [illegible] posset. Ali
[illegible] auricula [illegible] magna [illegible]
[illegible] necesse auferat auditum. sicut et
tonitruum. **De tinnitu aurium.**

S[illegible] auricule sonitus [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] elleborum album.
[illegible]

[illegible] (marginal note, left margin)

[illegible] pulū̃ [illegible] .iiii. [illegible] amigdal [illegible]
[illegible] .iii. [illegible] romanū [illegible]
[illegible] **de dolore aurium et mundificatione. plenitudinem.**

A [illegible] auricule [illegible] [illegible] fri [illegible]
[illegible] calidis [illegible] naturis [illegible] humidis [illegible] [illegible]
calore, [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] lacte [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] pe
nāt. [illegible] obtimā cū amigdaleō. opio. mirra. ec. Si aures doluerint
ex frigiditate seu aquositate. siue uentositate. olm laurinū. anetinū.
camomillinū. amigdalinū. amar. [illegible] [illegible]
appone [illegible]. [illegible] **de**

A [illegible] auricule patiuntur **sanie aurium.**
[illegible] [illegible] [illegible] [illegible] dolore ex
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] auricul [illegible] [illegible]
dolore [illegible] [illegible] [illegible] [illegible] [illegible]
mirra. mel. et aluminis. atque mirra in aceto cocta. Vel mirra.
in aceto. Sal cū lacte . m. Sumitur fel ouinū . bouinū . ticia
cū licinio iponenda. Al. R. castorei. .ii. thuris. mirre. aluminis.
coch. aii. .i. fac puluerem tempera cū uino. Al. R. opiū. mamithe.
[illegible] cū melle [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] cocti. in auricula missus iuuat.
Sumitur sucus rutacei. mirra. et opiū et castoreū equaliter pul
uerizata. et cū aceto mixta auribusque cū licinio iposita iuuat.

S[illegible] habeo **De sanguine carium.**
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Renes boum sic accipis [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] **De omni re in aure cadente.**
S[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

[illegible]

[illegible] in aure [illegible]

[illegible] Sc

Ad [illegible] narium fetore.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] ex diallogodio. theodoricon [illegible] similibus. Sequitur

[illegible]

[illegible]

[illegible]

[illegible] in capite ponenda .i. [illegible] mirta. uiola. rosa.

[illegible] puluis [illegible]

[illegible]

[illegible]

[illegible] puluis [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] fit [illegible] et alias [illegible]

[illegible]

[illegible] naribus [illegible] labi [illegible]

[illegible] et maxime siccis. R. cere albe. ℥. iiii. me

[illegible]

[illegible] .aii. [illegible] .aii. [illegible] aequaliter [illegible] perfice. [illegible] [illegible] naribus [illegible] [illegible] [illegible] [illegible] medicina [illegible] [illegible] [illegible] [illegible] pulvis [illegible] naribus [illegible] nigella [illegible] oleo [illegible]

De coriza.

Coriza est [illegible] [illegible] frigore [illegible] augmentatur [illegible] frigore [illegible] aeris [illegible] [illegible] [illegible] [illegible] naribus [illegible] [illegible] [illegible] [illegible] naribus [illegible] morbi [illegible] [illegible] [illegible] [illegible] [illegible] medicinae [illegible] [illegible] [illegible] camomilla [illegible]

lapide calido aceto [illegible]. [illegible] [illegible]
[illegible]. Caput [illegible] [illegible] [illegible] sunt. Similiter [illegible]
[illegible] aceto [illegible] fumigatur. Epithima capitis [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] caput [illegible] [illegible] [illegible] [illegible]. Precipiendum
[illegible] [illegible] [illegible] [illegible] [illegible]. [illegible]
[illegible] [illegible] ut [illegible] [illegible] [illegible] fiat. neque [illegible]
[illegible] [illegible]. Balneum [illegible] [illegible] [illegible] [illegible]. cibum
[illegible] [illegible] [illegible]. [illegible] fit ex frigidis
[illegible] [illegible] [illegible] fit [illegible] [illegible]
[illegible] [illegible] [illegible] fit [illegible]. Fumigatio fit ex thure.
ligno aloes. caput [illegible] [illegible] neque [illegible] [illegible].
[illegible] et [illegible] [illegible]. Ungatur caput cum [illegible]. [illegible].
rutaceo. pigamino. costilco. et mittatur in naribus nigella. bal
neum [illegible]. aqua capita non aspergat. [illegible] fiat
nigella [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] plenitudine [illegible]. De sanguinis fluxu

Sanguinis fluxus [illegible] aliquando [illegible] aliquando e naribus.
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] ex motu nature [illegible]. Non bonus ex nimio calore.
[illegible]. [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]. Aliquando
[illegible] capitis [illegible] fluxus fit sanguinis. [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
naribus [illegible] fit [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] ... uel [illegible] ... [illegible] ... [illegible] ... accto [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... rosis ... farina ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... aceto [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible]. **De vulneribus labiorum.**

Labia ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... rosa sicca [illegible] ... [illegible] ... [illegible] ... rosa. gummi arabici. cerusa [illegible] ... [illegible] ... rose ... [illegible] ... litargiri. cadmie. argenti ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible]. **De grauedine lingue.**

Lingua ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... [illegible] ... nimium calore [illegible].

[illegible] fricate. [illegible] sicca [illegible]
[illegible] uulua pustule [illegible]
[illegible] lingua [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] medicaminibus.
[illegible]
[illegible]
[illegible]
[illegible] gargarismus [illegible] calidus [illegible]
[illegible] camomilla [illegible] melilotum [illegible]
[illegible]
[illegible] flebotomia [illegible]
[illegible] purgatur [illegible]
calido gargarismo [illegible]
[illegible] mali granati [illegible] aceto [illegible]
gargarizet [illegible] rosa [illegible] lenticula [illegible]
[illegible] gargarismus [illegible]
[illegible]
[illegible]
[illegible]
[illegible] Gargarismus [illegible]

alii gargarismi dicunt masticem. que dissolvit flegma . . . atque capitis vel nasi dolorem . . . [illegible] . . . augant [illegible] piperis . . . nigelle . . . [illegible] post . . . pulvis . . . sapa . faciens gargarism[um] . . . [illegible] . . . in ungulas . . . emplastra . . . longa . . . arnoglosse . . . miscentur . . . balaustia . lentes . . . rosa sit decocta . . . medicamen . . . farina lentium . oleum ro[sarum] . . . ovi albuginem . . . supponenda . . . unguentum . . . fiat .

De dentium dolore .

Dentium . . . magnum est . . . magis . . . nimis . . . patientium . . . acero . . . Dentium . . . pallio . . . pars . . . sic . . . fervens . . . capitis . . . similia . . . non apparens . . . dentes . . . apparent . . . accipite . . . ingungiuas . . . parumper . . . pulsibus . . . procreantur humor . . . parumper . . . ibi dentes . . . gingiuae . . . Significat dentes causa capitis dolorem . . . rubor . . . intelligitur . . . causae . . . dolore . . . capite . . . albo . . . bucce . . . alto . indolore . . . capite inflato.

31

humores [illegible] capite [illegible]

egrotis. [illegible] ut fieri [illegible]

ex frigidis humoribus [illegible] frigore uel calore sol[is]

[illegible] dolor [illegible] [illegible]

[illegible] sine potu, ambulare [illegible] sine [illegible]

[illegible] [illegible] capite

[illegible] de capite [illegible]

cephalica flebotomanda est [illegible]

[illegible] sub lingua [illegible]

[illegible] calidi [illegible]

[illegible] caput [illegible]

[illegible] dolores [illegible]

[illegible] humores capitis [illegible]

[illegible] dolores [illegible]

[illegible] humores capitis purgantes.

purgant humores [illegible] sine capitis [illegible]

[illegible]

[illegible] in bucca [illegible]

[illegible] in dolore [illegible]

[illegible]

[illegible] pulverulam [illegible]

[illegible] in bucca ponito. [illegible] colloquinti-

[illegible] staphisagriam, piretrum, ysopum, album, nigrum.

pulverulato [illegible] sine melle [illegible] super dentes ponito.

[illegible] ad dentium dolorem [illegible] frigiditate [illegible]

[illegible] piretrum, ysopi [illegible]

meris [illegible] [illegible] [illegible] [illegible] [illegible] Coque [illegible]
aceto [illegible] [illegible] [illegible] remaneat. inde dentes [illegible]
tacto dolentes. Parte [illegible] tollens dolor [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] ponantur [illegible] [illegible]
magnam. Si uero dolor [illegible] [illegible] [illegible] apponatur [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
cucumis [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
principio morbi [illegible] [illegible] observandum. **De dentibus puerorum.**

A[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] ligamenta [illegible] [illegible] [illegible] [illegible] in
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
hac [illegible] careat. ad dentium incipiat medicina. [illegible]
cuius radicibus [illegible] [illegible] [illegible] gallam [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] ponatur. similiter [illegible] [illegible] [illegible] [illegible]
[illegible] nigella [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] ponantur [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
radicibus [illegible] [illegible] [illegible] [illegible] [illegible]

agr. l. sinapi. i. q. anno. [illegible] cumino. dolore [illegible] dimittigat.
[illegible] expellit. Al. R. [illegible] frole. [illegible] pou. i. terga ē
picta. et diminui iple foramina. Al. R. arsenici. i. auripig
menti. [illegible] agrestis. i. aluminis. galli. an. [illegible] spume
marine. pireti. mirre. an. [illegible] lucem. gumi. arabici. [illegible]
terga cum eo et mitte in eius foramina. [illegible] dolore dimitte
gel dentes ferro abstrahere oportet. Ad si ex aliqua re [illegible]
ni ferro extrahere. [illegible] dentium radices. et hi [illegible]
[illegible] farina [illegible]. [illegible] terga et lacte [illegible]
pone dentium dolori. Q. [illegible] ponatur. sine ferro eradicatur.
Similiter facit oleum et melle coctum et [illegible] mel [illegible] ipse. et
id facit radix coloquintide et aceto [illegible] cortices radicis [illegible].
pireti. [illegible] terga et aceto in sale [illegible] similiter. [illegible]
[illegible] dentibus. De commotis dentibus.

Dentes aliquando commouentur et causa motus [illegible] humiditas [illegible] dentibus. Que sentitur acuta [illegible] dentibus foraminis i putredine
efficit. [illegible] Subuentiones [illegible] pleni [illegible]
[illegible] et [illegible] ex re [illegible] et siccatiua ad dentes
[illegible] reddant. [illegible] cephalicis [illegible] minuatur.
aut [illegible]. Ubi acacia accipiatur. et dentibus pone.
galli [illegible] gargarizata. [illegible] malignum. [illegible]
[illegible] dentes in aceto cocta lib. galli et aceto posita. [illegible]
[illegible] pulueriza et dentes pone. Al. R. galli. alu
minis. [illegible] malignum [illegible] pulueriza
[illegible]. Ad [illegible] motus ex flegmate [illegible]
aluminis. [illegible] pulueriza et dentes fumiga. Al.

[illegible] pulu[illegible] [illegible]
[illegible] [illegible] dentes [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]. De fricandis

Dentes [illegible] [illegible] dentibus.

[illegible] [illegible] [illegible] [illegible]
[illegible] spume marine. [illegible] [illegible]
puluis [illegible] [illegible]. [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] bon odoris [illegible]. [illegible] galli [illegible].
spume marine. [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] galli [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] puluis. [illegible]
mundificans et bonum odorem faciens. [illegible] cadentem [illegible]. dolorem [illegible]
[illegible] dentium [illegible]. [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] puluis [illegible]
[illegible] [illegible] puluis. [illegible] [illegible] [illegible]
[illegible] [illegible] marine [illegible] spume [illegible].
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] galli [illegible] [illegible] [illegible] puluis.
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] spume marine.
galli [illegible] puluis. De gingiuis.

Gingiue [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]

[illegible]

Pruritus [illegible] puritus ... [illegible] ... malis odoris [illegible]
mollities sanguinis fluxum [illegible] ... [illegible] ... [illegible]
[illegible] frigidis neque dolor neque [illegible] ... carnis [illegible]
[illegible] ... [illegible] ... iii. [illegible]
[illegible] ... caro, [illegible] ... [illegible]
[illegible] ... et mollities [illegible] ... [illegible].
[illegible] ... collum scarificando et [illegible] ... bucca lavanda.
[illegible] ... succo arnoglosse. sumac. mirre.
balaustie rose simul vel separatim in aqua coctarum. Et lavanda cum aqua vel
puro aceto. [illegible] ... scarificare ... [illegible]
[illegible]. Bucca cum succo solatri lavari, vel [illegible], vel aceto vel arnoglosse
succo [illegible] vel lacte acido. [illegible] in aceto [illegible]
[illegible] ... bucca lavari cum aqua decoctionis [illegible]
in qua [illegible] ... [illegible] ... [illegible]
[illegible] ... aqua rosacea bucca lavatur. [illegible]
to rosis coctis vel balaustia. [illegible] ... [illegible]
[illegible] ... [illegible]. Si ex [illegible]
carnis. [illegible] medicina consolidativa ... carnis [illegible]
[illegible] ... farina [illegible] ... [illegible] ... aristologia. [illegible]
[illegible]. de fervore oris.

Fervor oris ex [illegible] nascitur [illegible] ... [illegible]
[illegible] ... [illegible] ... [illegible]
[illegible] ... [illegible] ... [illegible]
[illegible] medicina [illegible] ... [illegible] comedens [illegible]
[illegible] ... bucca lavetur [illegible]
[illegible] balaustia [illegible] ... lavare [illegible] ... [illegible]

[illegible]

[illegible]I

ibi remanent secundum ubi uomitus fit rei cibi humorum cauentur. [illegible]

matur lac. et ex lacte facta medicina uomitus que bucca, pu [illegible]

tridum odorificat. Si ergo gignuntur ex corruptione flegmatico [illegible]

mundificando in stomacho. Hi sepe uomitu et pillulis de yerapigra

cochiis et aureis. stomatico maiori subueniat. Ab eis generantur

piscium crossis et uiscosis habet generantibus et gignitur. et hos mundet [illegible]

et pane assato. et cum uino odorifero. masticet corticem citri. et ut [illegible]

pillulis iborum damascenum. odorando ualentibus ora. Recipe gariofili.

nucis muscate. cinamomi. masticis. ana. ʒ. viii. sandali. rose

ʒ. x. cubebe ʒ. vii. cardamomi. gallie. ʒ. v. ligni aloe ʒ. i.

fac puluerem tempera cum succo malorum et aqua rosacea fac pillulas in modum

ciceris et sublingua. i. sub lingua teneat. Fiat ei similiter. Recipe. cina

momi. alicchum. cardamomi maioris. gariofili. ana. ʒ. ii. gallie.

granum ʒ. ii. gallie muscate. spice. nucis muscate. rose. ana ʒ. i.

yerapigre ʒ. iii. fac puluerem et cum succo apii tempera faciens pillulas

de eis aqua rosacea. Aliud. Recipe. cinamomi. alicchum. gariofili. menthe. mastice.

ligni aloe. squinanti. rose. ana et gummi. i. sandali. al. spice. cu

bebe. cardamomi. gallie. ciphi. ana ʒ. i. fac puluerem tempera

cum uino odorifero et fac pillulas. et eas in bucca teneat. os lauet

cum aqua in qua anisum et maratrum fuerint et uino odorifero commisceantur.

Os aliquando solum infirmatur. De morbo oris.

mittitur ubi aliud non uenit infirmantes. Pariter et pustule simil

na et similia. et sequitur etiam (corruptas?) humoribus aliunde ad

bucca confluentibus. Si uero fit quod nigredinem fere ... cum uolat.

dolet. ardet. et scit et uolat. Si autem pars dolens ... et

ardet intelligitur esse flegma. Si uero mala nigredine ...

[illegible]

[illegible]

[illegible]

Si lepre precesserit scabies ... [illegible]

... in mutationes ... [illegible]

[illegible]

e molesti e tumidi nec a cofar sit dominetur. Aliquando more ulcera
nascuntur. Si autem uulnera in labiis fuerint ligamenta [illegible] maxime lenientibus
cum emetica damnum lactis que salubre est. Compressione media
caninus temperamento fuerint sanatur. Infecta autem erunt pessima sicut
cancer sic pessimum nascens humoribus. Vel si ubi est lingue inuscere pe
ssima sunt. Si parte magna lingue auferatur ideo homines [illegible]. In
tellectum est in firmitatibus medicina incipiatur repugnans
humoribus quod in principio maxime debet fieri. In medio repugnan
tia et dissolutiua neque dissoluta neque [illegible] nec [illegible] oportet quod
per [illegible] humores [illegible] et flebotomia dissoluatur. Medi
cina repugnatiua in inicio talis est danda. Sapa ex malis et [illegible].
Sapa ex uino et aqua cocta sit simac mirta balaustia et so
lent humoribus [illegible] incipientibus repugnantibus et nec toto dis
soluentibus [illegible] mirta et admisceatur. In nouissimo apparet [illegible]
corporis humore tempus danda est causa. Dissolutiua neque curatiua
et repugnatiua. Si in solo ore sit uel uulnera uel pustule corpore
toto plenitudine carente lauetur bucca cum succo solatri. Coriandri
[illegible] et [illegible] et sedum quod dicitur in igiguis medicamen. Hinc medica
men [illegible] damascenus dandum ualens per [illegible] uulneribus et ulcera
tionibus. Recipe. [illegible] balaustie ana [illegible] coriandri memite [illegible]
[illegible] ana [illegible] iii spodii seminis rose seminis portulace betonice ana
[illegible] balaustie [illegible] arnoglose ana [illegible] ii fiat puluis
[illegible] et [illegible] cum succo malignanti uel succo coriandri.

Aliud. Ualens calori pustulis igiguis et palato uulneribus [illegible]
[illegible] et corpore [illegible]. Recipe [illegible] spodii memite ana
[illegible] ii seminis rose [illegible] iii [illegible] ii zucari [illegible] iiii cardamomi [illegible]

qbn [illegible] c. gargarizat [illegible] [illegible] coctis [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] ciom. preliqs [illegible] piscei [illegible]

caphore .ɔ.i. fac ꝯ p̄ adʒ sic diximꝰ. Al' eiꝰ nales similr. Rꝫ

ʒ rose. liq̄ricie. amid. spice. cipi. mur. mente. cinami. ale

ebini. an̄ eragū .i. caphē. aluminis. ce. camfare. ʒ .ii. d̄pul

ue sic d̄ alijs. Al' nales similr. R. ɔ ucari. amidi. ʒ penī

lace. ʒ rose. an̄ eragū .i. gallie nipe. bouragīs. ʒ ii

cuminis mundi. lētis mund̄. an̄ ʒ .i. caphē. ce. spodij. ʒ .i. fac pul

ue. ē aq̄ [illegible]. suceo malignati. ablue. sic dr̄i. Suulceratioēs hōs

lactētib' euenīt. mat' lētes ɔ micas panis accipiat. sic ulceratiōe

apponat. amid. ɔ aq̄ tepida. ce ʒ rose. Del' manducabit rel'

q̄rē stiptica. sic pura cidonia mala. **De Lentiginibus.**

Lentigines i facie nascūt mar̄. ɔ uili icorpe

aliqn̄ apparet toto. ʒ cū pl' i facie sint sanabilior sunt firmū.

aliq̄n hee lentigines ꝑp̄ē sol' euenīt. ardores aliqū puellis

tingt ē mēstrua melācolica in ploc sunt ereuīt. ʒ ū eg̃ omē ꝑ toti

corp' se dispgit. Si passio sola ūguētis curari. Si q̃ mali hec

subito uenit l' causa morbi difficiles s̄ sanari. Cū .n. ex

colanig̃ causa ex īputrescete q̄litates mutāt. Sicat īsola licet

uidet. cephalica uena minuat. Si corp' tot' aspgit. ɔ media

ebotomeni. Q̄ dsimilie neq̄ȧm humores ēcauterie. ɔ formis

eius dissoluant. dū adiugēta redant. i. amigdalas amaras h̄ī

pistatas ei i ponant semī eruce simil'. farina orobi ē mell

dis̄pata cū malū acidi. farinā lupinor cū aq̄ coctilla li

cum. mirte fruct' pistar. **De Morene Lontis.**

Sic ucet ē aq̄ distempere. dulceoreos. ʒ melonceam ne ip

sr. Al' diot damasceni. R. farinā lupini ɔ frumēti. amig

dale munde. ɔ ucari. an̄ eragū. i. liq̄ricie. gumi arabici.

lingue

al. ꝫ. ii. mirre. ini. costi. eragun. i. cũ pa c lacte. Al. R. fari
ne fabarũ. & frumenti. ana ꝫ. iiii. costi. ꝫ. i. cũ pa c aq̃ d fenugr
ci coct. Al. paulo. R. lentis. libam. & mirre. ꝫ. i. mastic. ꝫ. iii. al
bugine ouorum c corticib suis. ꝫ. v. carnis melonũ q̃ sufficit.
Al. mundificat. R. lupinorum fabarũ. & melonis eq̃li pondere. lentis mun
date. cũ pulũe unge c lacte. m. & asine. Al. R. farine lupi
ni. fabarũ. lentis. amidi. amigdale amare. ana ꝫ. iii. & melonis
cucumis. orisa. ꝫ. gg. ana ꝫ. eragun. i. mellilot. & ordi. cc. costi. ꝫ. ii.
eragun. i. fiet pulũe cũ pa c albugine oui. unge c nocte. lau
& ido. Similiter uiscere pelle diuers fiat & parue alum gu
mi. & pulũe. & in facies lauat. Similiter gummi arabici. & cũ c a
cc cũ pa. facit dolore mundificat. Al. R. cathimie argenti eragun. i.
thimalec. & re armeniace. ana ꝫ. i. lidar. ꝫ. ii. cũ pa. cũ aq̃ro.

Explicit liber secundus.

De sinanchi	De sincopi	De empicis
De strictura gutturis	De uocis asperitate	De pleuresi
Apostemata & tudines	De tussi	De apostemate mamille
De apostematib ungule	De [illegible]	De cardiacis
De raucedine	De emathoica sanguinis	De asellar feruore
De anhelitu		

Incipiunt capitula li

MEMORATUS LIBRIS bri tercii.

In precedentibus iam diximus infirmitatibus capitis accidentibus pro
ueniant. in dicatur membris in broncis muscilis acci loca
uie & corporis. Dicimus morbis & eorum causis. significationes
& medicine subiugar. & recepte amolet & necessaria
morbis de sinancia. Est enim morbis igitur ulcerlis & ulla

cione sin ipsi [illegible] sinantia .i. [illegible] uocabis eis. S[illegible]

hi morbus ase inuce [illegible] ilit. Sinancia .n. aliqui e ex [illegible]

put ad gutt[illegible] [illegible] aliqui [illegible] hic marthail [illegible]

Et pacientie [illegible] infra hoie mortificat subito [illegible]

cat. in sinancia e [illegible] angustat. n. flat n ipsum cibu re

cepe n posse neq; [illegible]. Ut si recepiat. par uilsimu buccis

at descedentis signolem sit t colica uiscosi t flegmaute. t salsi.

t melancolia. n. nuq; li apia sit. q a hic morbus cito puali esse

pacutissimi. S melancolia post longu temp equat. Vn e ipossibile de

mg colla ce. Flat sinanchon. spe e log. caus lalogittio ind sue

strauis e gutturis. Q de q e s suffocat aere iuspirati son

hic nualiat longo spacio necce e iu implere. Inde e breuis

lauabile signi e sinatieis. Vn. G. iste pnosti ypocras. Pessi

mu sinatie e gni. qd i herma [illegible] isequi. neq nimiu

dolore t agtra fecisse uidat. Igula siue icollo sic tumor no

appareat t rubor. minor i pessimitate e sino anehlite he

egru. S e tumore t rubore igula t collo dolore [illegible]

mua minor ig du teio. e n nimi dolore neq; flat egrot. si

gu ne igutte s igula t icollo. t iuuat opt u signa hinc

dicat un hi morbus gerat. Si sit ex sagne ifit m appare i pleni

corpe. rube i facie. [illegible] uene i plene sagne. puls plen

tumor calid i rubeus. mostrat eger nimi qsi igula supe.

ter dieta sua ante mtu sigi fuit gratuita. t e coli. c. do

lor fortis. egtra nimia calor atq; sitis. mai ia fumositas i

gula pulis uacuus t fortis. t ex uiscoso flegmate dolor ne

nimis neq; p dicta signa i eo uidetur. tumor liga t mollescit

dol· par . vel salso flegmate supponat . mar sale igula uor
ci sic catulos. In h[oc] modo medicacioes hu[...]es s. p[ro]p[ri]e dici. In sa
gue cephalica uena e minueda . v post repicoma. In sinu
tia uiqo atomia ope[...] icide uenas [illegible] p[er] p[ro]p[ri]e icide ue
nas sed qd op[er]tat. ut s[un]t [illegible] pati ual[...] Dat at itelligi duob[us]
mo[d]is debe mederi sed magnitudine morbi l[ib]et q[u]antitate [illegible]
tis. Simaria e ex uiuoub[us] morb[is]. Si l[ib]et sis e eol[...] p[ro]pedi[...] ce mu[...]
[illegible] humectare d[e]bi[...] e catartie d[e] cassia f. orifenum. u
iube . uiola . et similia. Simul e celisti d[e] uiola . et fole malue.
camemilea . p[ru]nis uiuub[us] . uiola . et similib[us]. Ex tieto at seu
mie col[...] . et reg[...] dicere e cgshoe. cephalica flebotomari . u
[illegible] ocet . ui coll[...] . v . icesa . P[ost] flebothomia et purgacione
[illegible] ad mb[us] ii morb[us] mare regnat. In p[ri]ncipio doloris
medicet e lui q[ui] repugnet buiaub[us] adgut descedentib[us] et
ipsu co[n]fortatib[us]. sic sapa e d[e] mous l[ib]et solat e succo arnoglose.
deinde d[e] gargarismi fur fur q[ue] ordi aceto i fusis et colat[is] et
aq[ue] i[n] q[ua] balausthe. simac. rosa. siue galla fit cocta. letol[ogi] seu
suce solat[rum] . l[ib]et psillis. oia sunt stiptica et repugnatiua. Post
[illegible] humores [illegible] ad humores dissoluendos i sicutmus
mb[us] clausos redam e gargarismus d[e] sapa mous et sapa
uini [illegible] et pauca [illegible] potano. e zucaro. l[ib]et lac
te capno. seu asinino. e zucaro . et pauco ce. l[ib]et e cassia. f. et
sapa [illegible] . l[ib]et e succo portulace. Post q[ue] humores [illegible]
mo fiat gargarism[us] . q[ui]a humores hs dissoluit. Cibu dm [illegible]
[illegible] . Si sit l[ib]et insolito aliqd. l[ib]et suce mudari seruis. me
loni . atq[ue] cucumis . ul medulla [illegible] . amidu [illegible]

[Right margin, beside line 12:] [illegible] causa albi catar[...]
[Right margin, beside line 25:] d[e] aiy . q[ui] n[on] fiat [illegible] e gargarismus

c amigdaleo. Debent autem ubi insufficiat nutrimento dari. vel ami
du c lacte et penidiis et amigdaleo. Ductus autem sit de solatro
bliti. portulaca. que sunt amigdaleo parata. Si apostema sit fleg
matic quod ex ponderosis signis intelligendum est et ex certo flegmate
compositum. ut purgandum. Similiter adhibendum et gargarismi
in morbi principio. Fiat autem de sapa nuc. aneto. id est menbris
sive corticibus nuc sit coctum. vel timea vel suc solatri uel oxilicio vel aloe.
Humoribus his dissolutis. ad ambe curandum redeant in brionem
male includunt. Gargarismum faciant de sapa nuc. pure. vel
sapa solatri vel oximelle. vel sapa murtina. vel aqua in qua sicce fuerint coc
te. vel cum tepido lacte. et merda canis albe. vel canis albi. subtiliter
pulverizata cum melle distemperato. Quidam in morbo hoc ubi lingua comprim.
Gal. dicit. Et omnia sunt utilia. Accipiant ut cuminum et pulverem
lac. ios. spuma cum felle taurino. Melle bucca linganti. gargari
smum faciant. Item. c. fel idem taurinum suffocatione iuvatur cadentium
ab intestinis. et similiter omnium. Contritis radicibus cauli et melle fa
ciant gargarismum. Similiter sucum radicis uvae cum melle. Garga
rismum valet sinachico flegmatico. Recipe liquiricie. ʒ. iii. piretri. castor.
squinanti. ciperi. dentium ana. ʒ. ii. feniugreci. mirre ana ʒ. i. agni. a. ʒ.
piperis. spice. sisileos ana. ʒ. i. fiat pulvis. cum melle distemperandum. et modo
avellane accipiat. et cum aqua sicco decoctione malignum fit anco vel aqua
vino odorifero facit vel cum oximelle. Item. valet similiter. Recipe rose.
ʒ. ii. lignum cassie ligne. c. ana. agni. a. Tere cum melle. unde os linge. et
fiat gargarismus. Item. Recipe rose. liquiricie. ana agni. uel.
dichum. piperis longi. cc. ana. ʒ. i. aluminis. cardamomi. mirre.
sinapis. ʒ. colli. ana ʒ. ii. fiat pulvis. adde mel quod sufficiat. accipe

ip̄ in. plun. ad rupendum [illegible] intrinse[illegible] sp̄s
aū c filo [illegible] i pingū canis pingius. [illegible]
[illegible] i melle [illegible]

in modū auellane. vel sepi. vel ē aq̄ in q̄ sit cocta galla. vel ē succo so
lat. vel ē oximelle. ⁊ aq̄ calida. **de apostematibus in**

Cū apā debeat intelligi in gula. ⁊ eo. adiuuam. **gula.**
tunc in ea opt. ⁊ iie facilib. ꝯpire illud molam. No. n. icipiēd.
a forcib. fiat g̅ gargarismū ē lacte caprino. vel asinino. ꝯ psillio
vel semine lini ⁊ ꝯ tota. c̄ ꝯ ferm. ⁊ olo uiolato. vel butiro ꝯ dato ꝯ
mia. ad. ⁊ facto. R. semen mīs malue. fenugreci. lac caprini
ꝯ q̄l̄ ponde. ꝯ dū liq̄ facta accipe ⁊ radicē malue. Vn facto pul
ue ꝯ dulciꝯ colare fac ⁊ da bibē. Ad idē dumasciem ualeꝯ
ad apā facile ꝯ pied i gula. R. dragg. ꝯ v. amigdaleo. olī uio
lati q̄nt sufficit. aq̄ ū ꝯ ordū sit cocti. liq̄ ricia. ⁊ maluā. oiā
in aq̄ cocta. succo cucurbite. arnoglose eq̄l pōde. aq̄ ū
cassie. f. sit cocta. oiā mixta ⁊ bn̄ ꝯ fecta i furno de gar
garida. colata ⁊ ꝯcalefa. Si ū firmū sit fœtens ⁊ certū siui ꝯpire.
fiat gargarismū ē aq̄ ū cocta sit fic ⁊ misceat̄ ē farina. vel stercore
canino vel lacte asinino. fisso apate opt. ꝯ edaē uitella ouor.
ū coctꝯ cū amido. ⁊ ꝯ gūt. ⁊ olo uiol. vel ē succo semīs citonij.
⁊ arnoglosē. vel ē aq̄ ū ordū ⁊ liq̄ricia sit cocta. Similit̄ ē aq̄
ū ordū liq̄ricia. fic. cassia. f. olī uiola sit apostem. Maturād̄
ē cū ure facto d fur fure ⁊ amigdaleo. olē uiol. penit. vel ē
malua. ē solocana. blita cucurbita. ūgant gulā ꝯ ꝯ ceerā.
⁊ olo uiolato dragāt ⁊ ouī uitello. Itē est ūgēt ual. ad ape
dū gule apā facile. R. ce albe. olī uiolati. ꝯ. ꝯ v. butiri ꝯ.
viii. drag. ꝯ. iii. ꝯ. viii. fac d pisād pulue ꝯ
sim ꝯ misceꝯ fac ūgētū. **de uua.**

Aqua in flacio capa nascit̄ pglandib̄ ꝯ partib̄ gule.

me lere. Quod fit ex humiditatibus capitis illuc descendentibus. In
hoc ascendente asso, unde nimium dolorem patitur, saliuam nec
magno labore. Oportet ergo prius, si adsit rubor calor, ui-
nar plenitudo pulsus nimia et plenus, ubi signis certificatur, a
cephalica uena minuari quo ut paciatur paciens. Si ergo nimia
sit ardor, siccitas et sitis nimia, colera rubea est purganda. Deinde
fiat manna uiola. ex absentia et simul dolore mollificato
dolore et siccitate atque siti. Intelligitur morbus et ex signis. Deinde
incipiam purgetur et medicina danda est repugnatiua et dis-
solutiua sicut gallis cum aceto. Ungatur inter cpenul digito. Idem
faciunt simac. cortex malignati. balaustia. rose. mirta.
Si hec ad salutem infirmi non sufficiunt de uuula est uidendum.

Uuula si superat de uuula.

In fundamento sit et ex cimitate ex ossi et tumida. et quasi similis
habet alba. cum ferro siue acuto medicamine equiualenti i-
cidenda. ut post sicut ipsa pronosticorum particula. Uuula adiecto
dum si sit rubea et magna molestissima est. quia sequitur ipsa illa
est signis. Unde nimium studendo est quod adsit superlit ex cima
ter ossiset et tumet. et tunc non incidat. Uualis est enim incide-
purgatione ueris sicut propter expectet suffocacionem ex
pectando nimias. Hec ex auctoritate gloriosissimi ypocras
expecta. innuit qualiter uuula tumida sit medicanda. Qui ipse par-
locutus fuit auctoritatem non in mar uina debet. Oportet
ergo ut non incidatur. et si dolor super sequitur nimium timetur ne ipsa calida
succedat et fluxus nimii. Aliquando quia est rubea incidenda est sin autem
non oportet. Si perpendum est infirmo in medicamine illo. cuius.

caue · i psilme · q̄ rēpa cāq pacola · ȝ in acetpiat galla · alum ·
fumus et pulu[is] fiat. Que si fiat ad mi[nus] ml'. gargar[ism]
m faciat. Alit'. contunde [illegible] ual[illegible]. R. mirre. lit' amoni
aci. piperis nig. et longi. ana. fac puluis gula i sufflet. Si
glādes aliquis habuerit. contumaciores. gargarism[us] [illegible]
qd aq [illegible]. dactile. sinuge. et alia similia sit cocta. d[illegible]
dissoluunt si ugant[ur] sic mixt[o]. sale. amoniaco. succo caulino.
centaurea. ē melle et sapa [illegible]. **De raucedine.**

Raucitas e[st] ex humiditate instrumenti uocis
inhibitio. hec humitas l' ē flegmatica l' sanguinea. Que cū a capite
descendit instrumentum uocis humid[um] planitatē aufert loqui
di. et aliquā uocē oio extingit. Si uero sanguine apparuerit et. qd
rubor ostendit. et plenitudo in facie cephalicā uenā incid[at].
et q̄ est ubi pacientis ex pectore minue. purget ē cassia fistu
la. uiola. [illegible]. et similibus has pill' ponant sup lingua.
R. gumi. dragaganti. liquiricie. amidi. semen cucumeris. cucubite.
portulace. ana. [illegible]. iiii. [illegible]. penide. ii. fac pill' quas sub lingua
teneat. Nutriat' ē iure ex farina facto. cū amigdale. ouis
mollibus q̄. et similibus in humoribus flegmaticis gargarism[us] ē
ierapig[ra]. ē melle [illegible]. Electuarium. R. succ[i] caulis
mel bn coctū [illegible]. Alit' ualens similiter. R. liquiricia.
[illegible]. piperis albi. [illegible]. cassia. mirra. gummi. [illegible]. ana. ii.
spec. dragaganti. i. penid[e]. [illegible]. et mel q̄ sufficit. Alit' ualens
similiter. R. [illegible]. amigdale dulces et amare munde.
ana. [illegible]. penide. [illegible]. xviii. [illegible]. cinamomi. piperis dragaganti. i. fac
puluis adiunge mel q. s. [illegible] liquiricia. sit cocta. Alit'.

mel ual. R. sp bened. albane. pur. dragg. conta. i simil madent mell'. Al'. R. fenugr. amigdale dulc. 7 amare. an. 3. iii. sem lini psilli. 3. viii. amidi. dragg. sufficit. pinas 3. ii. tempa cum sapa.

de uocis asperitate.

Sunt instrumenta uoc. siccitate patiunt. unde e uox aspera. Siccitas ac l calor ex febre. l exp pulmone. l adust. siccitate. l ab rispor aspitat. destillatio l siccitatis. dissipat. accipe lon. ole dicta in aq calida 7 dulci. sepe balneet. ℣ liga frontani. psilli. dragg. ac ponend. Deind sirupu uiolar. cu cuibu. sirup iuiubin. Accipiat sep rusti. d furfure c amigdalo 7 penid. Electuariu uel chors damasceni. ualet gule aspitati. amma. R. dragg. 3. gumi. amigdale dulc. amidi. sem cucumis. an 3. iiii. sem citonii. sem citruli. an. 3. ii. penid 3. xx. mel. q. s. Simile electuaria dicta i te si dana.

de tussi.

T ussis e motus aeris. naturalis. / i. motus uelox / uel expulsiuus

iritatis uiolent fuit cuius e instrumenta sps opilata repellenda siue fluxa sine nocentia. d. e. ii. naturalis al. sunt nocentia i strumenta sps motie icep. Vt e ple expellit n pellit. autem alia. aduuari expent. Va cartillagines canales pulmon 7 lacerti pectoris inobedientes ad iritum naturale. Si aliquid ad

pectoris

ea moti lacerti 7 pulmonis constrictu aeris expellendo aqual mot cogit expellit quamle ilatur iudicat obuiat. Mali e lis eroi passio pectoris. Vniuersale cu ex oplos mali calida 7 frida. q instrumentis sps dnat l comatica mala q l'it e t extra. humitica sursu descendes sic accipitur reumatica pectore. l ab infusi alcedens fri. Sic humor se fluxuis agit hoc genus

[illegible]

tussis; cronicalis ... n ... expultiu nocumentu

adiuncta uenā pectoris. Aliqñ fit materia, p̄ quā sp̄s spargitur istru
menta. Sic in peripleumonie uidemus et pleuresi. Item materia ē
calida et sanguinolenta. colerica l' flegmatica. Vel si solū fumus
[illegible] ē fumo l' puluis misceatur. Vel a
[illegible] frigidior trahitur. Sequitur [illegible] dolor. [illegible]
Aliqñ cū dolore pectoris ē [illegible]. Et fit duobus modis. l' [illegible]
[illegible] pectoris suspiriū. l' constipacione pellicularum [illegible]
[illegible]. Quam [illegible] intelligi
[illegible] descendens [illegible] instrumenti l' apartib' l' aper
[illegible] comminacionib' [illegible] passionib' [illegible]. Non molestatur
instrumentum sp̄s compleccione mala l' gutturis l' canalium pulmonis
aspirare. mala [illegible] sine [illegible]. Tussis sicca [illegible]
[illegible]. Vel [illegible] aspirare [illegible] mala [illegible] sp̄s
instrumentis l' [illegible] materia [illegible] expelli [illegible].
Quare [illegible] canalib' pulmonis [illegible]
[illegible] se dissoluat [illegible] modi
[illegible]. Si [illegible] signa [illegible] aspirare pe
[illegible] dolore [illegible] frigido aere calido [illegible]
[illegible] cardiaca
[illegible]. basilica uena incidatur. Si [illegible]
uel speculas
subueniat. [illegible] loca [illegible]
[illegible] sirup' [illegible] ptisane [illegible]
[illegible]. Item [illegible]
[illegible] malignam [illegible]
[illegible] malue [illegible]
[illegible] ptisana [illegible] malue. blete. [illegible]
[illegible]
[illegible]. Aliqñ oua sorbilia [illegible]

amigdaleo. Si comedat pullos et doctis quibus libet lib. dat.
pectus a foris ungat cera alba. cum farina olei uiol. succo por
tulacae et cucurbite. Aliquando omnia solubilia edat. Si propter licalo
nimium aestiuantes decessit per pungentiam. Electuaria que
liberant uiscera. diapapaueris. Electuarium. ad dolorem capitis. pe
ctoris minuit et optimum. R. succi liquiricie dragg. gumi. arab
ci. ana. ʒ. x. seminis papaueris albi. penidiarum. ʒ. ix. amigdal. dulc.
mund. ʒ. x. amidi. citoniorum. portulace. ana. ʒ. x. seminum cucumeris.
citrulorum. melonum. cucurbite. lactuce. malue. ana. ʒ. iiii.
fac puluerem tempera cum sirupo uiol. uel sapa. Pillule dicuntur damasceni
ualentes ad hoc. R. seminis citoniorum. cucumeris. amigdale dulces. fabe.
Si infirmi est et uigiliis patitur. his pill. utitur. seminis lactuce. pa
pauis nigri. ʒ. v. ad pill. liga supponende. R. gumi. dragg.
seminis portulace. citoniorum. ana. ʒ. x. amidi. ʒ. iiii. seminum cucumeris
mundorum. ʒ. v. amigdale. ʒ. vi. fabe munde. dragg. ii. tempera cum
succo malue fac pill. Sirupus iuiubinus ualet similiter. R.
iuiubis. c. liquiricie. ʒ. xv. capillos ueneris malue. uiole. an.
ʒ. x. citoniorum seminis. melonis. papaueris. lactuce. dragg. ordi
mundi. ana. ʒ. xi. aqua libras x. penidiarum. libram. zucari. libram sapa. libras iiii. fac
inde sirupum. Sirupus de ysopo. ad tussim colica. dolorem lateris.
et anelitum. R. radices maratri. apii. liquiricie. ana. ʒ. v. ysop.
capillos ueneris. semen citoniorum. dragg. malue. ana. ʒ. iii.
ordi mundi. ʒ. v. iuiube. ʒ. xxx. uue passe. et que munde. i.
fici. iii. fac coque in vii. libras aque. et usque in ii. coque. demum appo
nitur penidiarum et sirupum fiet. Item dicuntur damasceni ualentes ad
hoc. R. malue. seminis uiole. liquiricie. uue passe. ana. ʒ. x. succi

malue s. an. ʒ. viii. ... an. ʒ. iii. fac puluerem tempera cum succo psillii fac ... pill. ...

... liga ... ...

malogranata dulcis. ʒ. .cl. fac pillulas 7 sub lingua appone.
.ʒ. lxxx. fac olim. Si quis tussit ex dolore pectoris 7 ca
pitis. 7 fricare 7 bullitare. et rei sig. paruitas sitis. le
uitas doloris. i. ferui manifestat. ut est alia pocio. Mel ro
sat. dat. cum aq. psilii. marrub. apii. bn cocta 7 colata. Iura
dat. ex frumento cum amigdaleo. pinea. fic. amigdala dul
i medo. mellicrat bibat cum aromatibus in cetris cum uua passa
si medat. Pect. ungam cum cera. sambuceleo. fenugr. coct.
cum ficubus dactil. 7 melle. Val. similiter diascorides dixit fic.
cocta cum ysopo mundat pulmonem. 7 adde se frida ual.
Item mirre in mod. fabe frigid. 7 uent. cl. datum pocio. 6.
.i. dormitio
Digia ieiunio data frigide ual. & li 7 coriz. Similiter
sem. lini coct. 7 pistat cum melle. q. s. ual. Electuarium
ual. fride & li. uentositati. pectoris anelit. Rx. liquiricie
limasii amigdal. dulcis. pinee. an. ʒ. i. penit. ʒ. x. anisi.
marrub. ysopi. capillorum ueneris. psilii an. ʒ. vi. ce. ... ca
lami. an. ʒ. iiii. fac puluerem 7 adde mel. q. s. dosis ʒ. ii.
Rx. spodii. ʒ. vii. boli exagii. i. nuc. muscate similiter piperis
l. ʒ. iii. zucari. ʒ. xxx. 7 mel 7 butir. q. s. Vnum coclear
anum ual. sicce & li pillule ualent frigid. uentositati.
7 anelitui flegmatico. Rx. liquiricia. amigdale. dulc.
7 amare. sem. lini. an. ʒ. iii. anisi. marrub. farine fa
bar. pinee. an. ʒ. iii. mirre. olibani. ce. cinami. alche
mi. ... tempa cum sapa fac pill. in mod. fabe sub lingua pone.
Sirup. de psilio ualet & li fride. de flegmate 7 uentosita
te. fistula. oi passioi in pectoris senum. Rx. psilii. ʒ. xx.

liquiritie .x. apii radic. anisi. marrubii. calamenti. ysopi. capillorum
ueneris. an̄ .x. feniugreci. sem lini. an̄ .iii. uue passe et mundé
.c. ficus .xx. penidiarum .vi. m .q.s. fac sirup. Si ꝺ tussis ex humo-
ribus fit a capite descendentibus uel aliis membris uenientibus oportet
festinenimus ut humores digerantur. Quod si non fecerimus morbo mala-
biuntur. deinde humorum collectiones provocantur. Quod si sit liquidi uel grossi.
aquosi uel uiscosi sunt flegmatici. si pectoris infirmi calidus sit et quasi
fumum senserit. et aspirauerit. nimiam sitim. et paruam senserit. colorem
liuidum. fit uel citrinum. sputum fuerit salsum. calidum et subtile materia est in tel
ligimus. laborandum est ut incrasset. Et si que subtiliada tantum mediocres
fiat. Si sit multum liquida uel multum spissa ita ut tussis molestia cum
parua est etiam multa. Si sputum manifeste nullum habere senserit.
si frigidus fuerit adiuuare intellige frigidam et esse et uiscosi.
Si sit calida et liuida. dandus sirupus uiol. iuiubini. et sirupus pa
pauereris. R. papaueris al. .ix. liquiritie .xx. capillorum ueneris. mu
ue. citoniorum. cucumeris. an̄ .vi. iuiube .xx. coquantur in
.viii. lib. aque. quousque redigatur in tertiam et cola. et penidiarum. zucara. sa
pa pone. q.s. Unaquaque die sirupus papaueris cum zucaro .ii. tribue.
Succo uiridi detur. cum penidiis. amigdaleo similiter desuper fiat
et penidiis. Nutritiuus est infirmis cum portulaca. bletis. malua et
similibus. Ungatur in pectore extra cum cera alba. oleo uiol. Si ex
flegmate fit grosso et uiscoso. subtiliari percipiatur. sirupo
de psillio. sirupo de radicibus feniculi et similibus. de aniso electuario
de spodio. tiriaca maiore. Et hus spillatum cum melle ual. pinea
similiter. Succo marrubii bene colatur et coctus cum amigdaleo. detur pro
ducens. farinam cum cimino. pipere. ruta. porri. amigdaleo

[illegible] cum fracti de fractis da patienti. sirup. [illegible]

miario. Unguentum calidis et confortatiuis et humorum repugna
tiuis. hic electuario utatur. Recipe . ffinucii . amigdale dulcis .
pinee . ana . ʒ . x . liquiricie . ʒ . x . maratri . ysopi . ana . ʒ . iiii . pipri
longi . calamenti . thuris . ana . cinamomi . ʒ . ii . equis fiat puluis .
et in q. s. aliquando fumigandus est infirmus . dissoluit flegma uis
cosum . in pectore cum calamo aromatico solo . uel terbentina . uel cum
ripigmento . cum succo rute capnos . uel cum butiro. —.. —..

Ptisis est consumptio humectacionis. De ptisi.

corporis et imitacio augmentacionis in diminucionem . Uel fit
multis modis . uel ex consumpcione pulmonis et hec est uera ptisis . fit
aliis modis . uel ex collectis humoribus a capite descendentibus sicut flegmatis
mate et salsis et in substancia existentibus pulmonis uulnerantibus eum
et putrefacientibus . Secundus modus est ex quibusdam pustulis in substancia pul
monis nascentibus . Tertius accedit sanguinis screatum emittens aliquando intru
mentis spiritualibus ruptis in pulmone . in quo fissura nascitur uulnus
et ptisis fit . Est enim modus ex humoribus ad pulmonem ali
unde quam a capite currentibus . Ad duobus modis contingit . uel ex muta
cione membrorum locorum sicut in pleuresi . sinancia . uel ex aliis loci
humentis sicut epate . corde . uel similibus . In humores sint cali
et acuti (Patitur infirmus ruborem in maxillis . sitim in flam
sitim . febrem . que fit in tercio frigido aere . Si a peripleu
monia . de salso flegmate fit et angustia melius est quam in tutate .
neque dolorem sentit . Pulmo enim non habet neruum . unde perfecte habet
sensum . sed tamen tussim et paruitatem habet . melius sentit in si capi
rupte et cetera . Si aspera est carnificatur . et febris . Minuuntur et corp.
ungues incuruantur . maxille rubent . Que enim pulmonis designat

uulnera uero tres sunt. Ex. pessima est que ex uulneribus est pulmonis. pessima duobus modis. Vnum pessimum modo est. quia ad primo uelocissimum est. Aliud tarde quia lenior. Primum certo mortificat et pessimum. nullum signum decoctionis ostendit in screatibus et similia uideat parum uniserit sciat. est aqua et durica. Si lenior sit. bucres in pulmone est mortuo ex que et lenit emittit. Discordant medici in uulneribus pulmonis. Alii .i. incurabilia fatentur. Hic. unde sic testificatur. Si quis peripleumonie succurrit. antequam apia marceat et putrescat. sanabit apia. Si quis autem negligat quod ad sanitatem ueniat. uulnera sunt incurabilia. dicit .n. uulnus difficile curatur non modo. Modo aut non potest non est nulli. Tussis inimica est soliditati uulneris dilatat .n. et apertum uulnus magis purget. parum colligit. insanabile reddit apia dum aduenat. aliter quia si peripleumonie antequam marcescat sit curatur. curabitur. Si non et contrario. Medicina sic erit incipienda. Propterea quod uero fiat. Sicut dico. basilica erit flebotomanda. Vena que est inter auricularem et medie ertat. Si quis minuetur pro ut pateret et signis infirmi quantitas intelligere si parua sit minuendi erit eis bonis quantum per flebothomiam et iterum minuendi. Si tercia minuendi uidetur utilitas. et firmare si sanguis tunc sit et est ius intelligas. cum minuere incipias. Si abinicio morbi multa quantitas inueniatur sanguis et multe uirtutis. abinicio minuendi erit. et auferendo quantum mori nobis. Nutriendi est dieta que refrigeret et solidet. et cito sit digerenda. sic perfecta ptisana. que cum crocis flumineis sit facta. Ad bertioua pucti et m

ciora mundificata sit. bis sive ter cum decoctione et dulci aqua. deinde
pistata. et ut pertissima bene cocta. Quoniam deinde colata fuerit. eius
tertiam partem libre detur sepe et cotidie. Si infirmi febricitant. Sirupus una succi malagranati dulcis detur et nutriatur cum tribus
ta. blita. citrulis cum amigdaleo et aqua in qua hordeum bibatur cum sirupo uiol.
vel psillio. sirupus misceatur. Vero psillium misceatur. detur gummi
arabici. draggm. bolum cum succo arnoglosse. Bolum. n. ualet
propter humectacionem. et desiccat. uulnera pulmonis et cau
ne reducit. Detur quoque frigida caloris febrium desiccatiua. Si sciare
non possit. detur ei sepius cum melle uiolato coctum. vel electuarium istud. R.
iuiube. l. ·. iiii. passe mundate. · xx. malue semen · iiii.
cucumer flumminei. · xx. capillorum ueneris unge pastoris. arno
glosse. ana · x. liquiricie. i. omnia coquantur in tribus aqua. l. et usque ad tertiam
partem redigantur. Sape tertia lib adiungantur. zucari due partes
et coquantur usque ad spissitudinem mellis. deinde accipiat gu
mi draggm. semen citoniorum ana · v. iii. amidi. semen portu
lace. ana · v. iii. semen papaueris · v. fac puluerem. tepa cum s
dictis. da cum stomachus non fuerit plenus cibo. Si patiantur constipacionem
infirmi natura ei non tamen cum impetu molliciem mittentur cum sirupo
et clistibus mollientibus. pectus cum oleo uiol. et rosato ungatur quanto
magis possimus ne uentrem inter soluatur studeamus. ptisici. n.
et epici si ad solucionem deuenerint cito moriuntur. Quod si
euenerit detur succus ordei. et milii assatorum. et deinde bene coc
tum cum adiungatur gummi arabicum assi. Similiter mica panis
assa molliatur cum gummi arabico amigdal. et zucaro omnibus as
siatis. in aqua quam bibit gummi ponamus arabicum bolum atque spodium.

Si p̃fciet solucio istu puluis . dato gumi arabici . sem̃
mirte . boli oñu acatie . añ ·ʒ·111. amidi alli . se ac icesis
portulace . añ ·ʒ·11. spodii . malue sem̃ alle . an ex agni ·1·
oĩa puluet ⁊ c̃ olo r . fiet . Dē c̃ sirupo mirtino ⁊ aq̃
fraq̃ sufficit . Si scat fetore habūit . horribilior ē si
ponat carbonib' dnūciat morē . Si capilli cadūt . admo
te ꝓpiquat . ablatione . n . pcedūt nutimti . aliqñ . n .
corruptione humoris ⁊ apã pulmonis ex humorib' flegma
tic . uñ inimicio morbi dada medicina sic liqrici . ca
pilli ueneris fenugr̃ . sem̃ lini . cicis . fic . uue passe . oĩa co
cta . dandu ē ⁊ diamisu . diapinea . diapilliū . Si apã maturit .
y sopũ cũ melle coct' . ĩ melle rosat dandũ erit . Si fuīti
q̃ apã ī duruerit . secare ñ possit . dē calefacienda sig
nis mūdificatiua ⁊ sanatiua ⁊ illis adductiua sic orobi .
farina . aristol' r . ⁊ l . pelle . R . pip' l . cinam̃ . alchimi .
acor . cost' . cassia . lignea . spica ⁊ similia . Si siuectauit .
apã . ut pulmo marcescat qd' mõstbr' ex sputi fube pul
monis c̃ scatu ꝑecta . dē dsiccatiua atq; subtiliatiua .
q̃ desiccēt atq; subtiliēt uulnis humectatioēs sic anacha
sia . tiriaca . amorusia c̃ nutdatt ⁊ similia . Odoriferos
flores adhibeat narib' ⁊ sepe carre ⁊ aq̃ balneet te
petis . Cibi dē laudabiles chimos gnãtes . Mellicrũ bi
bat . [illegible]ñem medicinã dem̃ c̃ melle myrt ⁊ mūdifi
catiuã . Si fecĩ fuīti qd' humectio apãtis dsiccēt ⁊
mãtia aufert . Deñ uulni dsiccatiua ⁊ medificatiua .
dem̃ c̃ melle mirta sic ros . balaustia . accatia . gumi .

L

Sanguinē ē rasceacioē. dum a- egunt(ur) diximus exire.
Et aliq(ua)n(do) ante ex sanguisugis. i(n) aq(ua) trāsglutitis q(ui) sanguinē rema-
nere. i(n) guttur e(st) faciunt expuere. Aliq(ua)n(do) m(u)l(ie)r(e)s. aliq(ua)n(do) pu(eri).
Unde m(u)l(t)ociens decepti sunt medici. Ut aut(em) d(e) sanguisugis ee certificaris.
exponat(ur) i(n)firm(us) soli et os ei aperiat(ur). Si eas i(n) palato videat.
vel in interioribus partib(us). extrahit(ur) c(um) forcipib(us). Si aut(em) n(on) videat(ur).
d(ebe)t hic medicina. gargarismos c(um) aceto et sale minui.
Alliu(m) c(um) aceto d(e)t(ur) ad mandicandu(m). Prohibeat(ur) aq(ua) ad bibendu(m).
Ponantur vasa iuxta i(n) sole aq(ua) plena vasa videant. an(te) os i(n)firmi.
dragag(an)t(um). pulvere(m) i(n)sufflent ori. Et eu(m) bonu(m) ingrelle. l(ibra) absinthi
fiat ex hipia c(um) aceto. gargarism(us). Sulfur. et vi(vum) sapon(em). cu(m) ...
r(esin)am ... misceant. et gargarism(um) faciant. Postq(uam) eve-
rit: sanguis si habundaverit e medicina q(uam) diximus i(n) ... sang-
uinis solidandu(m) et restringendu(m) dixerit. De emptoicis

Sanguis sc(ilicet) ac(ci)d(it) modis fit plurimis. Aut a p(ar)te i(n) ... i(n)strum-
tis e(st) erepit: sanies a pulmone effluit. Vel ex humoribus in
cavitate pectoris et pulmone. Ut p(er) sc(ilicet) signis illa subse-
quitur sanies. S(ed) t(ame)n n(on) p(ro)p(ter) o(mn)e sc(ilicet) signis q(uod) si subseq(ui)t(ur). sc(ilicet) p(er)es
sit modestissim(us). Unde v(er)o p(er)es. Si p(ost) sanguinē seq(ui)t(ur) sanies pessime
e(st). pessima. ut sanies pectoris mollificet(ur). ne coaguletur. et sputis et
ubi ipse op(us) et mors subseq(ui)t(ur). Solis d(e) ... dicit inve-
nisti. et sc(ilicet) sanies. R(ecipe). pinee. amigdal(arum). amararum. liquiric(ie)
d(r)ag(agan)t(i). p(on)d(u)s eq(ua)le: fiat pulvis. et mel. q(uantum) s(ufficit). da in modu(m) avellane.
mane et sero. Al(iud). R(ecipe). pinee. resine. iiii. semi(n)um lini. alth(ee). semi(nis) caru(i).
p(on)d(us) eq(ua)le. fricca. c(um) amigdaleo mel. q(uantum) s(ufficit). R(ecipe). psilli. l(ibram) f(e)nugreci.
... an(a). ʒ. iii. ... mirre. ... sapo(n)i. pip(er)is l(ongi). an(a). ... ag(ari)a.

fac pulverem. et adde mel. q. s. Al'. R. liquiricie. i. pinee. lini. s.
alli. amigdal'. dulc. et amare. sem bombac. an. ʒ. vii. fac
pulverem. Vel fac pillulas mediocris speciebus aliis duplis. et sic me
dullas pinearum. adunge. pone quoniam cetus species. alie dein supra
q. s. Al'. R. sem lini alli. amigdale dulc. pinee gum.
dragag. an. ʒ. x. ʒ. pip. l. liquir. costi. terebentine. an. ʒ. iii. ad
quod sufficit. **De anelitu.** [illegible]

Oportet intelligi eos nullatenus pati posse. carentiam com
dictionis. Si in uno momento quiescat aerem trahere extingui
calore. Quia ebullitio sui ardoris. necesse erat nervum
aerem circumfigerari. et expellere ardorem provisus aeris uno mo
hauriens arterias dilatando aerem trahere. constringendo. expellit ca
lidum. Sanus quidem spe instrumentis. et temperata circuitu sui anelitus.
f. h. cursum fit paciente hoc quolibet patitur anelitus. et cursu
naturale egreditur. quantitas passionis secundum quantitatem pacientis sit
instrumenti. extra naturale cursum minime et anelitus. Impossibile est
pati. anelitum sine dolore quolibet instrumentorum. dolorem ter
partem est sui. Per coniugatis membris. Si doleat stomachus. vel meri.
vel gib. epatis. vel caput splenis. vel si subdiafragmate. apud. vel do
lor sit. anelitus parvus et spissus sit. Vniversaliter est aliquod
membrorum patitur necnon spe instrumentis et motu ipsum in
strumentis moveat. vel si ipsa instrumenta comprimat. Inter duos
erit anelitus parvus et spissus. Alto anelitu cogit infir
mus spisse moveri totum pectus. quem motum arthonomia
vocatur. fit autem modis. iii. Per necessitatem nimia anelitus
sicut insanis nimis exercitis. Per angustio spacio pectoris. sic

orthopnea se [illegible] sonat [illegible] [illegible] [illegible]
[illegible]
[illegible]
[illegible]

in aspirationem. et in pectore vulnerati vel egritudine incipit u
ad spiritus sic in lacertis gutturis aspirat. que utique pessima. Hec
autem speciem in poetis ortomomia vocavit. quia non insanitatem sua
tum movetur inferiora. Pacientem alienum cum bovis movetur in
eriora. et inferiora. usque ad spatulas. potest aliunde intelligi
orthomia vocari. Quia eum patientem erigi et stare cogit
cum infirmi anhelos totum pectus usque ad spatulas. et a spatu
las usque ad cubitos movent. et cubiti in motu lassent.
Hec tres causis sic intelligitur. sic. G. testatur. vel ex defectione virtu
tis lacertos pectoris moventis. et infirmitate sua vel constipatione
instrumentorum spiritus. vel ex nimio calore cordis et pulmonis dilatate.
Defectio virtutis lacertos pectoris moventis ex mala complexione
frigida seu calida solet fieri. Constipacio instrumentorum spiritus.
ex grossis humoribus et viscosis sit vel ex grossa viscositate vias ane
litus opilante. vel ex aspiratione idea firmatum. Que aliquando in uno
loco omnia concurrant. aliquando duo in simul. Raro evadunt
quibus hec coadunata incurrit. Oportet autem quod medicus studiose di
scernat. Si infirmus est egritudine. et labore anhelat. et ane
litum debile. et vix sunt extremitates nares graciles erunt. et
que ad anteriora contrahi sic. ex defectione est virtutis lacertos pec
toris moventis. Si autem ex magno desiderio appetat et spisse.
pectus impleatur. flatu. constipacio instrumentorum spiritus intelligitur.
Si sic ex aspiratione est si fuerit. et screatu sine secalitate tunc
erit. Si constipatio ex humoribus sit orthomia. sit in elevacio pec
toris appetit maior spiritum emittendi quam attrahendi. Si anheli
fit velox. et cum maiore inflacione. et magis extrahere quam emittere

uelit . intelligam ex nimio calore . 7 icectioi . mane sicud
ei sit calid . l' ericacio 7 sitis illiga ad bibeat 7 c . ap d icedit .
Q anelit uelox 7 car d' 7 paruus . calore cito ex igit . ille
ex necessitate sep e fgid' uii moerise cereuis . Sufficiendi
d' ur isse designi anelit . 7 anelit . 7 a medicina icipiam.
Si passio ex mbris sit istruiitis . spe uicinis . inb icipiam .
medicain'i . uii ifirmitas ouit . 7 q' melit curet . Sic d'ite
tioe sit uirtutis lacos pectoris mouetis . 7 ex huioib sit
calidis refrigeri . Si ex frigitate calefaciam p ii dictu isu
m . Si ex oppilacioe istrumtor sit spe . 7 ex grossis humorib
medicina dissolutiua 7 subtiliatiua d e sine dessiccatioib
sic oximel . e sqlla . 7 solu oximel . l' v scop' e melle coct . l'
psie sirup' . Scp uinum subtile bibat . 7 clar . Eleci scp
accipiat i sit diobu s reos aristol' . r . s' sop' . cassia calamit
radix cetaure . costu . spica 7 similia . Pect' e anetleo . ug
m camelco 7 similib' . Si sit ex apiarib' . l' uulnib' . medicem . p ii
dictu . Si ex aptoe calida . 7 i firmo sit firmitas . atq : tep
-uenuat . basilica uena minuat . Si tep' fuit anu : icario
le emmat . suce e hui mdinelle uolato . coct' d e . 7 c sq
cucurbina . s' rup' uolat . 7 c racea . malign suce . lu li
mi mutto e . sic ptisano pullis . poreib' . portulaca . blitr .
Vngam pect' e olo uolato cucurbite portulace succo .
Inic . l' aurine . pgru e cassia . f . uola . liqr . malue sole .
Iuuube miua 7 similib' . Si ex pso pectoris fgida sit 7 hui
ac : deni socrugente e a q calia l'inauote ai iaca . l' mellit
e aromatib' aq mature 7 cepibus coctis . e melle rosaco .

Simili melrosat e i sepo i aq cocto. Hutt d' e cibis calidi'
sic uiscell'. Vngam' pect' e camelco. 7 ancrileo. dct 7 isirui
pi ualeret. anelitum tsi. uulim. Imenub' t inclici. St. ic
iolis. o. R. fic. siccat. ·ii. t uuubas e aq lib. viii. coq: usq
ad tcia. col. sape. lib. s. sucet. l. i. Al. R. ficuu. l. i. aq. qs
s. capillor. ueneris basilic. an. ·viii. rute. pssis. liqr. ·
iii. sape. qnt. s. fac sirupu. Al ual tussi. anelitum mit
dat. pect' 7 pulmone. dgstis huiozb'. R. marat. radices
7 api. ·x. liqr. ·vi. amigdal' dulciu 7 amar'. ·iiii. mat.
v sopi. an. malue. semis. an. ·ii. uuubas. xxv. fic. v. coq:
i lib. vi. aq. 7 ad tcia redigr. da bibe. Al pauli. R. liume
·i. butiri. ·iiii. mell'. ·ii. da bibe. Al eide. R. ce. murre
cpi. an. ·xiii. eufoebi. spice. iqami. an. ·v. bolc. an.
·iiii. carui. ·xv. sulphuris. cortic. madragore an. ·iii.
pipis. ·vi. fac pill' i modu ocebi. da. iii. Al ual simili.
R. dnuris. dragg. ·iii. farcocolle. ·i. pone i aq iusc dissol
uat cola 7 e zucaro sine melle. d bibe. Simili uuuat pul
mone. uulpini pulmo sicc' 7 pistat' i puluie diceragit. i. e
aq calid. Simili. oculat' fluminie ar u. itiou. i ceda ecu
melle. 7 pipe. De pleuresi.

Sangs augmitat 7 e itiou caloze corporis. fit uud
capiti ascedete mittit fumu. Q e inuenat. capitis clau
sos poros 7 opilatos n pmitit exire deinde cale fit moat'
i capite. e celi dissolut' redit i interioza corpri sic ud ui.
i humectaeiole fumi balnei. Q fumi e tecta penetre n
dit. redit ad iferioza. Si a capite distillat aq ad uiscra

caliditū apta gignit. et inde pleuresis fit ũa. Si i lacertos
ueniat l' carnes q̃ s̃ int̃ costas pleuresis dr̃ n ũa. Pleu
resis ũa hĩ p̃pa hẽ signa febriũ duriciã. et ei' ꝯtinua
tione. punctura' lat' cũ plurib' lat' vel sp̃o
tiec' ... anhelit' ... morbi ꝯti
nuamcis. duriciei febris fac̃ causa orthomia. i. lẽg
respiratio q̃ fac̃ pleureticus ꝑ nimiũ dolore. lẽn punc
tura lat' q' mbrũ iuolũe ifirmi et subtile hẽ fensũ ꝑ
colligãciã cerebri ꝑ nuos. ꝯtinuitas ẽ sis q' mãia ꝯfirmat
int' hẽnt' spũ e mbris. Cũ aliq̃d opilat uias spũ ꝯtinuat
se natura ũ ẽ si q̃d ipe dic expellat. Magnitudo anhelit'
ẽ s̃ q' instrumentũ spũale. diafragma. i. digiũ. occupatũ
morb'. Sepi' pleuresis inuadit hoiem calidũ. et huic ꝯple
tiois ẽ uis natalic̃. In yeme accidentalit̃. Pleuresis nõ
ũa hẽ h' signa grauitatẽ lat'. sine tussi. nullũ sputum
emittit. q̃ morb' ext̃ instrumẽt spũs extat. locũ ex tiolmã
nu eẽtĩc. dolorẽ parit ifirmo. aliqñ ext̃ apparet tu
mor. plurima pleuresis ex putrata nasci sãguis. Aliqñ
ex sãgne calido et colico. Aliqñ ex fllo. et melãcolico.
Aliqñ ex hũo et flãtico. Aliqñ ex õib'. Aliqñ ex q̃bdã
hũorib'. Intelligit' ex colore sereat' ex q̃ hũore fit morb'.
Si sit rubẽs significat' sãgĩs. Si sit citrĩ colã. r. ꝑ̃pedr. q̃
sãgĩs dñant̃. Si ũg. sãgĩs ĩce fioĩs. l' colã. r. significat
ꝯmactioẽs. et icolã. n. comutacioẽs. Si albi' significat ẽ
flãticũ. Aliq' adhuc mois. posst' dr̃m h' sĩmatia fit sit
sãgĩs corp' plenũ ẽ. et humid' ẽ sit. ifirmi par' sitit.

Si colerica sit materia: corpus est macidum. siccitas urine. sitis sum
ma. Si melencolica corpus asperum. pulsus subtilis et tardus. uri
na plumbea. Si flegmatica urine sis humida: et mollis sitis parva. Si
non compositi erit servat colorem suis compositionis suas et similes in
firmi erunt qualitates. Melior et laudabilior est omnibus coloribus ru
beus in sanguinis signum digestior et amabilior natura est. Aliis omnibus
humoribus. Obedientior nam est suis actionibus et ad digerendum
facilior. Aliquando servatur in inicio morbi sive in die tercia.
vel septima. et levitas materie significat. facile morbus
dissolvitur. maxime si servatur sit parvus lenis. Albus
consumitur. cito et tercia in inicio sit in duabus. Aliquando servatur
morbus ex grossitudine materie. ex sua duricie obedien
tie. Unde morbi designant gravitatem et eidem diuturnitas. Et
si huiusmodi servatur qualitas est multa [illegible] aqua. et forte infir
mi transiliat. Defectio virtutis significat et pigritia sui. Neque
sunt [illegible] qua morbum infirmi virtus pati non possit. Suf
ficient signa pleuresis. Oportet medicinam subsequi. Signa vero
[illegible] apia diafragmatis [illegible] sequuntur tempus et etatis
consuetudo. virtus [illegible] fleubothomia de basilica vena minua
nt. Lateris infirmi patientis augmentetur. maxime si
dolor ascendat usque ad furculam quam ipicon coreon. nasa
maton precepit in post est loca superiora lateris dolorosa si
colligata: basilica vena est incidenda. Item si inferiora lo
ca. dolorosa lateris in dolore non colligata. farmatia est danda.
Si infirmi sit virtuosus in curis alia non quam in flebothomia
precipimus observanda. Sed flebothomiam est maxime [illegible] sig

ptonoxomaton

nea morbi spes. Ver̄ sulut̄ strict. nō oport̄ flebothomari. s. q̄tom̄aḡ possum̄ ē troduci. flebothomia itē molestissima ē de ffectioē utriusq. Oport̄ ḡ epithima q̄ri. et cataplitā acuiū lignis mitigācia. et dissoluēcia. sic ē uolē. malue. mōe. ordā mūdū laq̄ coct̄ et colat̄. ē d'olo mixt̄. dinde pāni linei subtiles ifundāt. et loco dolēti sīc ponāt̄ fgidi sicut p' calidū. tepidi. si frigidū. Si febris nō adeo fortis par̄ ē amisce's camomille. et ē spīa sano intēns ē et mucco. Si fortis sit feb' et dura. digestio ē sirupo uiolō. Si feb' sit moll' t' sis forti dādā ē in iube. legi'. sem citoniox. coctr̄ In fine diei deni' micas panis lotas ē amigdaleō. et mucco. Si ī firmi i asuetudine mlt̄ comedere hūit dū sani fuit. neq. dieta hi sufficit. dēt eucbitt. malue ē solocīna ē amigdaleo. Si dies sit p iniciatt̄ oū cibaria hi sit ee dicēda pt̄ p'ssimū. et micas panis ē dāda. Si t' sis sit fortis. dē sirup' uiolū. et pill' q̄s it' sicalida dix'm'. ē dādē. Si sit stiptic'. humectādac natāci ē māna cassia. f. et similib'. Si materia morbi. acutissima ē. et colica. cataplitā fgidissima mollia par nō dissolutiua ē faciēda. sic ē malue radice. uiole sidale albo. farina ordi. eucbitt comicib' oīb' pillatis. et ē succo sēp'uie dilēperat' ē succ' portulace. ē olo uiolō. Si sit stiptic' molliēda ē nata ē succo eucbitt. māna. melle uiole. cassia. f. Oīt ē cauēdū ē i h' morbo mollicies natē nō ē sit nimiū necesse. huic n morbū sol' seq̄ sep solucio uētris quit f stingi. Si t' sis sit fortis ē ostipacioē uē'ris uiol' dādē. et mi

Vel epithima q̄ in ōtē et dura
fiat p'lem̄ facis ponar̄ succ'.
inar. pl

ni cum aqua in nube fit coctus. et sirupus uiol. quod dictum est fuit.
Si egritudo tempata fuit. mane dem psillium cum succo malig
nati dulcis. sirupum uiolat. post dimi uiol. per duas horas
ptisanam cum amigdaleo. et succaro in fine diei locum panis cum amig
daleo. et succaro dm uuas. et malagranata suggenda. Vnguimentum
loc. cum oleo uiolat. oleo r. cera alba. dragg. Similiter faciendum
est cataplasma de psillio [cera alba] et portulaca. et oleo uiolat. Sirupus uiol.
ual. pleuriticis. calore pectoris. et ille siccis et innicio pti
sic. R. dragg. uiol. sem citoniorum. ordei mundi. sem malue. cu
curbite. cucumeris. an. .vi. iuiubas. xx. omnia in quatuor lib. aque cuo
bitur. coque usque dum redigatur ad medium cola. pone zuccari. lib.
i. et fac sirupum. Si morbi materia ex sigue sit humido. et flanco
gro. et melancolico oportet sic poni loco hec cataplasma. R. lini
seminis. an. iiii. malue radicis. an. iiii. fenugreci. ordei mundi. an. an.
ii. frumenti coque et colentur. et pannum leo apponatur. et ubi spongia
in fusa loco dolenti sic ponatur et melius. Salassum in ancello sic po
nitur in camomeleon anetum mellilotum fenugrecum. sem lini. malua
cum omnia pisthea cataplasmata facto cum cameleo sal ucceleo. Si
tussis sit fortis detur ysop cum melle rosa. et psilice sirupus. de
electuario. et medicina infrigidativa sicut dicta. Si morbus in declinatione sit
sapa dem et mellicratum. Vngitur cum cameleo. uiceleo. dapna
leon. Dutum dat cetera uise et amigdaleon. De cardia

Tremor cordis ex humiditate cum eo ad ca. — .. — .
unitur in cestibus corpellicis. hic morbus sanis et infirmis
subito fit. et hec humiditas influit cordi. Si humiditas sagno
lenta sit. et colica. fit et tremor cordis et calor. sicut. Alius

[illegible]

aneliť. Si ex g͛ssa sa͛gine · i melācolico sit. timor ꝯ tri
sticia. pigritia sine · sit. Aliquando sit cardiaca morbus ē necessitas
sarta cordis minuat͛. sic sa͛g͛s subit͛. ꝯ celat͛ ab epate
eg͛diens. Q͛ intelligim͛ i epate. ł uicinis locis infirmi
tatibus sic intellō. Aliq̄n co·adunant͛ in stō m̄ humores
acuti pūgētes fortes. Vn̄ cardiacē morb͛ nascit͛. Sola
g͛ medicem̄ ē · hi membrū sit digni͛. Cōsideret͛ ex q̄b͛ sit
huōib͛. Si ex sa͛gine sit. ł ex colā. Basilica uena ē minu
ēda. si tēp͛ etas ꝯuenia͛t. Dm̄ scarifičm locauenia. Ca
tarticē dm̄ cass̄ · f · iuiub͛ p͛nua oxisenicia uiola ꝯ si
milia. Det͛ borrogines. succē scariole i malignati. Inq̄
bibendā sirupū iuiubinū ponim͛. sapā malignati.
oxizaccarā nutam͛ ē cib͛ bonū q͛liter sic edulloru͛
pullor͛ ē ualesg͛. ꝯ zuccara. aceto. aq̄. r. ē q̄rapli ꝯ si
milia. Si cardiaca ex melācolicē sit huōrib͛. colā. n.
p͛ganda dein͛ q̄b͛ sa͛g͛s purificet͛ sicut. ꝯ ei ꝯ fortissima
stomaticō mauis catarticē epati nutric̄. Sepe dēt͛ an
tidota odorifera. scilicet. nicaē. dia margarito sz
gene. ꝯ similia. Vinū odoriferū. ē mel l iē ex aromati
co. sepe tēpato. balneo utat͛. p͛ariaca. maior ł nicam̄
dē. Vngat͛ pect͛ ē calid͛ ꝯ odoriferis. oleis. Volatilia. cibi.
ꝯ ad digerēdū facilia. Det͛ ē aromat͛ cocti. Si cardiaca
ex diminutioē sit nutrim̄ ab epate. corde ueniētis ꝯ q͛
iuenia͛t infirmū. epar p͛ ē medicamendū in p͛oīē redeat
sanitatē. ꝯ in tutū. Si sit ex stō sit p͛ grauē stomač ex acutis
huōrib͛ ē uomitu catartico. aloe. ł absinth · in r obol͛. etc.

ē succo uuarū agrestiū ē mirob . l' succo malignati . cū
mirobł . Afotius ligam̄ ē citā ii . ordi farinā tēmere ferme
ris . conterīb̄ cuēbitē . aq̄ . ro . ʒ similib̄ . Puluis ist̄ ua
let cardiace passioi . R . ligne ocelli . ʒ . v . alumiuis assi .
ʒ . v . carabe coralli . gēme . petre armenice . añ . ʒ . vi . co
riandri assi . ʒ . v . rose . spodii . gallie . añ . ʒ . iii . ligni aloes
ʒ . vii . fiat pulūs . dās exagi . i . ē odorifero uino . l' ori
feruca . Al' . R . borraginis semiⁱs portulace . añ . ʒ . vi . co
ralli . carabe . añ . ʒ . ii . gēme aluminis . assi . cipi . añ exag
. i . semiⁱs basilicō . citiale albi . r . gallie . tre . armenice .
serici puri . ʒ cerusa . añ . ʒ . ii . ʒ s . tantū . zuccari q̄ s . alie
spēs fiat pulūē . dās exag . i . ē succo malignati . l' ē odori
fero uino . l' cerusa acetra . Al' . R . rose . spodii . añ . ʒ . v . semi
portulace . ʒ . x . iuncos . succi berragin' . zedoar' . doronice
serici . mathee . gēme . carabe . coralli . añ . ʒ . iiii . mici panis
ti . ʒ . i . zuccari q̄ s . alie oēs spēs fiat pulūē ʒ dā exag . i .
ē aq̄ . f . ualet timidis melācolice cor cōfortat . Al' . R .
berberis . rose . spodii . semi portulace . borraginis . añ . ʒ .
iii . tre armenice . semi basilicō . mathee . añ . ʒ . ii . ligni aloes .
gariofili . añ . ʒ . i . ol' . r . q̄ s . zuccari q̄ s . oēs alie spēs .
fiat pulūē . dās . ʒ . iii . ē succo malignati acidi . Sirupus
ual' cardiacē . ēē calore ʒ siti . R . prunor . succi malignati
acidi . acidū malignati citrini . añ . l . i . ostensiua . l . s . fiat
sirupū . Al' ual' cardiacē timidis . epilepticē ꝑ flom . l' cor
R . spice . cinamomi . aluminis . zedoar' . doronicē . añ . ʒ . ii . cor
tic . pomi cit' . ʒ . i . aneti . f . exag . i . fiat pulūe ʒ dā . ʒ . i . ē

uino ubi borago fuit posita. p mensem .1. bibat.

Sincopis e absolute de sincopi.

defectio. ɿ coadunatio totius sue uirtutis in se. atq; oblatio sui fumi ex pellendi. Inpossibile e ee sincopi sine passioe cordis. fit ū diuisis modis. ex plenitudine. ł inedia inanicioe. ł subita calis infrigidū. ł frigoris icalidū mutacioe. Plenitudo e ł ex huoribꝰ toci corpis. ł slm. ł intestinor. Si fit i toto corpe. mostrat ex fatigacioe ɿ grauitate poia mbra corpis. Si d'sto. diuersa imaginacoe ante oculos. e ructato. uomit. dolor ipra capitis. Si de intestinis guttas. ɿ iflacio melacolicis dolor ɿ ipunctur .1. colicis guttas sine iflacioe. Flaticis ianicio e. ex nimia uetris solucioe uimitu. ł sagne enarib ł sudore. Mulieribꝰ amstruis. ł emorroidis. Req; harū nimia e ɿ fortis. corp dissoluit. mbra aguat. calor natal offic. calor extingt. Vn cor necce e paciat. Mutō subita cali infr'idū. poros opilat. fum inferiore corpe claudat. ɿ calore natale suffocat. Vn cor patit ɿ sincopis icreat. Mutō subita. frigoris icalid' corp rarificat. calore naturale dissoluit. Vn calor minuit cordis ɿ offic. aliqn sincopous e ex anime accidntibꝰ sic subito timore. ł gaudio. plimi li paciunt. decipiti. ł d'fecti. In letieia cor subito. dilatat ɿ capitur. Mlti n horū e subito timeat. ł gaudeat. in sincopi cadet. cor n cor contrineat nimiū. astrigt. ɿ calor suus nã tat adunat ɿ n dilatat. Vn paciunt ɿ deficiunt. In leticia dilatat cor subito ɿ capit. ɿ suus calor natal in extiora ex

corpus et ita d'ffic' dū refrigat'. Aliq'n dolor nimis sinco
pi sequit' marte sumeb' sic sensibilib' sic ut' leos uidet' habe.
Vniusalis sua medicina talit' ēē faciēda. Vtsi fit morb' ip
mis uidat'. Qualis oīt idem q'd face d'beam'. Sisit ex plen
tudine mitigādo. sincopi aq' mittam' ifirmi facie. ad nm
p'fcem' nares teneam'. crura ligem'. pena l' digit' i hospe
nam. ut uomit' p'uocet'. Cū d'fectio fuit lim' uidndū ēē.
Si plenitudo sit i corpore. dād' ē uomit'. dñ diatō. pipeō.
diachimene. Si ex calis sit humorib' refrigem' ē siruupis et
succis refrigātib'. Si plenitudo sit i intestinis mur' e i
iferiorib' clisti aui facīam'. Si sincopis sit ex inanicioe
aq' refrig'et i facie nares teneāt'. stim p'fcem'. man' et pe
des ligem'. Si ex i'ferioib' meb'. sic narib' et ab p'uomitū
iferiora mbra pl'e'it ligāda. sic crura. Si i iferiorib' sic
menstrua et emorroide. Superiora mbra ligēt' sic man'. de
inde uinū d'r subtile. et subtile et clarū. et c' aq'. fri'. mixt'.
Vñ. G. oñe iq' d'ffectione. et ianicione uinū mitigat. aq'
mixt' fgido. mariq'. si ex acutis sit humorib' ustō et alua p'ti
nacia descēdētib'. Si ifirm' cap' doleat. f nimias feb' hūt.
l' calidū sit ap'a. i uiscib' i'mes sua alienet'. uinū nullat'en
hunc d'r. Galī' ii noc' ei. Sed sicopi ex ianicioe iuuat. Odo
rifera i narib' hēe siē rosā mirtā. mala coctana. uinum
mixt'. ē sidat' et aq'. ro. Sicopi trāseūte et i firmo i uigore.
p'stinū reducte. cām sicopis laborem' curare. Medicem
g' medicaminib' q'i suo loco q'b' d'a iā i locosuo dabim'. pet
pic'dū ex inanicioe signis ñ balneari. similit' i sudore. In

temo .n. nisi ī hns poros . stiptcu . copilata . in rarificari . et mollifican . Modo hic dī ē in loco ubi iacet stiptici . et frigidū aere ētiere ī idoneo aspāt . salices . murte . uiridi extremitates . rose . et similia . Vngant ē oleo . mirtino . et in perpetuū qesce . Debil hoīs uiuat has ōs qb' insiti . ierci curre hūores . Augmentat eor dissolucio qero magis claudimi poros . Huiusmodi disposicioē sincopi subuenire dū ē examinacioē . Sincopis fiet calē sit nimio . l' ex mora ī balneo l' ex aere īclaso . aq̄ frigida lene et subtile unum ē eād aq faciēs uolueda ī partē un flat uēt . aū faciē ei ē flabello uēt faciant . frida odorifera odoret . malagranata medullas cucumis demi .d. odores inq̄ . cu cumos sincopi . utilium sē . Si ex nimio sit frigore opt calefacere qī sufficē . et ipl' possum . ē uino . micata demū ī rucā maiore demū . Melli ēē . aromatiē . balneū . aromata calia et odorifera . Si sincopis ex accidentib' sit anime odorifera faciam's odorare . causā morbi igemeni' unsfer re . et uīcē . et ītētione suā ī balneis occupare . atq; ī unis odoriferis . et musicis īstrumētis . et similib' . De apostē

Ī mamill' aliqū̄ matē mamille . — . — . — .

Nascēt apā sine tumor . q̄ diuisis fi ui modis . l' ex corrup to et putrefacto sangne . l' ex q̄lib' alio hūore l' ex lactis coagulacioē . et ex putridine . Ex calore sanies unā apā sitē ītelligi . Si eni albuē et liuidū . ex coagulacioē lactis sit . cui opt subuenire medicina ne sanies ibi se colligat . Si ex sangne sit . l' colā frōs galle . ē oleo .r. pistata d'sr po

exstimitates . falvie? alate ī patella cāt ī fiurdes mamillas ? restudelos signidce reg . d'

nenda. l' fabe c albugine oui ... pistate. l' fi ceps solat
menute. l' bolu ... cocuus . ... . Siccit ... mica
si ponat. c apis frōde. l' ... boui. l' fenugr. ... Melote
e sisameleon. l' ec c lacte ouib. Sicut ... aqua fit. feces
aceti si ponat. l' feces fermamentum molendum. Siccit aquila
eioc. lacte. lentes ... sem lini. farinam ... atq' ... .
si ipona. oua ... coctis ... . pistata . cum
... melle ... fabar farina q' aqua
dissolui ... . Similiter sal fit atq' faba. Itaq' oportet
... lucte ... ex thebeo alla bo ... . De ascella

Multi ... in calore l' icoru ... num fetore. -
ascellar fetore. ... humores i corpore significat ... putridi
ee. Conuenit g' purgare corp' ... litargiru accipiant
... t' e sola aq. t' c aq ro. Itm alum ... mirra ... yreos.
Reqi hor c aq ... ille ungat adunat ... R.
litargiri ... ii. aluminis ... i. rose mirre. ex agua ... mirre.
ex agua fiat puluis. Laua ascellas c uino ... puluere ...
in ... . Hoc fit mirra sicce ... pulue ...

De ficultate glucie ... . De mollicie ... .
De ... stomachi . De fastidio .
De canino appetitu ... 143 . De abominacione .
De ... appetendi potu . De uomitu .
De siti seructatu ... 145 . De angustia ...
De singultu . De ...
De ... .

De effectione appetitus. — De colica passione.
De sintenia. — De lumbricis.
De ileos. — De nascentibus intestinis.

Explicit liber tercius. Incipit quartus.



QUONIAM IN TERCIO LIBRO SUPERIORI MORBOS ET MEDICINAS DIXIMUS membrorum scilicet uitalium spiritualium, consequens ordo expetit tractare de membris attinentibus cibariis, et de eorum medicinis. Incipiam ergo a meri, quod ab ore cibum ad stomachum ducit. Est autem totus liber iste .xx. capitulorum. Isthmo meri magis iuuamentum est corporis, portans cibum ad stomachum atque potum. Si patitur, tribus modis: uel ex mutacione complexionis, uel ex apertione, uel ex uulnere. Unde ei accio mutatur, et transglutire dilusum aufertur. Si ex mutacione contingat complexionis, paulatim et cum mora transglutit, et si est labore, est tamen grauitatem neque clausum sit. Si ex calida complexione sit, sitim et asperitatem patitur, et fumositatem. [illegible] neque sitit neque est aspera. Si apertio sit causa, apertionis loco dolorem sentit, et angustia est cibum transglutiat. In apertione cum dolore sit mora, et cum transierit dolor et angustia quiescit. Si apertio sit calida, cum dolore sitim et calorem sentit nimium, si frigida, grauitatem sine pulsatione et sitim sentit, dolorem. Si uulnus sit in gula, cum dolore punctionem sentit, et maxime si salsa et acida comederit. Quia per intellectum causam oportet subsequitur eius medicina. Si ex mutacione sit complexionis, est solo calore uel dolore, et siccitate oportet

intelligere medic. Post solucionem peruida. et frigi- fi. fit c̄ sirupo uiolato prunorum sirupo cucurbite suc- co c̄ zucc. et amigdaleo nutrimentum cucurbita. portulaca. c̄ so- locanna. blitus. lactuca. et similibus. dare pillule ad lina- lenies dolores siti et siccitatem imeri et pectore mitiga- ns. Re. gummi arabici. dragaganti. sem portulace. et mal- ue. sem citonior. ana. ʒ. x. liquiricie. succi. dragagn. i. sem lactuce. gummi ceras. ana. ʒ. x. fac pulue c̄ sirupo uiola- to tepi. In modum facies pillas sub lingua ponas. Dum c̄ dissolua transglutit. Si ipedimento glutiendi ex frigo- re fit. plen. io. dent scariole. apium succi. c̄ melle ros. bene cocto dent. et etiam sunt pillas quas frigida diximus tussi. nutriant c̄ calidis et mollientibus. sive carne. sive aliare. dent iura ciceris bene cocta. Si apa transglutiendi. modica fac an- bulsit iudem. Cassia. f. mana c̄ oleo uiolato dent et succe solat bene coctum et colatum dent et pillas quas sub lingua diximus ponendas. Nutrimenta c̄ infrigidantibus et refrigantibus sit c̄ ptisana. cucurbita. portulaca. c̄ solocanna. c̄ amigdaleo. Si ex frigore apatie dent. ii sopum cum c̄ melle. ptisana c̄ sirupo. pille quas fecimus in frigi. Si crepitur int apa. et in fine febriat. dent ptisanam c̄ amig- daleo. et zucco. Si et bene medicabile queritur. colamentum pti- sani c̄ amigdaleo. et zucco. dent. si uiertus deficiat. dent cap- num lac in quo petra imcuta calidissima. Si apa sit ex ca- lidis umor. capita facit. de psillio et lini semine. c̄ lacte cepatur. Si non ex calore fenugreci. et sem bulbi ceni. demum quibus uulua. Colidet. fit succi cinoglosse c̄ bolo c̄ betina

cum melle et maxime simulia sit uera. Nutrimentum cum sariola et panis mica. absque febre mellicratum dentur. Si cum febribus ptisanam donemus. et similia meri medicemur. et canalium pulmonis atque gutturis. Que quoniam ibi subito nascitur infirmitas. et subito et paulatim dandum est medicina. Non ut hesterni maneat sed intrinsecus subueniat. ex minutis uenis. De defectione appetitus.

Desiderium cibi et potus est intelligimus sensum stomachi in animi. iuuentis recepta suggerentibus. Corruptio desiderii fit modis ex humoribus crudis. ex colericis sanguinantibus. Vel ex ablatione uirtutis desiderabilis mortificatione sui. Vel ex corruptione mentis appetitum nullius cibi necessarium intelligentis. Si ex crudis fit humoribus acida ructatio sequitur et stomachi ... et pauca digestio. Si ex colericis fumositatem sentit ructationis cum ardore stomachi et siti et uelocitate cum cibum digerendi et difficultate subtilem cibum emittendi. Si ex defectione fit desiderabilis uirtutis et mortificatione sui: infirmi cibum spernunt et appetitum qui abhorret saporem eius neque recipe uult eum et quod peius nulli ciborum habet desiderium ablatio ... desiderii. ob diuturnis pessimis est morbis. Maxime in tisimis. Que fiunt ex corruptione mentis. pessima inde fit cuius medicina mentis causa in est cura. Si ex humoribus fit crudis. oportet ut cum uomitu et solutione purgari. Si uero humores in bonas qualitates mutandi sint. dandi cibi et potus humores claudi purificantes. Si ex colericis fit humoribus res frigida et stiptica dabitur. et acida potus porrigitur. Omne enim res frigida appetitum confirmabit

facit. contingit quod frigiditas adiuuat. et partes sanguinis dissolute
per stomachum uenas coagulet et manent loca uacua plena. Que dum
natura implere querit appetitum repletiuum ciborum gignit. Calor uero
facit contrarium. cum liquefaciat. et dispergit calefacta loca impleat
et uacua necesse est fastidium faciat. Item frigor propter stomachum
aut exsugendum sicut supra diximus. Si ex defectione uirtutis sit appe-
titiue. per quamuis ex qua sit complexione membro appetitiuo et defi-
cienti dominatur. Res contrarias medicum adiuuat. Omnis enim defectio
uirtutis ex mala est complexione membri cuius est uirtus dominante et superante.

Frigiditatem stomachi **De canino appetitu** i. cinodoxa i. bolismo.

maiorem appetitum habere, quam calorem intelligit quilibet rei discernens.
Dicitur et ut diximus contingit dissolui per stomachum uenenum et frigiditate coa-
gulentur. loca uacua plena euacuentur. et ita appetitus efficitur. Si
frigiditas in augmentata naturalem modum excedat. ultimitatem appe-
titus necesse est faciat. unde hoc nomine appellatur. uocatur appeti-
tus caninus. Qui tribus modis fit. Vel ex frigida complexione cum stomachi domina-
tur. uel concessis humoribus ibidem confluentibus uel ex ulceratione
et putredine que patitur uis corporis. Si ex frigida complexione. de aliquo acido
humore nimiam sequitur solutionem unde et corpus debilitatur
et plus digerit quam manducat. Omnis enim digestio calore fit temperato
uel nimio. Cum igitur aliquis habeat ciborum infirmitatem. quanto calore
plus quam digerit quam manducat ex defectione digestiue uirtutis et retentiue
quod manducat id non digeritur. sed foras sic exit crudum et indigest-
um emittit per secessum. Cum igitur efficitur hec infirmitas oritur.
lientericam alii dicunt. et interficit. Si ex frigida complexione.
uel acido humore in stomacho acc fit. in primo per experimentum bibe uinum

[illegible]

forte. ⁊ puru. ⁊ uideat ineab mlcu. Vinu post annu i ḡr
ebibit. m̄lte. fanny & expellitiuo oper ac uinu rubicundissi
mu q̄a i hac īfirmitate magis ē adiuuatiuu. caueat ab h̄.
Si uolūtas appetit comedere uetuosa p̄ote eis dare. nihil
laboriōū. i. q̄cq̄d comedit sit uētuosu. p̄ cibu d̄adue q̄s
pcipiūnni. nap̄ ī cibo ipotica d̄in. Medicina calida dari
sic inodora diantu. diasātib. diagalāga. diaton. pipo.
maior ēlem calore natalē adiugendu. adiuuatiu ⁊ aunt
huorib stom mūdificaua. Si siti passio l. ēfectio ē contur
ere iīnutilis uētuosa sicut noceto oper q̄ medicina dar icur
odorifera sic citonitē elect de pomis diamilon. diabalisco.
Elect. malor ḡnatou. ⁊ alia p̄ties ⁊ cōfortatiua. De urin

Argquod q̄da homes mandūcare cionabili appetitu.
irronabilit sic creta. lates carbōes ⁊ similia cōpi iadinuu
euath sepi fiunt mulierib frigie natē ⁊ p̄gnātib maria q̄
ex mal ⁊ pūt dis huorib stom i uiscērib t̄erialis inbl ad
stom cōfluētib sic mēstrua i mulierib. Q̄d ū cerpuit ipsa
mēstrua ad stom uenitur. diuisas h̄ appetit sc̄dm q̄litates huo
isto coadunatiū cōsidet. Sicut medicā uelimi. antē ē mel
le cōct ōni uīsii labore euomāt. pisces recentē siusale
dnt. ⁊ plures. Mādūcet radices coctas i oximelle. ⁊ p̄ cibu
bn bibāt uinu. Nutriat ē bono pane. ⁊ uolatiliu uitello. Si
cretā appetit. dn. cicer. fabas ⁊ gna assata. Valet h̄ s mex
cabuii. Si huores nocuuos expellē laborem sin labore ⁊ ig
na. ē fluum motu. pig. pill aurea. Et stm ex ti epim
mace. hermenicis ⁊ mastice. spica. rosa. absintho. olo nardino.

masticet anisum. et masticet amēd. cimmnū. mita. an. cibū

et p᷑ cibū. et d᷑ hac cfessioē ep̄r cesdare. R. car damomū mac

et mni cubebe equl pōde. et ucci q᷑ sit sp̄es alie fac puluē. et da

q᷑ pacipossit. Alluḡn rurs. bibēdi aufer ē appetit q᷑ fundi

tb̄ minus efficit. Ter minus buiozū hus sto᷑ dnantib᷑ ter se

sibil defectioē iūtatis. Ter corruptioē mīcis. decueluni mu

dati opr huores. diū. Sil moēs sit nimis ioze stōi ē

uomitu. Tē solutioē p᷑gādi. cē medicina cibi et pot dād

malor sit mūdificatiui et malor qūtat ibonas mutatiui.

Si ex frigitate sit q᷑ dnet stōm. calefaciēd᷑ ē stōm. ē cali

medicamīb᷑ et at ido odorifer. et similib᷑ cibis. Srsit ex

mortificatioē sēsibil. uiutis isto. pessimū. et signū mortis ē

dnitiatiuum. De affectione appetēdi potum.

Aqua sitis augmēt ex repletioē calida mbroz pec

toris dicitur. Tepatis siui ex ptib calidis ieis. Tat siti hnt

qm̄ pectoris pl admuāt. i frigitate cta. acis q̄ aq bibit.

Vi sitis quare. sentit calore ideo ē late. p᷑ aq ebibitā mane.

saibil ex plimū ōdidū pot ē hnib᷑ i sto duob᷑ augmtāt

morsi. sedm q̄litate q᷑ sipatiat ebullitioē et ardoīe siē uudini

i febric ātib᷑ et cibū et pot potestatiue calidos icepientib᷑.

et sedm q̄ntāt. ū porē sistoē. mltos huores coticos habuit

t fleḡn salsū. Si mutacio stōi ex solo calore sit. bibēdo frigi

aq ex frigi ē sitis. Si ex colib᷑ sto᷑ i celulis. i fumi ibucaslent.

amaritudine aq bibita. et fumū ibucā icedētē aq bibita

cito cale sit ista. Si ex salso flāt sitis sal sedine isapere. sitis

ex frigi flaccida bibat. Sit ḡ aliq̄ue uudini sicitēt ulē q̄ntāt.

.i. si in biberit uenenum

natal. apt. ut inquam fieri. r plōe cali sit inibi. i naut dabit. i firmo refrigatiua sic suce cucurbitar. e succo. t psillii. ē sb. t opo uiolato. Durant ē upsana. porcula. cucurbita. bleti. lactuca. parū dt cib. Labor dimittat. ē r tacitnitas ore clauso obseruet. frigitas aeris. i hat. lecti pla freri ponat. de cucubite. cortic. portulaca r simil. Subliga tenerit traseos. b mor. ualerer adhi, caloreq. sub r inatobii ploe u no tuenit aq. i estate similit. R. portulace sem. dragg. an. ʒ. iii. sem melon. cucurbite. lactuc. an. ʒ. ii. sandaligumi. ar. an. ʒ. i. psillii. ʒ. ii. cucumis. ʒ. iii. uiol. ʒ. ii. fac puluē. tēpa cā aq. rosa. facimodū fabe. r sub liga i pone ei. Si uero fuerit ex colera r. i sto i clusa ꝑgeri cū farmacia. ptisanā r ori zacca dēt. ē succo malignat t sirupu uiol. Sirup ad eande siti r ad extigēdū calore. humectans dig stione r sitī extiguens. R. uiol. ʒ. x. pru nor. iuiube oxifmicia. an. ʒ. c. spodii. ʒ. ii. om̄ia coq. i viii. lib. aq. donec ueniat ad. iii. colet. deinde succi maligna dulces accipiat. lib. i. zucce. lib. ii. fac sirupū. da ʒ. i. c. aq frigida. apozima ual ad eund. R. sicce. ʒ. ii. oxifmicie. ʒ. x. cassi. f. ʒ. iii. sem citonii. dragg. ʒ. ii. oīa ponāt. i lib. ii. ca lidissime aq. die una r nocte ꝑea cola da ieiuno bibe m. lib. dr. R. lactuce. ʒ. ii. lenticul. rose. sicce. an. ʒ. ii. oxi fmicie. ʒ. iii. oīa ponāt. i lib. i. calidissime aq. nocte r die. cola r da bibe. Insita ex salso flēate. i sto uomit. t fermiu eis ꝑgicio. deinde det succe marat. apii coct. r colat. t mellicr cā aq calida. t oximell. t apozima u mellis r amisi

l. ē uenenū. albe qui contingit ꝑminante.

l. diff. sunt. ē alie operatis princip. sz diff operato noct. ē alie qui uirtutes retentiue. quies ē noct.

i minarū ꝯservat uirtutē naturalem

i ꝯrudit. finam ꝯtingit sinalii sui diuit.

i quire si fuerit mali.

coquat. Sola aq cetia. ualet. Similr̃ uinu albu et sub
tile. Mutaui sebil solatiuis et mollientiuis. De ructa

Eructuat siste. ert n̄ ... tu.

tepurntu. noc cibaris it stom c̄plubebat ad digere ...
Cui causa uentositas c̄ inflatiua q̄ p ... expellit ... ue
tositas h er stoi c̄ ... ex mala c̄plõe. l er qrudā
hũoz dñacioe. Sibuiores s calli fumose eructabi. si iam
acid. Acida ructacio ... ex cius. ex fgiditate stoi. l
diunacioe cibi. l ex ... fuu. l er st. fgā. Vnusibli
cā ructaci o ... ne tibi ... digestioi.
sic uidi c̄ paruo foco. ... ligna ... aponam. Vn
c ulr modu ructare uidi. Si ereatia sit ... lõe iq̃rami
q refgerãdo c. stom. c ... si rupis. sic ... mol. Si er cali
... c̄ apozimate. absinthii. l aloe. l oxifemeia.
sero c̄ ... siue ... c̄ malignati succo. et simi
lib. Si er fgida c̄plõe. sine ... matu calefaciam. c̄cali
reb. sic ... pomi citri. pipe garrofil. masthe. carui.
ciumo alimo. ... maiore. dianisio. diclmmenu. dia
... pipeo. diagalega. ... et similib. Si er frigi sit
chimus. dini ... diagig. dia
galeg. ... et similib ... garrofilat ... dnacilam.
diacariu. Si tu firmi sto illa uentositate repleat neq: ruc
tacio. fiat: ... und ructacio efficiat. sic masthe. ciminu.
... carui. pip. ... De singultu

Singult c̄ mat mot ... expelle re no
cuiia. ... sit mod. ... replõe ... corruptioe

cibi i fine stoe sui mutacioe i puc gestuus glreciores q figuram
dine ouis stoi. diu ictolimur i flatura isto cer repletioe. l ex multi
tudinib' humoris. l ex multitudine pot' et cibi. In singlari de reple
ne sentit grauitas i isto corpis replo. digestiue urtutis defectio.
plm h patiunt senores. et qeti. et humoris mutatam. nutrimis.
Q figulr' ex iamcioe efficiunt. l ex uino uomitu. l ex dighe.
l febr acuta. et h' plm patiunt iuuenes et laborantes. Dicit fri.
sit causis stoi nichil h' bon sentit q diu icuictolimur i flat' stoe et
uit' exceedit. Sigule' at iste difficile et dure medet' sic qr
iamcioe ent. D- hic rar'. Q medicam iudat sicut plenitudie
sit et unde plimu ueint Replecio p'geri e sm macia. l uo
initu. fiur' cepis et ceu conuenuit. Diaic dni re dissoluere. et cale
facient sie q mundificent. cathoti. ʒ. v. dac succo int. l cathoti.
et mathec. an. ʒ. v. c aq ubi cocta sit cumin. et ruta. Ruta dt
e uino ueti. l aq ubi cocta sit ruta e pauco melle. ex co polim
me. Dmis dt ex rusca et rodoriferia acidota gariofilata.
diagal'ga. diachimeno. diacoit'. diapiper'. dianisu. diacim
pipeo. Q eq hoc iucunus. dac c aq c. Calefaciam' a fors stom
c aq ubi cocta sit eugenii. absinti. siliue. et similia. Omia h' iaq
cocta calefaciunt. Epithimia iponam' c oleo casterno. laurino
camelio. et similib' In repletoe saguis dt aq c. c ass. f. siue
co. solat'. l malignum. l mulos succo. gallurq' micam. Et iam
cioe c scumie. et calore cum diu. et suspiciosu diadi fri aq et
rodosloma. c rodoleon. dni tapsanu c olo uiol' cum plia po
nat. sic frin. stom. et simili epithima. In solucioe ueris nutri
ni c olo lentisci. et aceto agnum imat'. et aliis huis similib'. In

de poc[i]o uomat ... sicut cum ebur ...
rupe ... coronat ... camillo ... ponat ...
... narduno ... Si uomitus non possit ... fuit ...
te et similiter de potu sit et decoctio ...

Cum homo ... ex omni natione ut nausea.

... abhominatione patiatur ...
intelligitur ... spatiositate ... facile ... pos
sit expelli ... abhominatio fit i
sto modo ...
...
Si sit frigida ...
... Una decoctio ...
... purgatio ... decoctio ...
... subtilia
tiua et dissolutiua humoris colerici ...
... subtiles sit ...
...
... abhomina
tione ...
... oximel ...
...
...
... gariofili. spica. cardamomi ...
...
...
... sirupo ...

hanc diuisionem ... humores ... alii sunt calidi. alii frigidi

[illegible]

ꝯ mal' gnati ꝯ mīta sicto. Et ꝯ omib' q̄ uomitu dicit̄. abho
minatio iuuat. de abhominatione ꝯ uomitu.

B ominīe corpi si uomit' n necessarius sit ꝯ ... si ... fiat ... Est . uomit' ... stomi ... lesus ... Aliquis sit uomit' ... stom ... cibos ... humores ... pars stom ... fortius sit pars inferior. In uomitu ... malor cibor ... accepcioib' ... malos humores ... intelligunt ... Et ppcedit' signifiacioes ... signa ... cibo digriot ... inuenit' cib' ... abhominacioe ... Si q̄s ... uenit ... signa ... Et ... ꝯ dolore ... colore ... ostendit ... Aliqn ... malu signu ... uomitu ... medicari ... Si ... digestione ... ptor ... dolore ... pomor ... spodio ...

balaustia dec. et galla . spodio. e s[i] rup[us] po[n]tica et mespili
d[e]n[tur] comedendu[m]. pullos cu[m] uu[a] [acerba] coquatos teneat. Sic
acredt uui. den[tur] i[n] mulin. ordei cu[m] amigdal. Qua[m] ac[er]. ponat aq[ua].
et bibat. s[i] spodiu[m]. cancrecis [e]t sicci. Ponam tib[i] stom[acu]m castuplit stipti
ce et odorif[e]ri. S[i] sit stiptici. d[en]tur. cast. f. p[ro]u[t] s[irup]u[m] d[ic]tu[m] o[m]ni[bus]. Clistere
faciam[us] leni et suaue. S[i] d[i]u[m] de colera sit. et u[en]t[er] co[n]stringat. con
femetta et ablutio p[er] gemi uiola et similib[us]. S[i] u[er]o ex co[n]s[uetu]d[in]e et co[n]suetudo
nos [mo]ueat. flebothemi basilica d[e] dext[ra] manu. S[i] d[e] fl[e]ume
ret[in]ea[n]g[ur] d[en]t[ur]. ipo[n]ima. celauit et r[]uet. cu[m] succo me[n]
tae. mirta. ligni aloes. mastice. gal[la]. [et]c. S[i] u[er]o fit de colera n[on] sit.
flebothomie basilica. sint [et]c. cep[a] s[i] co[n]suetudo et nos adiu
uet. S[i] u[er]o possim[us] uentos. as in abolum colli ponam[us]. Aliter
faciam[us]. de amomo leo. ex leui succo uncti sint sit[i] e melle
oblong[ar]io. s[i] a[u]t[em] leo et similib[us]. d[en]t[ur] oximel. S[i] u[er]o fit
ex sanguine flebotomia basilica. s[i] n[on] aliq[ui]d [con]tra[rium] impediat. S[i]
aliq[ui]d impediat uentosas in eq[ue] ponam[us] cruri. Medicina illi
faciam[us] q[ui] s[an]guis d[ic]tu[m] sca[ri]u q[ui]d p[ro]celere egerit. Cu[m] cu[m] istis
cib[us] [] []. S[i] u[er]o fit se[mper] accipiat. aumas cum [] q[ui] s[un]t
pisilum c[um] aq[ua] bibat frigida et [] iuuat. S[i] u[er]o fit [ex] [col]ore
[] stomach. neq[ue] cibu[m] s[ed] u[o]mitu[m] retinere possit. accipiat d[e]c[o]c[tum]
stiptice et odorifere medicine seu cibu[m]. Iuuat [] pi[] cu[m]
oleo. i[d est] [] [] ungit[ur]. [] uas. De infl[a]ctione stomachi.

Inflatio e[st] aer n[on] [con]coct[us] frigid[us] et ex eo nascens. p[ro]pter illo[rum] d[e] inordinata
dieta. Aliq[ua]n[do] incipiat. q[ui] uentris modicu[m] s[un]t petit fricari. H[ec] s[unt]
[] stomach[i] [] mare i[n] d[i]spic[] [] i[n] flatio. i[n] [] h[]
[] [] differt. [] []q[ui] de h[] [] e[st] moll[is] et [].

ex melancolie e dura et sicca. hi inflatio quemat opt(et) u(?)s
succurrat e medicina uentositatis uentris dissoluit. ..
mio in oleo cocto ung. ol. ... apii. petrosilini. anisi.
dauci ualet. Si stomachus fuit infrigidatus e oleo. quod faciunt rute.
sebaccas lauri. mircum uel dimileo. mastice. olim nigelle.
cicuta pistata. et cum ille tepata. de adbibendi. in modicum.
e succo apii. e st(omacho) ... similiter ual. dimi ... e aq. ...
e uino cocto. diu ... diachimeni. diaspinatio. diamisu.
ceregon. dialacca. Item polium calamentum. an. ... fac coque.
in lib. aq. et ad unam redige. cola et adbibe. parte ... lib.
e oleo nardino. Succe ... similiter ual. Succe ...
et ... calamita. cumino. ... simplex. seu cepolie ... et coct.
et colat. e amigdaleo. ual. inflatione ypocondriorum et uentositati
melancolie. Ventosi in medio uentris ... ubilic. sim ...
infacione ... ualet. Iuuat ... sompni balneum. Epithi
ma ual. ad inflatione ... ypocondrii et frigidi uentositati. Re.
... an. cumini. an. ... aristol. l. ... pobalsami
an. ... calamenti. anisi. spice. polii. an. ... mastice ...
... an. ... Omnia pistentur et in ... lib. succi ... ponantur ...
... libram coque. deinde accipe. lib. i. amigdaleum. omnia coquito
usque oleum remaneat. da bibere ... succis ... tibiae
suppositiones. De angustia sui.
Torturam ... ex ... in ... ieiunii.
... quod ... sepe ...
... Ex ... intelligimus ex magno
dolore sensus ... ieiunii ... Si ex

humorib(us) colericis fit. dolor in imis sentitur. et calor. et uentositas

et grossa mutat dolor de loco in locum cum gurgulacio in inferioribus uentris.

aliquando est tortura cum egestione. aliquando non. Si ex grossis fit chimus.

et ex frigidis intelligitur dietas diadiu est cum opobalsamum mitte eiag

.i. pulueris. et aqua calida dentur .ʒ. ii. similiter loco genere. et apozima

et claua centauree. ana exag. i. et sapo ual(et) similiter. Si ex colera

fit. detur psillium loco. et semine portulace cum oleo. et aqua f. semi

citruli et incietur cum syrupo albo et oleo. et aqua f. Si ex uento

fiat sit grossa: dentur suce nasturcij. assa e. solubilis sit. non assat.

Si sit compatiens similiter apii. fenuculi. et aqua. est in dieta ualens in fla

tus uentositatem intestinorum. emoroidi. R. accori. cimini.

ponderis equale. fac inde puluerem frica cum amigdaleo. oleo da si te

uino exag. i. et confert ualens colice passioni curare et inflacioni

uoitum a gutture sua. R. apii. fen. ana ʒ. viii. absinthii. ana ʒ. vii.

mirre ʒ. iii. fac puluerem cum passis. et aqua. fac trociscos. da bibere cum

uino. Apozima ual(et) mollicies stomaci uentris. doloris. R. fici

lauri ʒ. i. piperis ʒ. i. opobalsami ʒ. i. reubarbari et c. fac coque in aqua et da

bibere. Aliud ual(et) similiter mollicies. stomaci uentositati etc. doloris

lateris. frigiditati renum. R. carpobalsami ciminum. ana exag. i. ʒ. gali

ge. ciperi. ana ʒ. i. omnia puluerizentur et tere in una libra aqua. coque et colatur

bibe dentur. de absinthio. de aniso. et de lacc. et cum passione fit colica.

mouetur sic in colica passione. dicetur. Sic ponderis et solucione uen

tris sit difficilia dicentur. De lienteria.

Lienteria est et ex re comis rebus. in eadem queritur qua

sit accepta. In hac passione diffinimus breuissime dicens. L

ientia est ablacio digestionis. et cib(us) nullatenus in stomacho mutatur in liquore.

nec i colle nec i lode h' passio nasci' ex defectu uirtutis retentiue
i sto. l' ex multitudine i superficie stomachi et intestinor. defectio retentiue
ex mala e conplone stomachi c'ueniet. l' i intestinis. h' conplo sic e pfecta et
firmita ut ceruire neqat. Aliqn. it stom c' intestinis hu
un nasci et sta patit' i firmi sepe omittenti. s. i separabile
cibus. Erit cib' ilico c' ig dit. sine ulla digestioe. l' ex passione. Vul
na i superficie stomachi l' intestinor. c' a hnt humores accutos calidos pu
gentes i sequentes uirtute retentiua ueloci' ante q' digere incipiat.
h' m. i firmi puncturam sentit et ardore n mediocri festinem i
distilla mutare. h' spes lienterie n hz i pncipio. orux egma.
Aliqdoq. apparat cibu mouri i sto. tadiu fige donec. n. al
qntulu mutat. Vn. n. intelligim. i sua accione residi. S' e uo
an i firm medicone it stom. h' fiat. e iqredu. au n e ex defec
tione uirtutis retentiue in sto. l' i intestinis. l' ex ulnib. Si ex defec
tione uirtutis uidendu e un defectio fit. a ex mala c'ploe s' dnate
ad materia. s. ad unata. Si fit ex mala materia nocenti s' humores e me
dicina qe ex passione d'ponit. Si ex sola fit mala c'ploe i firm
i tro gemi a ardore sentiat i sto. et siti. et fumosi ructacioe.
Ex his n intelligim qe h' ex icisione caloris fit. Si n sentit. s
nil comedit. et par digit p pedim. qd ex frigiditate fit. Si n
in digenda s. gia. oris. Si ex calore dni. s. citonior. piror.
syrup. r. murtin. l' dmal pit. Req: hoc noluit. dat. n. e spo
dio. l' trise. d' sand. trise d' rosa. diacitoniu. diamilo. Catapl
pom frig. et odorifera. sic sandali rosa. capli. et similia. Duta
m e pulli porcib' falliis. uitellorum ouor. Cadoui q. ficut e
acidar uuar. acto. inligma. acidi succo. l' c' aceto pomi

citrin. Si vero coquatur in fumine. fit uiuatior medicina. Sedat in fumi laq nec ortast. et post q. thus os. celsi cortices castanee. flores malignati et ten... dracon. diamasthe. Cathapla ipo. amo. istud e Lidano. olo. masticino. Cibaria dnt. stiptica. aromatica. confortatiui. stoi. Si solucione ex defectione uirtutis retentiue ex ulnib' hunt. opt. in fumo dari nidificatiui put omnis. medicina in la carnis dculnib' sic tyriaca. millecte. et similia. cum e uirtificet. q uulna sit et unidificata. in eos... dnt stiptica. et subtiliatiua. sic rosa. amid. bolu armenie. dragg. masti. sang' draconis sue arnoglosse. cc. spodiu. et similia. Inferorum dnt. psilliu. c aq. f. et olo. ro.

Putam e potenti stare trib'. Causam aduris eibis ad digerend. Completis quoluni dcam alteria s... medicinale et artificiale. cognicione opt. et ali medicina coposita. dici uiuatt omod. gns solutois intestinor leuitatis. et defectois stoi. qr recipitur uetuie nualeat s. Dicem aliq medicina coposita ualet. ad le nitatt. intestinor. Rx. ros. spodij. an. ʒ. iii. bbis. s. libe acid. an. ʒ. vi. ʒ. post q. thoos. gumi. thuris mirte. sem coriad' infusi... in aceto. die et nocte. ʒ. vi. cu assato et fac pulue. et tpa e succo citrior. Trociscos alios qs paul dic uale similr. Rx. malignati. gle. an. ʒ. xiii. s. mte. ʒ. an. sumac. ʒ. xx iiii. fac in pulue et tpa e uino acido. fac trociscos. ʒ. ii. et dr. i. e. aq. f. Al. trociscos ualentes ad coliea. passiones. et stoi uoitu q: continuu. Rx. rose. se libe acid. an. ʒ. iii spodij. balaustie. an. ʒ. ii. s. portulace. boli armeni. gumi arab. mte. s. an. ʒ. ii. spodij. grag. i. o. coquatur. Sume. os. an. ʒ. ii. fac pulue tpa e succo. citonior. faces

trociscos. ʒ. i. s. Aliud. Rx. gummi. boli. coriandri. assati. ana. ʒ. i. fac puluerem qui cum succo. mirte. fac trociscos. ʒ. i. da cum sirupo stiptico. puluis iohannis. contra fluxum uentris sanguinis et dissenteriam stomachi. et frigiditatem. Rx. thuris. cubebe. gariofili. ana. ʒ. v. ligni aloes puri. ʒ. xv. gallie. ʒ. iiii. muscati. ʒ. vi. fiat puluis de quo ad bibendum. ʒ. iiii. cum decoctione sirupis. Aliud ualens ad solutionem nimiam ad uomitum. stomachi confortandum et colligendum. staphis .i. uue passe assate. sumac. ana. ʒ. x. celsi constantes. et [illegible]. ana. ʒ. vi. coriandri sicci. cimini albi. infusi aceto et desiccati atque cocti. psilii cocti. ana. ʒ. iiii. mirobalani acidi et cocti. ana. ʒ. xv. fac puluerem. et da bibere. ʒ. iii. cum aqua frigida. uel cum qualibet dictorum succorum. uel sirupis supradictis. Aliud uel similiter ad dissenteriam. [illegible] ex fortitudine

ad uomitum — solis stomachi. Et patiuntur aliquam [illegible]. uel [illegible]. Rx. rosarum. spodii. mastices. gallie. ana. ʒ. iii. seminis portulace. boli. sumac ana. ʒ. ii. gariofili. mastice. cubebe. cimini. ana. ʒ. i. s. ligni aloes puri. carabe. seminis acetose. coralli rubei. boli. ana. ʒ. i. spice. cinamomi. [illegible]. assati. ana. ʒ. i. et puluerem fac. [illegible] cum oleo. rosarum. de quo post [illegible] ʒ. xv. da bibere. ʒ. iii. cum aqua frigida. uel cum qualibet de sirupis adiectis. Si quis uelit tempore [illegible] cum sirupo. rosarum. Sirupus ualens ad stomachi defectionem [illegible] uomitum ardorem. Rx. sume. cortice. mirobalanorum. [illegible] ana. ʒ. xx. omnia coquantur in iiii. lib. aque quousque redigantur in unam [illegible] [illegible] succi purorum. uel [illegible] misceantur [illegible] pondere. zuccari. lib. i. et s. fac sirupum. da bibere ʒ. i. cum aqua frigida. Aliud ualens similiter ad singultum ex [illegible] humoribus suis calidis ad uomitum. [illegible] uel [illegible] humoribus. [illegible] in ore stomachi [illegible] [illegible]. Rx. succi. mirobalanorum. acidi. pulpa sua [illegible].

succi calamenti ℥ .iiii. uini odoriferi ℥ .iii. omnia coquantur ad medie
tatem. deinde colentur mittendo zuccari ℥ vel sape ℥ .iii. postea coquantur donec fiat
sirupus. Deinde pone in uase uitreo ad solem .vii. dies. oleo bino opi
latone acri misceatur. postea da ... ℥ .i. Epithimum ualet ad mol
liciem stomachi et confectum et ad uomitum de colerico humore et ardore stomachi ex
... in unguento. Vel sorbere ℥ .iii. de succo malignati vel de sirupis sup
ra. ℞ sandali ... ana ℥ .iiii. Balauste ℥ .iii. terre sigillate.
spodii. mastice. ana ℥ .ii. gariofili. cardamomi ana ℥ .i. Omnia pr
terea et iotim ... ponantur. succi violarum succi frondium uitis ana lib. .i.
cum suaui igne coquantur. in solum oleum remaneat. pone in uase. Dr.
Si de flore uitis accipias et in muccioni duobus facias et iotim conficiu
ponas. ualet quantum cum volueris. De disinteria.

Disinteria est digestio sanguinis ex excoriatione intestinorum
et ulceratione sui. Causa eius vel interior vel exterior. Interior sicut digestio colerica ac
ta pungitiua. Ad pacientes infirmi est intestinum colera ... perforans et
excorians vel suo acumine ulcerat. Vel ex salsi flegmatis acumi
ne sua salsugine idem in intestino faciente. sicut uidemus in ... actione ...
flegmatis. et aqua salsa humiditate. Exterior sicut de farmacia que ex uirtute
sua et acumine facit simile. Cum et intestinum inveniat defectum et debile
oportet excoriat velocitatem ipsius. Vniuersaliter signa disinterie: tortio est
et angustia et digestio sanguinolenta mixta cum colera rubea vel cum alia
grossa alba atque viscosa in orificio quasi vestimento intestini. Parti
culares signa disinterie sunt que apparent in digestione. Si de colerica intesti
norum est de colera rubea. Si flegmatica cognoscitur esse flegmatica.
Si de exteriori sit causa ex inquisitione infirmi est intelligenda. Cum
disinteria in inferiori sit intestino in medio vel in ... necesse est dicat

sigeo. nū asc iuuēt differūt. Qd itelligim ex loco et doloris.
ex q̄litate rei. mixte egestiōi. ex multitudine. nā qn
do sīsētit iferni doloris illo īferiori ibi ēē morbū ē itelligi.
Egestio ī hui' mu īfirmo mixta ē subtili sāgue. ē q̄dā ra
sura ab hōminib' odoris. Si ī medio sit itestino. sit dolor ī
īferiori ūbilico. Egestio mixta ē ē re illa q̄ dulsitie ē cutis.
Si ī īferiori sit itestino cū sāgue l' q̄si rasura erit iuncta
ē pode. et torta. atq; icisura sētit (dolor l' īferiora ūbilica) ī īferiori ūbilico. et p eastē
sāgue l' rasura modificat egredit'. Oport' at' festinū n̄
differri a medicam̄ ne forte iueterēt. et ī uulna mutet'. siue
q̄ cicatricat. et itestinū fiudat. mors q; seq̄t'. C at' medicā disposue
rim. uā et ī ū sit p q̄ram. Si sit et ī ī itestino siriori dā medicam̄
bibēda. sit n ex p p̄iq̄tate itestini (·i· uaun) atoni' et colligatiōē sui
ad ipsū. Si ī ī īferiori sit itestino. medicād ū ē ē clisti p p
cuitatē hui' itestini ad anū. Si ī ī medio itestino. medicab ī
ē medicina et clisti. Si ī siriori p p̄edit' itestino. p q̄redā ū
fueit. sīū decolicis' hūorib' seu flegmaticis. Q ū d colicis sit
acutis. dā ī ī firmo oī mane. ℥. iii. d gūmi arabico. C sirupo
mirtino et aq̄ frā. l. ℥. ii. psilliū assati. et ℈ ī olii rosati mam l
aq̄. f. et succo portulace. et arnoglosse ē q̄liēq; hor uolueris:
d bibe. Succi cicomor' ℈ i. Gūmi. ara. ē lacte ca p̄no. Accipe
lac ca p̄nū et mitti ē q̄li pōde. et fac coq̄ ad medietatē lactis ī aq̄
q̄ bibitū sit. pone gūmi. ara. assat. bolū et spodiū. da bibe ē
sirupo dimta l' drosis et similib'. Dā manducare mica panis as
sati et p ar' gūmi. ara. et amigd' uos assatos. dā turadrino
l' amido assato. l' oua ī aq̄ cocta. V l' accipiant amidū et mic

panis assata facta in uino ad bibendum data. Si febres non sint.
pullos. porcos. starnos comedat fasianos et similia. Puluis
ual. ad retentionem uulnerationem intestinorum et coli. et acuta.
et ad digestionem stomachi dolore et post et tortura. R. gummi. s. por
tulace. s. mirti. ana. ʒ. iiii. et s. boli. ʒ. vi. Diadragantum. spodii. s. acid.
amidi assati ana ʒ. iii. malue. s. assati. acacie ana ʒ. i. et s. fac puluerem
fcias colo. ro. da in mane ʒ. iiii. et s. psilii assati. et da bibere ʒ. iii. cum si
rupo mirtino uel citoniato. siue cum aqua frigida. Si dissinteria de calore et
flegmaticis humoribus sit. da in ʒ. ii. diaspermaton assato cum aqua calida. uel
aqua cum aliquo. ʒ. iii. cum aqua f. Diadragante ʒ. i. et s. cum aqua f. Accipiat staphisagriam
assatam ʒ. iii. cum aqua calida. Puluis ual. ad dissinteriam de flegmate salso.
R. mastices. assati. ʒ. vi. boli. ʒ. x. cetti. gummi. ara. amidi. s. lu
filiem. assati. ʒ. iii. Dia assato. cum lignum oritur balausthe ana ʒ. i. fac
puluerem et da bibere ʒ. iii. cum siropo mirtino uel citoniato. uespere et
mane. Item est ual. similiter ad lignum fluxum assati. uel ceci. fluxum per pectus.
pulmonis. et ad fluxum menstruorum. R. boli. s. portulace. ʒ. iiii.
spodii. s. acide rose balausthe. mirte coriandri assati amidi assati
ana ʒ. iii. acacie ipoquistidos coralli assati ana ʒ. iii. sumac ʒ. i. et s.
sgg. cande. s. malue utrique assati ana ʒ. i. fac puluerem tempera cum succo
arnoglossi. faciat tale ʒ. i. et s. da bibere unum tale cum siropo citto
niorum uel aliquo simpliciorum. Ad ualet similiter. R. galle balausthe corti
cis mlig. ana ʒ. i. et s. R. rose eubbe. gille. ana ʒ. i. gummi cum s.
ana ʒ. i. fac puluerem tempera cum succo. mirte. fac tale ana ʒ. i. s. da unum
cum uino a siropis. Medicine ual. ad dissinteriam diarriam. post et m
mon. uulua. euacuationem intestinorum. stomacho confortationem. R.
mirobalani. quibuli et ing. ana ʒ. vi. bellerici. emblici. ana ʒ. iiii.

fac frigi omnia et cum oleo rosato frica. deinde illa. Accipe nuc-
cum assi. .v. cuminum maratri. anisi. amoos. carui ana .ii.
omnia in fundo aceto lauentur. et iii. dein sicca et illa misceas que tempo
ribus pulvis fac. deinde accipe spodium. balaustie. masti bolo. su
mach gummi. ana .i. et s. fac pulvis misce omnia pocia et illa. et cola
.vo. frica. tempore et sapius commoxa. dosis bibe. .iii. et siropo iun.
Si mulier et ex conatio in inferiori sit intestino: audiendum est in
fin. Si vero matrix sit colica acuta: clistere optima est eis medicina.
propter propinquitatem loci. in uero li. clistere eis faciendum est. A primum
rosa et uitellis ouorum oleo rosarum. Debes fac clistere. Ramos appone
porcillace ordeum mondatum. omnia coque in libri aqua. de aqua accipe medie
tate libre. et mitte uitellum oui. olei rosati unc. s. fac qclistere.
Aliter. Recipe. succi porcillace. succi acide. succi lingue pastoris. suc
ci arnoglosse ana. l. i. olei. rosa. unc. .v. uitellum unius oui. Tercia
ligature. unc. .i. omnibus apparatis: fac clistere. Aliter. Recipe. ordei mundati
ana .vi. omnia assetur. balaustie. rose. cornu cervi in ligno. ana .iiii.
Et lauata. .x. sepium derenibus capitis. .vi. omnia coque in ib. l. li.
aque: quod deueniat ad unam. cola et accipe bolum gummi arabi.
acacia. cerusis. Et omnia puluia. dein sume uitellum oui unc. s. oleo
rosati. fac clistere. Aliter. uiuis mulieris interius. Recipe. ordei mundi
lata ana unc. i. balaustie. mirte. s. rose. ana. .v. cupari glandi.
.iii. arnoglosse. gummi boli ana .iii. Omnia coque in ib. lib. aque ad
unam. Dein mitte uitellum oui. olei rosati unc. s. corall. acacie. ana. s.
omnia assito et clistere facito. Ualent pulli pocibus iterius. oui que
sumach. deinde missum. et ut similia. Si uero coactio in cellis
mulieris ex humoribus sit flegmaticis. superpiam clistere fieri: emollibus

bombicino usto. aluminis. uitelli oui assatis. oleo nardino et
similibus. Si tenuissimo sit. faciant lauari tam cum eis simpliciter. sic [.iiii.]
sicut cortices mali granati balaustia et similia. cupule glandium. rose
galla ia. [?] coque in aqua et lauetur. Vnguentum autem cum oleo rosato. Ponamus etiam
plasma de cula marciatum. Item: nigro. cerusa. oleo ro. et similibus.
Si uero res sanies et stricta fuerit gilui fac et albi. Et est illa sanies est sanguinis.
oportet bene ponere. sit firmis neque febris habeat neque siti. neque de se
ctione fuerunt neque appetitus minorat: faciant clister. cum tetrasice
[auri pigmentum] arsenici. que docti sumus in fine huius capituli. Si autem defecit et febris
fortis fuerit et appetitus auferunt. maxime fuerit in substantiam fuerit
tam perforat parcat. et quod est est quasi corrigia subtili. sicut pili. oportet
maxime tam tetrasicos [auri pigmentum ...] arsenici. clister illud est. R. et mi lauati.
balaustie. rose. mirre. cupularum glandium. ana. ʒ. v. ? coque in .iiii.
libris aque et ad unam redige. cola et offer ? v. Deinde accipe de tetra
cis arsenici. ʒ. i. K. ʒ. i. et ʒ. ii. secundum quod est in firmi pati potest
et secundum albedine excreuerit. [? i n auri pigmentum ...] Si quod est sanguis fuerit. et necesse fu
erit his clisteri fieri. unguenti fiat arnoglosse ʒ. iii. Si unguentum
puro de uulnus et sanies: oportet ʒ. iii. arsenici accipit et .iiii.
et uitellum unius oui et ʒ. i. olei rosati et modicum de lapa. [.i. secundarium] et faciam clister.
Si in dicenda exierit mundificato uulnere de sanie fortiori subue
niue est alio supra dictorum clister. Si uulnus non mundificatum fuerit: e
medicamine huius modi operetur clister aliud fieri est oxomogario et
melle. statim sine mora. Mundificato autem uulnere quod exiet possunt
clister faciant molle quod supra dixi. ana quam alia sanies in uulnere
aduenerit. tetrasice arsenici quod supra premissum. R. arsenici [?] [.i. auri pigmentum rubei]
ana ʒ. i. et ? acacie. gummi. ana ʒ. i. et ʒ. calcis uiue.

carte bobicine[?] ... aa. ... alumunis. opii. an. ... fac
pulue[m] ... c[um] uino rubeo. fiant in trocisci. **de yleo & yliaca passione**

Yleos e[st] dolor i[n]testinor[um] plurib[us] ex c[aus]is ... ubi f[ac]ta ... parte.
... cogit[ur] ... uomere. Cui causa e[st] ... i[n] ... subtili
intestino nascente. ... humorib[us] frigid[is] ... i[n]uiscatis. accidentalia
... uomit[us] ... Quicquid bibit euomit. dolor ... d...
dolor ... e[st] ... Yleos ... calido. ... tumore ... uentre ...
... febre et siti. ... humorib[us] e[st]. f. neq[ue] tumore. neq[ue] ...
nec siti h[ab]et nec febre. Si accidencia p[re]cedencia ... sequ[n]tur ... ger[it]
... corporis ... uigilie. instabilitas ... in talib[us] he-
morib[us] ... in ... al[iqu]a ... alq[uo]d ...
... Cum ... calida ...
et d[omi]n[u]m ... cassia. f. cu[m] ... di... facto. c[um] ...
... uolunt ... fuc[ci] ... solat[u]r ... bn ... colat[ur].
cassia. f. manna ... Si ... fiat ... nec ...
... mane ... herbe ... uena ... sufficit.
... apo... c[um] uiola cassia. f. et manna. ... d[e] malua.
ordeo. lini semine. uiola et similib[us]. Al[iud]. R. suc[c]e ... c[um] ...
dato. et succo. camomille. purgant uentre[m] c[um] ... dissoluunt.
Si de humorib[us] sit ... d[omi]n[u]m ... pocione[m] q[ue] ... uocant ... diafinicon ... apozima ... pillas ...
g ... b. dic ... c[um] solo uino. Clistere fiat de
aneto. camomillo. fenugreco. sambuco. Al[iud] cliste[re] ...
leo. fenugreco camomilo. calamento et similib[us]. ...
ual[et] ad yleo. d[e] frigi[ditate]. R. absinthii. apii. semi[ni]s anisi. cimi
mini. cassie. an. ... mirre. castorei. spice. an. ...

propter longe. apponis ce. all. .i. ine pulas. et cepas sic fecisse. [illegible] Si hec passio eiger puero qui potentie bibere simulat. [illegible] in ente dissipat. et in umbilico iposit huius in egritudine huius [illegible]. faciam in e pidima. cathaplasma. [illegible] et fumbis.

De colica passione.

Colica passione multi patiuntur. Hec passio nascitur in intestino quod uocatur colon. et [illegible]. Locus ei est [illegible] per interiora [illegible] usque in parte [illegible]. Hoc intestinum [illegible]. Causa huius passionis [illegible]. Prima est augmentum caloris [illegible] colice [illegible] et induratur usque non egreditur. Secunda est [illegible] egestione [illegible] phlebotomia. Tercia est flegma uiscosum [illegible] augmentatur in intestinis et [illegible] nascitur [illegible]. Quarta est [illegible] uentositas [illegible] intestino. [illegible] frigida [illegible] et [illegible] uiscosa [illegible]. [illegible] intestinum [illegible] colica passione [illegible] colica [illegible] passione. [illegible] nascitur [illegible] intestino [illegible]. Sexta est [illegible] augmentat [illegible]. [illegible] colica [illegible] passione. [illegible] intestinum [illegible] neque nocumentum [illegible] intestino remanens [illegible]. hanc passionem [illegible] intestino expulsiue [illegible] intestinum [illegible] expulsiua [illegible] digestione [illegible] intestinorum [illegible] intestinum [illegible]

deponitur. necesse est idem nisi in loco deueniat. Hec passio et nimis
illa et specialiter accidentia. Que iliaca uocatur. ab hominibus in
dolor certa magnitudine per totum uentrem tenens. Hic dolor aliquando aug-
mentatur in utroque latere et uelut inclusus et illaqueatus uentris usque ad
diem tertium passionis continens. adeo magna ut neque ... sit. neque de-
fuerit. Per accidentia. uidelicet medicus sigillatim species descendit.
Si fit ex colica. ... sentit ... nimia. uocatur colica. acumen et mag-
nitudo doloris. infestatur uenter quasi acu pungitur. Et eius morbi
breue sed molestissimum est. ... uiuentis tempus est.
Si uero diu teneat et ... fit ... dolor et intestino grauat
inferiora. ac signis intestinum premere et ... ipsius ... de
manifesto fit ex cibo que comedit. antequam passio inueniatur. Si
fit ex frigiditate. sicut aufertur. pulsus ... morbus ... et dolor
leuis. Si autem nimia habet grauitatem. dolor et grauitas de uno loco non
mouetur. Aliquando in egestione ... humores apparet frigiditati
uentri. Si passio est ex ... fit uentositate. intelligitur. de loco
in locum eius doloris mutatione. et ... uentris inflatione
et aliis signis pertinentibus frigiditati. Si fit de ... ex
est intelligere. Apparet ... uentribus inferioribus. Si autem
tu fit calidum et colore rubeum. et sitis assit et febris et asperitas
lingue. et magno dolore ... calidum et ... Si
subtractum fit frigidum. neque sitis uel febris. uel magnum habet dolorem.
ex frigiditate ... intelligendum est. Si uero ... et ...
fit in hiis. dolore certa et abhominatione ... et aliquando per
os euomitur. Si uero ablatione ... intestinum operatur ...
... egestionem ultra tempus tenuerit et aliquando fecerit. quod intestinum per

neat de celo. Evenit aliqn medici i colica passione . et ventu
et lubet dolore ipsiuor accidentiu immunione . cum medicat ve
nib' e indica . nunc colice passioi attinere uii peccat i erit . 6.
et it colica ueracé . et ventu dolore difficium fie dicces dolor colic'
ilatam ueti imutat . de ... sui et similis sui . an. tuet. Dolor venti nuq
mutat' i eod' loco pmanes et gutta ut ind facies et uomit' im
ugat dolore. In colica u' passioe . nulla passioe ur ine neq: uomi
tu ... pace. Hs signa colicor' et cause q' sex philosophicis ca
nonibus p hisice mostrat' auctoritatib' iam ne eius scripuim'.
Necessariu e cu uolenti care aliqn morbu ... auferre
mitia morbi et expelle. Si u' accidencia morbi sit molestia et
morosa et suspiciosa . necce e i itera a reguinto illor' magnor'
accidentiu scripter . corrigado . refrigerado et uiq'escat ex ng' do
gide reuitat ad m'adificad ui corp'. Cu' colica passio maxie hat
accidentia . et nimiu dolore sicq: fiat timorosa: p' e medicada
u cause doloris mitigere dissoluat et destruat . i fusioe aquil
cis et tepid . balneis tepatis calefactione ccaminulo aneto.
mellileto . malua uiola . furfure ordi et similib'. P epithimate
ugui dissolutorio et liqfactorio . sic anetileo . vreoleo . camileo.
aspraleo . costoleo . et similib'. H reguima faciam usq: ioic
tia . q' h' e mini tep' i acuta egritudine . Si h's medicaminib' mo
listacio n mitigere et tercia die cu' sentit q'tra igdie : oporte vom
passio sit pp'ani . Si est cola . vii . minuat' basilica i manu
dextra et mai' sinistra ... sicco par . uer basilice flebotho
mia : dolor aufert' uenies ad intestina . de m' ierapig' fact' de to
aloe et castoreo de cassia . & R. prima uiuibus ali ... uue pass

uiride. mana an. x. cassie f. uiole an. x. om̄ia in duab libr̄ aq̄
coq. ad medietate libram. cola et pone .x. dieb; p̄ig. Si aut̄ in ūni
tā hic i ūgūn scamonee assat et si dni ē dec̄ et hui cū ēli ual
ualbit. R. sem citoniorum. f. cc. ossolani an. x. uiole. x. psil
lii. Om̄ia ponant in duas libr̄ aq calide die et nocte. p fecit et colis.
accipe viii. sisamileō. et coq̄ ē lēnī foco. usq; q̄ō ficit
et totū remanat. dnī fiē dr uni. Itē dnī scariole succe ē . q. cu
fie. f. et ē li olō. Miscean aq̄ q̄ bibit. ē siropo rosato. uiolato
et similib;. Dni scīt lictis capm. ē aloe loto. et scamonea assat.
faciam suppositā d uiola. sale. mum et scamonea. Deorsume
p oē uent̄ solu. Si nō clistē faciam. R. uiole. malue. ordi
mūdi. liq̄ricie. prunī. uuube. camomile. fic̄ succe. p oē eq̄le.
Om̄ia coq̄ i aq̄ et cocta cola. Tolle in . iiii. et mitte i. succi. ficle.
uiole. succi. an̄ q. Sal. minus. ii. mitte c̄ sano. ē oleo. ena
blita. malua. ē amigdal. dnā. Sedat i firm̄ i aq calā. ubi uiole.
malua. ordi furfura. camomilla et similia. cocta sit. In passioe
colica f gat uētosa li(?) scrozosa; fortiore idē indice in. flegmati
cor. hūior p gtua. et ēsse uētositatis. dissolutiua. fiē pill
d lu rupino. pill d ali pill d sp macib. pill d misticē et aloe.
Ind hi sca agus. i. l. ii. scdm uirtute i fir ini dieb tenīs. dni uēm
p ig. in. ē aq calā. G. diē scāla dlē hac passione ē solacuēp ig.
Si necēē sit theodorito et gera logodio. d tn raro. Si aliqd
passiois i corpore remāsisse dubitem. sepe catartice d dum
p ig. ē siropo d ab sintio. R. simuales. d catartice theodorito.
et sabucel d ē apomate radice. Deniq; dinedo qd fict ē sico
lupino. Accipe stē lupinus lib ē umo. h u tē peratum

mirobolanam citrini idi. chebuli. bellirici et similia. Medicinam

ne acutam medicinam dari. sicut aloe. scamonea. colloquintides. dari

etiam. maiorem et minorem. Antidotum e ferrugine factum. Vel

apozima simile. pillule de nuce muscata diacosin. diacapsi. dia

galegi et similia. Si de humoribus sit acutis. oportet eam acuam

restringere flebotomia de basilica. et de utraque crure. Interiora me

dicatis. ad interiora utam est medicina desiccativa. sicut rubigine

ferri. plumbo incenso. fac pulverem et superpone. Si volueris dimittere ue

lum. coto in coloquintida. Item si stringere velimus. acacie. ℥ .iii. et

cerusse ℥ .ii. dragaganti ℥ .i. fac pulverem tempera cum aqua. mitte. in pinnam

pone superponendo. Contra malignam acidi. fac pulverem tempera

cum aceto et valet similiter. Si emorroides sit interior. fac de bulis lich

nium et superpones. Assidue hac medicina posita valet. Pillule de

bdellio valentibus ad emorroide. R. chebuli. bellirici. emblici.

ana ℥ .ii. bdellii ℥ .vi. tempera cum succo porri. facies pillulas in modo pi

peris et da ℥ .iii. Radicem adiunge ℥ .i. et semine apii. alii ℥ .i. et s.

de cocto. dieta sit cibis cum aqua calida. est ferri valet ad emorroides

stomachum confortans. R. chebuli. bellirici. emblici pondus equale. fac

pulverem. frica cum butiro bovino et melle quod sufficiat. da ℥ .iii.

l. v. Si vel predicta ad emorroides. iunge partem de bdellio. et si

vel invalide. ad flura tu signes. gummi arabice. aloe et mu te

sem iunge. Si vel stomachum debile ad unum. ad de rosa mathei. an.

parte .i. an. gariofili an parte media. Si supponi cauterium mu

ter parte ligni aloe. Si supponi melicolia. parte epithimi. An

tidotum valet ad emorroides actiore de refrigata. R. carui ℥ .i. amomi

ana ℥ .ii. costi. cinnamomi. galangi ℥ .ii. ana ℥ .iii. parte. polipodii.

acori. an. ʒ. iii. fac pulverem. adde mel quod sufficiat. cum illo inun-
ge mellinum vel muccum. Ad inflationem et conversionem inflammatam intestini
et emorroides. Recipe acori. carvi. ana ʒ. i. piretri ʒ. ii. aristologie
longe et rotunde. ana ʒ. iii. fac pulverem. fecis amigdalorum mellis
quod sufficiat. da ʒ. ii. vel iii. cum calida. Ad idem medicina unguentum galangi
ce. ʒ. iii. [illegible] bdellii. Aliud. bdellium accipe. thuris. ʒ. v. [illegible]
ʒ. ii. fiet. v. omnia coque in lib. aquis usque ad medium. Aliud thuris ʒ. v.
[illegible] ʒ. v. [illegible] ʒ. iii. [illegible] ʒ. iiii. [illegible]
[illegible] fiat unguentum de succo porri. butiro bovis. [illegible]
[illegible] fumigentur de betonica bdellio costo. [illegible]
dice. Si emorroides in profundum sunt et non apparent. si facte sunt antique et
[illegible] incurabiles [illegible] cirurgia. Si sint in tali loco
sit vel non sit cirurgie. acutam medicinam vel incisuram quam ferrum
h ponatur. Si vero antique sunt et quasi canales. operatur ita [illegible]
[illegible] neque sanantur nisi cirurgico ferro. Oportet ne humiditas
nimia veniat ex loco passionis ponatur. Castoreum combure.
et incedit et in maiorem morbum quam antea fuit adducet. Si oportet
accipe sarcocollam et pulverem fac tepida aqua unges circumquaque
emorroides. Si in naribus alia passio quam emorroides nascatur:
oportet quod non sit intelligatur. Si superna mittatur liceat
plasma. Recipe [illegible] rosam. tepefac cum succo solatri. cum oleo rosato
unum fiat cataplasma. Si superna sit fortis et [illegible] vitellum
ovi assi cum sirupo rosaceo oleo rosato. quod illinitur extinguitur dolor.
ij Aliud. Recipe [illegible] portulacam panis mica. vitellum ovi.
fac cataplasma et pone desuper. Si in naribus habet fissuram et scissuram
mitte vel [illegible] dragagantum. aut unguentum gallie.

[illegible] capita emorroides [illegible]
[illegible] fistule [illegible]
ad modum fistule [illegible]
[illegible] cirurgico [illegible]
[illegible]

[illegible]

[illegible]

amti. oleū uiolar. cāalbi. medullā uituli. oleū rosatū.
albugīne oui. Si dolor fit nimi. dat ad bibendū psilliū c̄
sirupo rosato ⁊ oleo rosato. Si uulnā fit sine apīemata in a
nib; indicatiā desiccatiuā faciant decoctā boliarmenia. allum ⁊ alu
mine. ⁊ coloquintida similit. Si lunitas fit nimia: ponant aloe.
emathiti. psilliū. Si cauterisatio efficiat̄ fistula. ponant thurī. Si
sit carrosiua: ponant lent. balaustiā. acaciā. santali. rosi.
Si inanib; dolor fit sine uulnē r̄ apīemate: ungant c̄ hoc unguēto.
℞. cē albe .v. amigdalaos .xii. medulle bouine. .iii.
olii rosati .v. cerusse .ii. Alit'. ℞. litargiri ceruse. ana .v.
ce .i. s. olii rosati qt̄ sufficiat. Alit'. ℞. cerusā. plūbū incēsū .ii.
cum ītellū iuuat emoroidas ubicūq; h̄nt ⁊ uulnā et apīe
mat ī naribus. Itē. ℞. acaciā. litargirī. cerusā. pertiā de .i. medulla cucurbite ...
.i. uiuum .q. ...
cucurbitis uetib; ⁊ uiuum et si necesse. Oia pista in mortario
plūbeo c̄ oleo rosato itiat q̄ simel ⁊ ungat. Si sanguis fluit
emorroidib' ungant ⁊ medicā hec ī dissinteria ⁊ fluxu
sanguinis dixim'. De molliete ⁊ uertiginatū qd dr̄ paralisis.

Patiens ani sic emoroidis s. apīemata. uulnā. ⁊ fistulare
nocēt: ⁊ dolore faciunt. In natis. i. firmi et p̄ine cogentes qsi
egestiū suauitate. De cetero an. Aliqñ q̄ egredit' ex molliete
laciē uolūtari. Neq; sic ī firmi fine uoluntate erit. Opt
g. ii udit ut nascat. Si ex passione fit: dolore faciunt in
miā. Infirmi g sedat ī aq̄ ī cocta sit stipatica. galla. bala
ustia. cortices malagrānati. sumach glandes. ypoquistidos ⁊
similia. Dein ī firmo diacodion. melechie. diarrodon. carmata.
diacitoniat. elctua minore ⁊ maiore. pill' de bdellio. Accip

v

utile malue. et oleum ungat in mane. recedit anim. Simile e
in tello ouum cum urico psilli. Ad yg. ieieit. fontem e rethp
ticai radicla. dum accipe galle. cecha. marine in cole ani ...
... undia. Nucis cipsii. balaustie. corticis mali ...
... ana ... fac pulur ponens ... bolauma. ...
bola. Pfontem e lhp tici radicla. Accipe corticel ...
boris lentisci. ... nucis cipsii ... fac pulue
... pulueres ... spes pinneu
sione sine pulue ... sit. sine epithimata. seu fomenta ...
multum ualent. Expliē lib. iii. incipiunt capitula lib iiii.

de mala cplexione epatis.	de splene tici. Similia eo.
de oppilatione soli epatis.	de dolore renum. plērūc.
de apostemate epatis.	de apostemate renum.
de sanguinis fluxu ab epate.	de uulneribus renum.
de idropisi.	de sanguinis minctu.
de antidotis.	de lapide.
de trociscis.	de uirtutis defectione.
de pill. et pulueribus.	de guttatim mingentibus.
de catarticis.	de mingentibus lectos.
de ictericis.	de stranguria.

... mala cplexione epatis ... cplexio ... digestio ...

MULTIS IN LOCIS GLORIOSUS ... medici digestibile ... talocei op
time diverse corporis ... in isto. Sed
incipit. Tercia ... corporis. Vel
... particula ... quibus morbus ... digestibilem

partē. In hac quidem dicit dispositionem que morbos in parte sedē
patiat. et signa eorum et curas. et auctoritates antiquorum. Incipi
am quidem a mala complexione epatis oriuntur. Epar duobus modis pati
ex sue centre petat. l' ex aliorum membrorum cunctate. Ex suspe
catur de genere suo sic et eorum membra corporis patiuntur. mutacione comple
xionis. sic si frigidat. l' calefiat. humectetur. et siccetur. simpliciter
seu composite. Secundum officiales morbi vocantur. sicut opilaciones
l' apostemata. Tercium dissolucio appellatur impartitatis. ad se
paracionem sic sunt vulnera. excoriationes. icciones et similia. De
aut passionibus sunt generantur idropicia. Hos autem morbos in suis locis
dicti sumus. Incipiam [illegible] a mala complexione incipiam. Si epatis dui
sa complexione una dicitur. qualiter sua naturam superponitur. dum vices et
tumor in ipso non efficiuntur. Huius mala complexio est materia et sine
materia. Si complexio mutetur in calorem. infirmi numquam sentire sitim.
[illegible] colorem rubeam vomit. color eius in citrinitatem mutatur. sic
etiam hic lingue. palati et narium. Appetitus eius in cibis deficit.
Vrina eius [illegible]. Si in frigiditatem sit mutata nullus hic
[illegible]. sed numquam famem patitur sine digestione gutturis in parte.
color faciei corrumpitur. et mutatur. labia et lingua in albedinem. saguis
minuit. Si mutacio epatis in siccitatem spasmi eius et [illegible]
sentit. Siccitas et lingua. subtilitur digestio parva et sicca corporis
macilenta. Si mutatur in humiditatem. facies infirmi tumescit.
et inflat. neque sitit pro humiditate. Vrina alba et clara sine tin
ctura aliqua. et qualitas aque. Intelligitur ut mutacio complexionis epatis
et natura infirmi. etate. tempore. dieta aut infirmitate habita.
Hec si complexiones composite dicuntur. apparet signis compositis.

sedm natam compositionem sui. Oportet festinare [illegible]
plexionis epatis mutatione. i. ad suam natalem [illegible]
redire. antequam [illegible] .G. in [illegible]
tum [illegible]. Infectio dicitur [illegible] animalium [illegible] fuerit
inis. Quia pars simul et [illegible] sicut oculi aures. manus. pedes.
et similia. At quo [illegible] animali. Cum et epar unum sit omnibus
illis quo animalia vivunt. corrumpitur complexio sua [illegible]
una corruptio fiat. Si et calore sit epar. basilicam flebo
thomari. sit tempus etas consuetudo et vires nos adiuverint. Ubi
refrigerem [illegible] spodio. zucaro. psillio. sirupo albo. [illegible]
[illegible] herbarum. endivie solatri. [illegible] et coliandri [illegible]
compositis epatis refrigerativis quod in hac particula sunt [illegible]
[illegible] sirupis. Deinde suavia et levia [illegible] illud quod
recipit sucos [illegible] [illegible] . in. zucari [illegible]
[illegible] spodii. dragaganti semen citonior [illegible] . iii. Dia [illegible]
[illegible] illi die et nocte. [illegible] et scola. [illegible] bibe. liber
[illegible] lactuca. [illegible] portulaca. solatri. cucurbita. Si
febres non habet. detur [illegible] pulli. porcelli. fasianus. [illegible]
[illegible] lacte et [illegible] melle et [illegible] [illegible]
[illegible] [illegible] sirupos. cataplasmata po
nam [illegible] epar calor [illegible] portulaca. solatri cucur
[illegible]. psillium. [illegible] aqua lactuce. [illegible]. Dia [illegible]
[illegible] cataplasma fiat. Si epar in frigiditate [illegible]
infirmo [illegible] et [illegible] [illegible]
[illegible] diacucurma maiore et minore. [illegible]
[illegible] diacost. [illegible] medicine [illegible] et [illegible]

3 succo herbarum sic maratri apii . cocto et colato . et oximel

le . siropo absinthii . siropo radic et aposima calamenti . et

aposimate dauci . maratri . apio . mathee . spica . folio . squi

nanto . Dia simplex incencium suum oppositum dar et amigdalo . Dia uca

galieni . aurea sinonomon . diamisu . diaromat . Diacaisis contra

dicitur : fenici . et eis dauci . squinanto . et absinthio et similia.

Cataplasma . si ponatur epati quod calefaciat . similiter epithima

sit ex nardo . amidon . ancetileon et similia . Obsuret sed durusq

barus et accidit galenus autem . Nutatur et subtilis et leuo dicta.

Cum calidis aromatibus parata . Municeo enim passus . hic ut fu

muitur ex fectione epatis ut dicitur . Similiter fistice quia

frigido epati . sanat et ab omni dulcedine quod nocet epati et spleni . et

facit sibi oppilacione amaritudinem matris similiter potens . Si

epatis egritas et humiditas minus et frigidis indicem , ut frigeriti

calefacientibus . Nos in hac particula . . . . medicina quam

sibi sufficiat . De oppilacione solius epatis .

Est oppilat in istis modis . Vt ex illo sanguine a be pars ad

membra currente . unum est super est ex re . remanet clausum in uisceribus

et uenis oppilat eas ex constrictione sua . Ex humoribus illis

uiscosis intestinis ex humiditatibus se uiscosis que mucenti uena epatis

egrediunt . ubi oppilacio generatur . Pre epar oppilat . similiter

sputum . Similiter in . . . . Pratis epatis .

soles membris illis uteris hemoroide . . . restringantur

uena epar oppilat . Similiter oppilacio in muliere nascitur . cum

menstrua sua non recipit . Si vero soles et uti eis menstruis op

pilat in ei uuis atque uenis . Vnde epar constipacione patitur .

m

e sucs eius secundum quod oportet in abdomen recipiatur. Unde in furculis gutturi
intima subiacet contra aperte sentitur dolor. Dicitur in epate. Unde
nec exire potest. Non sola gutturis sentitur. Sic et tussis et clamor
et dolor in furculis reparatur. Et cum abulet vel saliat. maxime
perhibita cum secutus est puctura. dolore et gutture. Furcule
sursum movent neque repulsacione quiescit. Urina eorum subrubea et
citrina vel glauca. Si oppilacio sit ex calore. Alba fiet frigiditate.
Et si oppilacio fit ex menstruus ablatis vel inbibita tussis. palida fit.
In oppilacione epatis ex calore basilica interiora manu minue.
vel venam que inter pollicem est et indicem et auferatur sanguis secundum uirtu
tem. siquidem tempus et consuetudo. uel nos adiuvet. Si non leue dimica
turum et sic est illud. R. mirobalani citrini. uiole. absinthii eil
buthe. fumi terre ana. ʒ xx. capillorum ueneris. rose sicce. radi
cis apii. marrubii. endiuie. ana. ʒ x. semen scariole. marubii. anisi.
masticis. spice. si sebesten ana. iiii. pruna. iuiubas ana.
xxx. Omnia in viii. lib. aque coque usque ad tertiam et cola. Deinde accipe
manne. ʒ xx. cassie fistule. ʒ x. Et sit cola et mitte lib. ii. zuccari
coque foco suaui. usque fiat sirupus. da in. iii. uel. iiii. cum amigdalorum
ʒ ii. diagredii ʒ x. secundum uirtutem infirmi. Si infirmus fuerit debilis.
et sirupum istum bibere non possit. nec alia tantum de ualentia. sic apo
zima de absinthio. vel de fumo terre vel de radicibus et similia catar
tica propriam et sic fiat sucus endiuie. et marrubii coquantur et
colatur in vi. cum ʒ ii. zuccari oxidie. Qui si sit fortis bibat semper
sirupo in timissione. Item si debilis fit. de ius sucus mali granati
cum zuccaro. Sucus solatri et quinque neruie cum zuccaro. De sirupis de
rosis. frescos debilis. mutatur cum leuibus cibis. et subtilibus sicut pullis.

gracilib. faliant et similib. Scariola. lactuca. solatrum. bleta.
et similib. Ptisanam dum radices maurat et apii cocte fit. e
oximacea. Si oppilacio a humorib; fit crossis et uiscosis. dr
i firmo ier. apig. ier. logodio. theodarito. Sed in calidis
et similia. grossos humores purgat ca. marie sistit in cauitate
et porositate epatis per illi ueras loci distantiam aduertere.
Humores hii i stricti fit parte epatis: dum i firmo diure
tica urine prouocatiua. apertiua epatis si iore oppilacione. De
ne si sint epatis uicte sc urine uias. Diuretica aut ē absi
thiu. squinant. assar. spica. costus. amos et similia. hoc simplicia
compositoz. dai i firmo et a. rs. cum melle. succus maurat. apii.
diapi. absinthii. quecq; hoc l simplice l composit. cu b cum
melle l amigdalo. sitiunt necē pl api et ualefici. qui nunc
ē sign: dum sugene. philonium. athanasia. homousia. dialacca
diarcu. diacost et similia. Apostemata dum calamito et uo. de
spinatib ē amigdalo. l sabuceleo. l oleo nardino. ceteris cos dum.
diacca et simul gen. Nutim ē spangis. ticla carnib uolatilium.
Si oppilacio epatis ex ablatis sit instruas. flebothomi aliu
uenas ie ruirib et balneum. Succos herbar coctos et colatos
ē amigdalo. dum apozima de calamito et diurecticis. de aliis primati
et similib. Si ierietiōe aliqz mbroz percipiunt flebothomi
dum diuretica iu dieta. De apostemate epatis.

Apostemata i epate nascentia: duob; modis l decausis ratione
sic per se l collisione et similib qb lig̃s i loco illo cluduntur. et apo
stema efficit. Et de itiori sic siicepar qua humores icl uocat.
et diplis purfacti: apostema gignitur. Qz si fuerit sanguinolentū.

[illegible] sunt dolores capitis et sciatica et febres et dissolutiones. Ad ea [illegible] [illegible] sunt in oculis vel mulieres accidunt [illegible] [illegible] in labro [illegible] sic in gibo [illegible] sine [illegible]

[illegible]
[illegible]
[illegible]

generantur apostemata que flegmones vocantur. Si calidi sit et colerici generantur erisipilas. Si vero melancolici et dura gignuntur apostemata que [ad duros] cancro mutantur. Si flegmatici apostemata fiunt tumida et mollia. Aliquando apostemata in epate nascuntur ex superfluitate ventositatis quibus claudi neque vincere potest. Cum calidi comestio nimia et digestio parva. Apostemata nascuntur in epate a nobilibus locis istius [in alte in simul et in arta] partis vel inferiori. Si sit in superficie contactu sentitur magis et sic cognoscitur. Si in inferiori intelligitur ex suis accidentibus. Accidentia quibus consideratur in inferiori parte epatis esse apostema talia sunt. Infirmus sentit gravitatem nimiam in dextro latere et dolorem nimium in epate et furcula et suspirium vel singultum. Et anhelitus et tussis sine ex [illegible] frequens anhelitus et patitur inanhelitum agitur. Et specialiter si sit flegmatici fit tumida et tussis sine [illegible] [illegible] [illegible] [illegible]. Si calidum sit apostema et [illegible] [illegible] [illegible] nimia. [illegible] cumulatur [illegible] [illegible] epatis [illegible] [illegible] [illegible] passionis. Lingua infirmi rubicunda fit et [illegible] in grossitie mutatur. In initio colera rubea emittit que primum [illegible] et [illegible] mutatur. Si apostema sit frigidum sentitur dolor [illegible] nimius [illegible] [illegible]. Si apostema sit in inferiori parte epatis sentitur [illegible] [illegible] et [illegible]. Dolor quem sentit [illegible] [illegible] [illegible] [illegible] [illegible]. Egestio est [illegible] sicca [illegible] et [illegible] [illegible]. [illegible] apostema ex ventositate fuit gravitatem sub ipso [illegible] [illegible] [illegible] sentitur. [illegible] [illegible]. Cum epar sit fundamentum [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] secundum quod [illegible] [illegible] [illegible] vel [illegible] [illegible] vel [illegible] [illegible] [illegible] [illegible] splenem et [illegible] [illegible]. Unde [illegible] [illegible] [illegible] mutatur et [illegible]

marcus

[illegible]. Scias quod apozema ex specierum medicinis componitur
[illegible] ut repercussiva. Sunt et dissolutiva. [illegible]
[illegible] plenitudine corporis [illegible] quare apozema
[illegible] [illegible] signis [illegible]
[illegible]. Ubi [illegible] aliquod [illegible]
[illegible] apozematis [illegible] causa repugnativa
[illegible] bibenda [illegible] ponenda [illegible] ut
[illegible] illi [illegible] fiat apozema. Cum apozema accipiatur
[illegible] dissolutive.
[illegible] refrigerativa et repugnativa
[illegible]. Dissolutiva et mitigativa [illegible]
passionis [illegible]
[illegible]. Sic [illegible]
[illegible] in libro illo [illegible]
[illegible] et similitudine [illegible] apozemate. [illegible]
refrigerativa et repugnativa [illegible]
(i. lingua agni) [illegible] arnoglosse. [illegible] portulace. [illegible]
[illegible] inveneris [illegible]
(ista sunt apponenda) [illegible] confortativa. sicut sandali. spodium. rosa. [illegible] et simi-
lia. Cum dissolutiva sint accipienda. [illegible] et re-
pugnativa causa apozematis dissolutiva [illegible]
[illegible] et similia sicut fortitudo [illegible]
passionis [illegible]
[illegible] apozemati [illegible]
(ref.) [illegible] et similes. Si [illegible] malignitati [illegible]
[illegible]

& amigdalo [illegible]. Purgat [illegible] uec si simil
[illegible] melle [illegible]. Sumitur ca
taplasmate [illegible] figuratur [illegible]
[illegible] & inguines [illegible] patitur. [illegible]
solum [illegible] & [illegible] cataplasmata ponitur [illegible]
[illegible] colostrum & [illegible] [illegible]. Rx oleo [illegible]
Quod [illegible] fortiter [illegible] ungi [illegible] olei [illegible]
quod sufficit. [illegible] facianti. Rx olii [illegible]
[illegible] masticis & [illegible] equi [illegible]
[illegible] secundum canones [illegible]. Diapenna [illegible]
[illegible] amigdalo [illegible]
[illegible] Diagredi [illegible]
[illegible] succo [illegible]
[illegible]
[illegible] Diapenna [illegible]
[illegible] Diapennai
[illegible] equus [illegible] purgatiua.
[illegible]
[illegible] Diapenna inferiori sit parte equus
[illegible] Si uero
[illegible] parte equus [illegible] capo
[illegible] & similibus. Si uero [illegible] diapenna.
[illegible] Dum ipse diapenna
[illegible] neque alius [illegible]
[illegible]
[illegible] capite [illegible]

[illegible] soluc[illegible]. S. [illegible] epoz[illegible] [illegible]

[illegible] ep[illegible] [illegible] [illegible]pis[illegible] spica. [illegible]

[illegible] lauri. [illegible]apis. [illegible] [illegible] similia. Spice [illegible]

[illegible] [illegible]. Agrim[illegible] [illegible] simil[illegible] [illegible]

[illegible] ne [illegible] simil[illegible] [illegible] simili[illegible] [illegible]

[illegible] [illegible] similia. Desiphet [illegible]

[illegible] [illegible]

[illegible] [illegible] simili[illegible] [illegible] [illegible] fa-

[illegible] [illegible] [illegible] mathe[illegible] [illegible] similib[illegible].

Camp[illegible] [illegible] [illegible] [illegible] [illegible] similib[illegible] [illegible]

similib[illegible]. D[illegible] [illegible] [illegible] Sapiens

[illegible] [illegible] [illegible] clusa [illegible]

[illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] S[illegible]

[illegible] [illegible] [illegible] [illegible]

herba

[illegible] [illegible] [illegible]

S[illegible] [illegible] [illegible] [illegible]

[illegible] [illegible]. P[illegible] [illegible]

mure

[illegible] R. [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] mathe[illegible] [illegible] deli

Sanguis [illegible] [illegible] [illegible]. guinis fluxu ab ep[illegible].

[illegible] [illegible] [illegible] [illegible]. Ut [illegible]

[illegible] [illegible] [illegible]. [illegible] [illegible].

S[illegible] se [illegible] [illegible] [illegible] [illegible] [illegible] nubibus.

[illegible] [illegible] [illegible] [illegible] [illegible]. [illegible] [illegible]. neq. [illegible]

neque pus factum fac. Sit etiam spiritus ubi sanguis prius emanavit.

Vero [illegible]. Si de corpore manu vel pede incisa fuerit et sanguis nimius fluxerit ad epar vertitur, quem epar sufficiens emittit. Si vero sanguinis nimia habundantia exierit [illegible] sanguinem ex nimis collectum exierit [illegible] epatis. Que ex [illegible] contingit [illegible] digestione [illegible] sicut fit [illegible] polan [illegible] sic et epilepsia [illegible] procedit. Sit etiam alia que [illegible] epatica digestio. [illegible] digestione nimis sanguis fluxerit [illegible] causa [illegible] digestionis [illegible] sequitur [illegible] sanguinis. Sit etiam [illegible] digestione in qua sanguis [illegible] et liquidus [illegible] epar [illegible] sanguinem [illegible]. [illegible] contra [illegible] obviant [illegible] et [illegible]. Sanguis [illegible] sequitur [illegible] neque [illegible] epatis [illegible]. Que [illegible] expulsiva [illegible] epatis [illegible] expelli [illegible] digestione contingit. [illegible] sanguinis fluxus [illegible] sua [illegible]. [illegible] sicut [illegible] que sanguinem stringunt [illegible] sicut balaustia, rose, spodium, acacia, bolus armenicus, sigillum [illegible] gummi, ypoquistidos et similia. [illegible] hoc [illegible] in [illegible] glosse [illegible]. [illegible] in sanguinis fluxu [illegible] de epate. [illegible] miscantur [illegible] sirupum [illegible]. [illegible] Pulvis [illegible] rose, bolus armenicus [illegible] balaustie [illegible] cupule glandium

nenuphar stringat.
[illegible] m. cum [illegible] grani coralli. iscii. acacie. & rubarbari
[illegible] ex. spec. diaphenic. quaquilibet an. ʒ. i. fac pulverem. & pa
in fine [illegible] et triangulis facias trociscos. dati ʒ. i. bibe cum aqua frigida.
Si stulis signis consequentibus sit mixtis humoribus intensis epatis.
& si colera ciron nascente sint repletionis et humani signis similiter
inveniantur hec [illegible] ablactatione urine aquositate et [illegible] colore.
[illegible] in urina rubea. & que intelligitur quod de colerico sit creatione.
Opportet consulte & cognitum & superatum vel calor contingat. oportet
[illegible] sit eodem [illegible] de rosa sandalis albi &
rubei. balaustia. spodii & similia. Similiter sapa [illegible].
& [illegible] mirra in [illegible] spodio. [illegible] ponas
in [illegible] rosa. balaustia. mirra. [illegible] talia et [illegible]
[illegible] & similibus. Si egestio est [illegible] carnis sine
[illegible] dolor [illegible] erit [illegible] & color in albedine
[illegible] ex [illegible] intelligitur epatis [illegible]
[illegible] & quod sit [illegible] Unde [illegible]
nard. masticis
[illegible] galia. [illegible] spica [illegible]
[illegible] garofilo. ligno aloe. cardamomo & similibus [illegible]
[illegible] epati [illegible] qui [illegible] pulvis
[illegible] species [illegible] Valet hinc species [illegible]
[illegible] ʒ. iii. & [illegible] apii. [illegible]
[illegible] epati. R. [illegible] narodon. [illegible]
[illegible] pulvis [illegible] aromatibus [illegible]
[illegible] cibo [illegible] Dec. [illegible] Si egestio sanguinis
[illegible] sit [illegible] multis & sanguis [illegible]
[illegible] quod intelligimus quia [illegible] .

[illegible] medicinis mundificare [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] similia. [illegible] simplicia [illegible] composita sunt [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] que mundificant [illegible] [illegible] solidant ea [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

De ydropisi

Ydropisis [illegible] ydropisis [illegible] ex sola [illegible] [illegible] [illegible] [illegible] [illegible] corruptio [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] passiones epatis [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] epatis [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] omnia membra [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] separationem [illegible] [illegible] [illegible] [illegible] ydropisis esse sine passione epatis [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] epatis [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] actione sua [illegible]

[illegible]

colo[illegible] firmu[illegible] [illegible]. [illegible] uigor[illegible] [illegible]
pulli[illegible] [illegible] uelocitate. [illegible] calor [illegible]
[illegible] diacuemi[illegible] dialacca diacost[illegible] [illegible] [illegible]
trisceos [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
coste [illegible] [illegible] aristologia [illegible] [illegible] [illegible]
[illegible] apio. mirra. [illegible] [illegible] [illegible]
[illegible] dialacca. diacu[illegible]mi. diacost[illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] similia. De [illegible] medicina [illegible] [illegible]
[illegible] [illegible]. De balneis [illegible] fumigi[illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] firmu[illegible] fumigeri. Aliqui [illegible] [illegible] [illegible]
[illegible] [illegible] lac [illegible] [illegible] urina [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] obuiet aq[illegible] [illegible] humide [illegible] flu[illegible] [illegible]
[illegible] [illegible] [illegible]. Hec [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] columb[illegible] [illegible]
[illegible] [illegible] [illegible] coloquint[illegible] [illegible] similia. [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible]. [illegible] [illegible] [illegible] [illegible] [illegible]
suspicio[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] nullus [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] auferunt. [illegible] [illegible] passionis

[illegible] ablacionem que est cum capitis [illegible]
[illegible] in medio [illegible] solet fluere [illegible]
[illegible] emissionem minuat. neque tamen tempus [illegible] fecerit. Di-
[illegible]. Ut capina in unaquaque die calida [illegible] spica [illegible] apposita [illegible]
[illegible]. Alii dicunt [illegible] pecudis rufe vel nigre [illegible]
spica similiter facit. De antidotis.

De hiis passionibus quas epar patitur et earum causis et quomodo secundum rem gestam articulatim [illegible] placuit ut [illegible] medicamina composita [illegible] passiones [illegible] dicamus [illegible] convenienter [illegible] Que passiones in hac particula [illegible] magis necessaria sunt vulgo et maioribus [illegible] munimenta [illegible] epatis et passionibus [illegible]. Que [illegible] electuaria. [illegible] pillule [illegible] pulveres. Alia composita. Unde et nos [illegible] capitulo. [illegible] valet [illegible] opilacionem [illegible]. Recipe costi, cinamomi, spice ana [illegible]. Reubarbari [illegible], cassie, asari, mirre, squinanti, aristologie rotunde ana [illegible]. fac pulverem [illegible] sufficit [illegible]. Diacu- [illegible] ad epatis passionem de frigiditate [illegible] et splenis [illegible]. Recipe [illegible] spice, cinnamomi, asari, cassie ana [illegible], costi, squinanti, mirre ana [illegible]. fac pulverem [illegible] quod sufficit [illegible]. Dialacca valet ad opilacionem epatis [illegible] frigiditate [illegible] splenis [illegible]. Recipe lacce [illegible] costi, spice, carpobalsami, xilobalsami, cassie, asari, cinamomi ana.

[illegible] passiones [illegible] medicinas [illegible]

squinanti . reubar barbari . masticis . aristolochie longe et rotunde ana . drachmam
mirre . genciane . marrubii ana . apii . petrosilini . gariofili . ciminum . cu
parum . absinthium . mel . nicetr . cardamomum . cubebe ana . ...
fac pulverem adde mel quod sufficiat . dentur . ... cum succo ...
apozimate de radicibus. Diarodon valet dolori epatis . et stomachi quod pa
titur . colera rubea et febribus . et corruptionem digestionis vel urine . R. spice
... . assari . cassie . costi . squinanti . cinnamomi . spodii . mastice ...
pondus rose quantum omnes alie species . fac pulverem adde mel quod sufficiat .
Antidotum valet dolori epatis de egritudine et plenitudine et . ... infla
tioni in initio ... et ... venenum . R. mirre . drachmas vii . cinnamomi .
iiii . et s . piperis albi . ii . thuris . costi . ana . i . et s . fac pulverem
cum melle
cum piperis quod sufficiat . dentur in modum avellane . cum melle ... Valet
contra ventositatem ... dolori epatis splenis et ... colicis
damascenum . R. cassie lignee . amomi . spice nardi . ... . apii . marrubii . ...
... . castorei . aristologie longe et rotunde . thuris . assari . ... . semin .
carui . ciminum ana . ... cardamomi minoris . cinnamomi . cardamomi ma
ioris . gariofili . ... . piperis albi et nigri . et longi ana . ... . cinnamomi .
. ii . fac pulverem . adde mel quod sufficiat . dentur . i . et s . cum siropo ...
no . diaclimen . Galienus . ... valet ad omnem dolorem ventris quod
de egritudine est ... sanat . cibum digerit . oppilaciones epatis aperit .
totum corpus calefacit . valet ad dolorem splenis quod de ventositate est ...
et flegmatica . R. ciminum . drachmas xxx . infusi in aceto die et nocte et
desiccatum et assatum . deinde fac pulverem et accipe . ... galange . spice . ... .
assari . ... . gariofili piperis longi . cinnamomi . ... masticis . ...
... cardamomi . ... marrubii . cassie . apii . rute . carpobalsami . folii .
ana . ... xii . et s . fac pulverem et mel quod sufficiat . dentur in modum avellane .

Diahimen conf. solus dum niceni. ual ad calore stoi d flegmate. ad
calore c̄stā oppilacione epatis. splen. da .i. c̄ tr. R. zz. piper
nig. longi. albi. spice. cassie. carpobalsami. purez. cardamoi
maioris. garofili. masticis. amoni. an .ii. an mec an .iii. mel
q̄d suffic. Diaciss ual oppilacioi splenis. pruritui epatis. uicio
i spisis. uumbilicali dolori uiscu d frigitudine. R. cinamoi. ce.
spice. assari. squinanti. an .vi. costi aristologie rotunde. cassie.
fistule. masticis. marat. scariole. sem apii gentiane. carpobal
sami ligni aloes an .iiii. calami aromatici. garofili. cardamoi
minoris et maioris. mac an .iii. fac puluis. mel q̄d suffic. Al
similis iudor gal. q̄d uocat diatr. pipeo. Val contra c̄ū fleg
ma istis dissoluendi. uomitū flegmatice. stom. et indigerenti.
frontis. uentre epilepticis. podagricis d flegmate. senectute et pu
erorū collectis tempore hiemis. R. piperis albi nig. et longi. ana.
spice. xilobalsami. apii. petrosilini. amos. marat. an .i. amoi.
spice. absinthii. cassie. an .vii. cardamoi. garofili. cinamoi.
ce. apii. an .v. sisileos. aristologie rotunde. masticis. assari. an .iii. co
sti. mac .iii. mel q̄d suffic. daimonū aucillans. Diaromata ual ad
destruccione flegmatis. stom. et digestibile iuuant et fortis. i fla
cionē aufert. colore clarificat. mentē acuit. acuendo fcare labore
lux. membrum et pectbū da. R. spice. cassie. masticis. garofili. cina
moi. assari. an .i. cardamoi maioris. ce. sandali citrini. cucube. costi
mac. galie muscate. cinnab. marat. an. an .v. nucis muscate. ligni.
aloes. calami aromatici. an .v. fac puluis. accipe mel despu
mate. mitte cum succe citoniis et malo. coq i spissitudine mellis.
et pa c bul spes illas. De comestione ....

[illegible] ... ad [illegible] ... iacob al. [illegible] ... curato plima [illegible] ... accipitur ... leprosie ... [illegible] ... rosas [illegible] ... et aliis

Trocisci de lacca valent ad epatis et splenis passionem. et dolore [illegible]
[illegible] R. lacce. rose. spodii. absinthii. eupatorii [illegible]
ana ʒ. ii. reubarbari ʒ. iii. squinanti ʒ. ii. terantur et succo maratri. fiant
[illegible] fac trociscos ʒ. i. dabitur cum succo [illegible] et aceto [illegible]
barbaro valet ad oppilationem epatis. splenis. [illegible]
R. rose. absinthii. reubarbari ana ʒ. iii. spice. spodii. [illegible]
lacce. eupatorii. succi [illegible] sandali citrini. [illegible] anisi. origani [illegible]
ana ʒ. ii. terantur cum succo maratri. fac trociscos ʒ. i. dabitur cum succo [illegible]
[illegible] Trocisci de [illegible] valent ad [illegible] epatis. splenis. [illegible]
[illegible] R. ana rose. maratri. ana ʒ. vii. liquiricie
ʒ. vi. succi liquiricie. squinanti. lacce. masticis. spice. ana ʒ. iii. eupa-
torii ʒ. iii. [illegible] absinthii. spodii. ana [illegible]
apii. fac trociscos ʒ. i. dabitur cum succo [illegible] Trocisci de absinthio valent
ad dolorem epatis. [illegible] oppilationem epatis [illegible]
[illegible] R. absinthii. maratri. rose. [illegible] ana
ʒ. iii. [illegible] spice. squinanti. apii. seminis [illegible] reubarbari [illegible]
[illegible] terantur cum succo [illegible] fac trociscos ʒ. i. dabitur cum succo [illegible]
Trocisci de [illegible] valent ad [illegible] oppilationem epatis
[illegible] flegmatice [illegible] R. absinthii. squinanti [illegible]
eupatorii. rose. maratri. masticis. ana ʒ. iii. ana [illegible] sandali
citrini. spodii. ana ʒ. i. [illegible] terantur cum succo [illegible] fac trociscos ʒ. i.
dabitur cum succo [illegible] Trocisci de [illegible]
[illegible] R. rose [illegible] liquiricie ʒ. vi. squinanti. spice. maratri. spodii.
origani ana ʒ. ii. terantur cum succo [illegible] fac trociscos ʒ. i. [illegible]
[illegible] maligna. Trocisci de spodio valent [illegible] acuti [illegible]
epatis [illegible] R. rose ʒ. vi. spodii. seminis [illegible]

succi liquiricie. ana. ʒ. ii. dragm. amidi. i. zuccari. ʒ. iiii.
i. uisco t mucillagine
tempa cum succo psillii. fac trociscos. ʒ. i. da bibere cum succo maligranati.
Alii trocisci de spodio laccatum. ualent ad uniuersas tercianas. sitim calorem.
epatis stomachi et cetera iohannis damasceni. in libro quod conpositum intitulatur. Recipe.
spodii. rose. ce. ana. ʒ. iii. amidi dragm. gummi arabici. seminis. se
minis citruli. cucumeris melonis. cucurbite. omnium mitidatorum. se
minis portulace. ana. ʒ. i. et s. tempa cum succo citoniorum. Trocisci de capho
ra. refrigerans in combustione epatis calorem. acutam febrem. Recipe. rose. ʒ. iii.
gummi arabici. dragm. spodii. ana. ʒ. iiii. cucumeris. seminis citruli. por
tulace liquiricie. ana. ʒ. viii. ce. ii. amidi. iii. caphore. ʒ. s. cum succo ab
sinthii. Alii similiter caphorati. Recipe. rose spodii. zuccari. ana.
ʒ. ai. sandali citrini. dragm. seminis portulace. succi liquiricie. ana. ʒ. iii.
seminis cucumeris. ligni aloe. ce. caphore. ana. ʒ. i. tempa cum succo
psillii facto cum aqua ro. fac trociscos. ʒ. i. Trocisci de berberis. ualent ad opilatio
nem epatis. splenis in initio ydropisis cum calore. Recipe. berberis. ʒ. vii.
rose spodii. lacce. ce. ana. ʒ. v. fulful. spice. garioph. cotti.
squinanti. ana. ʒ. iii. reubarbari. sandali. rubei. ana. ʒ. iiii.
cuscute. ʒ. v. fac trociscos. ʒ. i. da bibere cum succo rubei et endiuie.
cum aurea alexandrina. Alii simul valent acutis febribus. siti. apostema
ti epatis et stomachi. Recipe. berberis. ʒ. iiii. rose. ʒ. i. et s. manne liquiricie. cu
cumeris seminis. spodii. spice. mastice. eupatorii. succi. ana. ʒ. ii.
reubarbari. lacce. ce. ana. ʒ. i. cum uisco psillii. fac trociscos. ʒ. i.
da bibere cum succo rubei. Trocisci de uiola. mitigant incensionem. decoc
ta. ru. ii. neque epar. neque stomachum purgat. Soluunt coleram rubeam calidissi
mam non tamen abrotani. scilicet farinam. Recipe. uiole. ʒ. iii. rose.

zucc͞a. ana. ʒ. ii. spodii. succi liq͞r. sem porcul'. sandali. citri. an͞. ʒ. i. ⁊ s. dr͞g. sem cucumis. masti͞c scamonee. an͞. ʒ.
ii. fac t͞r. da bibe. i. c͞ sirupo prunorum l' apozimate de manna. et
cassia. f. l' oxizeniata. l' c͞. d' sidal'. ualet febb; ⁊ siti nimie
calori epatis. stom͞. lingue siccitati. ℞. rose spodii. zucc͞a. a
na. ʒ. iiii. sandali citrini. aliꝫ. r. sem͞ porcul'. succi liq͞r.
sem͞ cucumis citruli. caphore. dr͞g. ana ʒ. s. tempa c͞ succo
psillii. sto͞ c͞ aq͞. ro. da bibe c͞ succo malig͞r. l' mali cucumi
ris l' apozimate oxizenitate. l' cassie. f. ⁊ manna s͞r calidissi
mi ⁊ uentres corr͞ p calore stiptici acc͞ medietate͞ l' confecto
nis ⁊ nig͞r scamonee assiate ʒ. s. da bibe c͞ sirupo prunorum. ut
molez. Alia t͞r laxatiua. ualet ad calore͞ epatis ⁊ ictericie a
cumini cole. ℞. icesioi nimie apm sanguinolenta. ℞. rose spo
dii. sandali. absinthii. ana. ʒ. x. reubarbri. squinanti. spic͞. ana
ʒ. iiii. scamonee. succi eupatorii. succi liq͞r. ʒ. ii. tempa c͞ suc
co mali fac t͞r. das bibe uini. c͞ succo bri͞ ⁊ aurizacca.

Pillule de aromatibus iohis damasceni.

P ualet ad dolore͞ stom͞ ⁊ flatu͞ ⁊ mundificat stom͞. de
humoribꝫ grossis. putridis acrib; . a capite usq; ad descendentib'.
Da. ʒ. iii. ieiuno c͞ calida. ℞. calami. aromatic͞. cinamu.
cubebe nuc͞ muscate. mac͞ cinamomum spic͞ carpobal
sami. squinanti. mastic͞. asari. gariofili. an͞. ʒ. i. et ʒ. iii.
⁊ s. ⁊ fac coq͞ c͞ illas spec͞s. in. xii. lib͞ aq͞. usq; ad. iii. ce
la sup͞ pone. xxviii. ʒ. mirre c͞u͞ tempa. puluizata ⁊ di
mitte ad sole͞. sepq; moue. donec bn͞ possint formari

pille. Alie causa ualentes ad dolorem epatis et ydropisim.
Acc. ierap. succi eupatorii. mirobolani cit. ana. ʒ. ii.
turbit. ʒ. iii. licce. ii. reubarbi. spice. carpobalsami. ana. ʒ.
et ʒ. s. ana. apii. squinanti. ana. ʒ. i. tempera cum succo solatri. da bibere
ʒ. ii. cum calida. Ad ualitudinem renum et eiciendum putridum de quartana ·i·
ste. oppilationem aperit splenis. capitis mundificat. Rc. ierap. ʒ. ii.
absinthii. reubarbi. iii. squinanti. iii. scamonee. ii. spice. ii.
cum succo apii. tempera. dans. ʒ. ii. cum calida ieiuno. Ad debiles pectoris
doloris. da. ualet diuturnis febribus de diuersis materiis. Dolori epa
tis mitto et ydropisis. Rc. succi absinthii. mirob. cit. succi
eupatorii. aloe. ʒ. mastice. reubarbi. lacce ana. fumi terre. ierapigra
p. equali pondere. tempera cum succo solatri. da ʒ. i. de nocte. Ad uale
tas ad purgationem aque citrine et omnium ydropisis et ad dolorem dorsis.
et podagram. que de frigida sit. Rc. euforbii. ʒ. ii. fiat turbit
h. ʒ. i. amoniaci. serapini. opopanaci. bdellii. apii semen.
et petrosilini. amei. spice. cassia. ana. mastice. fac puluerem et fac
cum amigdalis. tempera cum succo mat. da. ʒ. i. post ille de serapino. pur
gans aquam citrinam. ualet ad dolorem. dorsi. necessitatem. itas
tinorum et dolorem de frigidore. Rc. serapini. turbit. fiat.
tantalli. ana. ʒ. i. bdellii. apii. mat. ana. ebuli. ana. ʒ. ii.
amoniaci. opopanaci. asari. cicute. ana. ʒ. s. tempera cum succo
cinamomi. fiant pillule. da. ʒ. i. et s. Pillule purgans aquam citrinam.
ypa dissoluens. epar. Rc. absinthii. turbit. serapini.
ana. ʒ. s. apii. sem. petrosilini. mast. ana. ciperi. ana. ʒ. ii.
scamonee. tantalli. fiat. mastice. squinanti. cinamomi.

ana. ʒ. i. fac puluerem. da cum succo maratri. Al' ualet ad frigiditatem epatis et omnem eius corruptionem et stomachi et ad mutationem coloris. R. mastic. gariof. cassie. asari. rose. ana. ʒ. iii. cumini maratri. ana. absinthii. ana. ʒ. ii. cardamomi. cinnamomi. nuce muscate. squinanti. sem. basilicon. ana. ʒ. i. et s. fac puluerem. fiat cum amigdalorum et zuccaro. quantum omnes species. alie. da. ʒ. iii. cum calida. ieiuno.
Al' purgans aquam citrinam et ual' ualde contra passionem colice. et uiscoso flegmate et uentositate. R. serapinos. titimalli. fumi. apii. sem. equalis pond. fac puluerem et da. ʒ. ii. uel iii. cum calida. Al' ual' ad frigiditatem stomachi et indigestibilitatem. fastidium. omnium. inflationem uentris. opilatione epatis et splenis aperit. R. ʒ. vi. origani. amomi. thuris. carnie. uel carabi. cimini. piperis. ana. ʒ. maratri. ana. apii. dauci. ameos. ana. ʒ. i. et s. fiat in primis cum suanelo. et zuccari. quantum sunt omnes alie species. da. ʒ. iii. cum calida et mellicrato.
Al' afortatis epatis. opilatione aperiens epatis. ual' in initio ydropisi. R. mune. costi. cassie. spice. asari. carpobalsami. equalis pond. maratri. apii. scariole. sem. ameos. sem. duplum et c. de puluere da. ʒ. i. et s. cum calida. Si uero propter yctericiam iunge. R. partes deinde p. da. ʒ. ii. cum calida et oxizacara. Si uero propter aquam citrinam. iunge. v. partes serapinon.
Apozima de radicibus ual' frigiditate. epatis et splenis et renibus opilatione aperit. humores grossos dissoluit. R. cortice radicis. endiuie et maratri. ana. ʒ. vi. eupatorii. v. uiole. sicce. absinthii. liquiricie. capillorum ueneris. ana. ʒ. iii. maratri. sem. ana. apii. spice. eupatorii. ana. ʒ. i. omnia terre. coque in tribus lib

aq̃. usq; ad .ii. ℞ .& cola. & in̄ mirte .mamma .ʒ. xx.
cassie .f. ʒ. xv. Itē coq; addētā p̃tē cū .ʒ. i. succi absī
thii & iii. amigdaleos & da .iii. dieb; continuis. Ad de
radic. ual̄ fr̄io epati. opilationē tēp̄nis apit & splenis. hu
mores g̃ssos ē urīa eīc̄ q̃rtanas iuuat. ℞. apii radic.
m̄at. an̄. ʒ. x. absinthii. sq̃nanti. ana. ʒ. vi. reubarbi
ypopi. calamīti. m̄. m̄at. an̄. asari. cassie. ana. ʒ. iii.
coq; in .iiii. lib̄ aq̃. usq; ad .ii. lib̄. & ʒ. da .iii. ʒ. ē qb̄dā
t̃t & amigdalo. Syrup̄ desq̃nāto ual̄ opilatōi epatis. &
splenis. uētositati. ypocōdrie. initio ydropisis. ℞. sq̃nā
ti. absinthii. cuscute. an̄. ʒ. xx. m̄at. an̄. apii. an̄. ʒ.
x. oīa coq; in .vii. lib̄ aq̃ coq; usq; ad .iii. p̄ea cola ad
unansq; utq; colanīta & ponēs tātūd̄ zucc̄. coquēs ad
pfectōē sirpi. da. ʒ. ii. ē succo endiuie & m̄at bn̄ colato.
Ad de oxizaccā. ual̄ ad calida corpa. & feb̄ sanguinolētas. atq;
colicas. pp̄ē epaticis. splenetic̄ de calore. ℞. m̄at. radic
apii. & endiuie an̄. ʒ. xx. rose m̄at. sem̄ an̄. ʒ. x.
spic̄. apii. an̄. ʒ. v. oīa in .x. lib̄ aceti & .iiii. aq̃ adme
dietatē. Post cola. mittēs tantūd̄ zucc̄i. & coq; ad
pfectiōē da. ʒ. i. ē frīa. Oximel ual̄ adfrīitatē epa
tis. flōi. diutinas feb̄. tumorē splenis. duritiē uisce
rū. g̃ssos chimos incid̄. putēdinē antiq̄ m̄dificat. ℞.
apii. radicis m̄at. sq̃nanti. ana. ʒ. ii. m̄at sem̄ an̄. apii.
ʒ. i. spic̄ mastici. asari. cassie. calamīti agrstis. & domes
tici. petrsilini. dauci. an̄. ʒ. vi. gariofili. cardamomi.

ʒʒ. ana. ʒ. iii. in. x. lib aq. 7 x. aceti coq: ad medias cola. et
pone tantu(n)d(em) mell' cocti 7 dispumati. coq: usq: ad p(er)fectione. Sir(upus)
p(re)t(er)ius de absinthio. ual(et) epatice stomatice. (con)t(ra) duritie(m) splenis yctirice.
De cal(id)e colice simil(ite)r opilatione ap(er)it. R(ecipe). absinthii. ʒ. xx. cuscute.
uiol' liq(ui)r(itie). an(a). ʒ. x. capillor(um) ueneris. squinanti p(ro)ssi(li)n(i). mat(ri)c(arie). an(a).
ana. ʒ. v. spice eupatorii. cassie. corti. apii semi(n)i foliu calamint(e). ana
ʒ. iii. o(mn)ia coq: in. viii. lib aq. usq: ad. iiii. cola. 7 mitte feces
in. vii. lib aq. 7 coq: usq: ad. iii. ad una(m) ab(o) calamint(e). mitte(n)s
. iiii. l(ibras) zuc(car)i 7. iii. de sapa. dein(de) coq: . In (fi)ne in(i)ntio coctionis.
cardamomi. (et)c. mastice. cinnamomi. a(na) fac puluer(em) de (h)is: . et
mitte in raru(m) pannu(m). u(bi) coq(u)it(ur). pone int(us) usq: ad p(er)fectio(n)e(m).
Da bibe. ʒ. i. cu(m) cal(id)a. Qui uult laxatiu(m). accipiat. iii. ʒ 7 s(emis). po
nat scamonea(m). u(bi) q(ui)d o(po)rtet da(n)s bibe s(ecun)d(u)m laxatiu(m). Sir(u)p(us) de fumo
t(er)re ual(et) incensio(n)i. col(eric)e. r(ubee). scabiei. pruritu(m) opilatio(n)i epatis. ap(er)it:
yctericos iuuat. colore(m) clarificat. R(ecipe). mirobolani citri. inde.
absinthii. cuscute. an(a). ʒ. ii. omnia coq: in. viii. lib aq. cu(m)
colature iunge tan(tu)m fumi t(er)re. succi b(e)n(e) colati 7 zucc(ar)i. qu
(an)tu(m) tota colatu(ra) fuit 7 iteru(m) coq: ad p(er)fectione(m) das. ʒ. iii. c(um). ʒ.
scamonee 7 amigdaleo. sic laxatiu(m) (con)uenit. ʒ. i. Sir(upus) p(re)t(er)ius
de yrei ual(et) (con)fricationem epatis. splenis. ydropice 7 asmata.
uentositatem nimia(m) dissoluit. R(ecipe). yreos. ʒ. xxx. squinanti.
liq(ui)r(itie). calamint(e). p(ro)ssi(lini). ana. ʒ. xv. polii. tamarice. mat(ri)c(arie). an(a).
apii. petrosilini. ana. ʒ. viii. dauci. ami(o)s. eupatorii. asari.
spice. reubarbi an(a). ʒ. iii. o(mn)ia coq: in. xx. lib aq. ad medieta
te(m). 7 colato. mitte spe(cie)s in. x. lib aq 7 ite(rum) coq: ad medietate(m)

7 cola. de in colata ad una 7 pone sup*er* lib. x. mel
l. v. mitte in p*ri*ma coctione mastic*em* *et* pipe. l. cinnamomi
gariofili. ana. ʒ. i. 7 s. om*n*ia pulu*er*iza subtilissime. 7 i*n* p*a*n
no paruo pone. usq*ue* ad p*er*fectione*m* coq*ue*. de q*uo* da bibe. ʒ. i. c*um* ca
li*da*. ÷ Oxym*e*l de calamento. ual*et* splenetic*is*. epatic*is*. stomatic*is*. 7 uni
u*er*sali. uisc*er*a m*un*dat. *et* p*ur*g*at*. R*ecipe*. calamenti. agrimonie 7 dorneth*ei* an*a*
ʒ. xx. uiat. mastic*is*. apii. petrosilini. capparis. radic*is*. dauci.
polii. p*ete*rsilii. squinanti an*a*. ʒ. viii. om*n*ia coq*ue* in. x. lib. aq*ue*. ad
medietat*em*. coadunatis u*er*o colaturis. pone tantu*n*d*em* de
melle 7 in initio coqui*tionis*. mitte spice. cassie. asari. gariof*ili*.
cinnamomi. ʒ ʒ. mastic*is*. ec. an*a*. ʒ. i. om*n*ia subtiliata. in
panno raro pone 7 ad p*er*fectione*m* coq*ue* da. ʒ. i. cu*m* cal*ida*.
Oxym*e*l melliticu*m* de aromatib*us*. ual*et* ad f*r*igida*m* 7 humida*m* co*m*plexione*m*.
7 q*ui*b*us* t*em*p*or*ib*us* dominat*ur*. 7 t*em*p*or*ib*us*. l*et* regionib*us*. stom*achum* *con*fortat. ca
lore*m* n*atura*le*m* excitat. uentositate*m* expellit. frigiditate*m* ref*ert*. et
uisc*er*a calefac*it*. R*ecipe*. mel p*er*fecte cocti aq*ue*. ʒ. xxx. *et* sint
in foco 7 de spuma 7 mitte in fine coctionis. mastic*is*. ec.
spic*e*. cinnamomi. ʒ ʒ. galanga. cassia gariof*ili*. cardamomi.
costi. asari. piperis lo*ngi*. an*a*. ʒ. i. 7 s. om*n*ib*us* subtilit*er* pulu*er*izatis. po*n*e
i*n* subtili panno 7 coqu*atur* ad p*er*fectione*m*. ad ultimu*m* mitte. ʒ.
i. t*ertiam* u*el* d*imidiam* musci 7 de q*uo* da bibe. ʒ. i. t*ertiam* u*el* ii. c*um* aq*ua*. A pozia zolif*e*
da. ual*et* epatic*is*. R*ecipe*. folii. cuscute. absinthii. squinanti. capillor*um*
ueneris. ana. ʒ. i. p*etro*silii. ʒ. iii. camedreos. ameu. an*a*. ʒ. i. *et* s.
om*n*ia coq*ue* in aq*ua* 7 colata da bibe. Ad ual*et* in flatione*m* 7 ydropic*os*
frigidi epatis 7 ei*us* dolor*em*. R*ecipe*. camedreos. ʒ. iii. p*etro*silii. ʒ. i*n*fusi*o*

[illegible marginal note: ...camedreos ... uino ... raddicarum ... poto ... mane ... medos ... sene ... 7 mirob*olani* indos 7 coq*ue* in uino.]

nunmalli. z. a. z. 5. cocoguntur similiter. sumit ure. z. a. z. e. om

mag coquntur et colata bibe dent. De icterícia

Nomen ictericie a simili sumptum e uolue. s. aurei. l' e

cei colori. q in estate media solet in cole. desita s; dif

finitio ictericie: magis pris constat differentiis a sui causa

suptis et coplementis sue actionis. tal diffinitio erit. ycteri

cia e corruptio. cole. l. et sanguis. diffundens se p omnia mb

corpis. e sangne et apparens in corpis superficie. e aut duob

mis. aut de causa psenti et extrinseca: aut de prita et de itio

ri. De ca psenti e q corp patitur extri. sic reptilium tre

uenenosorum morsus. uenenosa potatio. consuetudo cibi.

et potus calidissimi. sanguine incendens et colie facientis.

Intelligimus si in qsitione infirmi et manifestatione sui.

Preteita de causa multipliciter diuiditur. Quida an confectis.

et i subtilib; cibis colie diffundi et in superficie corpis

expellitur. un gnatur ictericia. i febrib; acutis nuntiata

salutis et libationis morbi. n e an. xii. dies ueniat. t uc

eni apparitio sui n exactione e nihil s; potius de acumine

morbi et de pualitudine ei i n q psecut e morbi. ut

res nuntiatiua in suo tempore ostenderet. Vn ypocras in

amph. yctericia q i febrib; acutis. an. vii. dies apparuit:

timorem portendit. q p. vii. sal. ite yctericia. exalta nascit

ca. i. ex coplexione quarta corrupta. pp q lib; et sui morbi

i hac ptcla ta pdicta. Vn ei uirtutes deficiunt nil ico

pledis accidib; suis pdictis, s q. cptet. Io necesse e ut

pars colica. a sanguine diuisa: et ad fel non missa permaneat in epate clausa. Vnde multiplicata tingit epar. non coli[cam] faciat. Hec species yctericie promittit alia causam sine nimium natiuam sine corruptionem epatis. actionis nil. magis corporis dolorem et grauitatem dextri lateris. Est et alia species in qua patitur fellis fistula et sua uirtus deficiat. solens ab epate colam r[ecipere]. Sic que in ipso cola remanet sanguis tingit. Alia est de opilatione. propter aptam in uiis per quas cola ad fel transit. Vnde fit ut ad epar redeat et inde per totum corpus est sanguine diffundatur. Quod si inferior uia sit opilata: ascendit ad superiorem uiam. que ad stomachum tendit. Vnde citrinitas est faciei et amaritudo oris. saliua siccitas. in stomacho calor et sitis. Vrine color albescens et idem egestionis. propter ablationem cole tingentis. Si opilatio inferior sit uia: ad stomachum tendit. angustiatur cursus ad intestina colice. Vrine autem tingitur. apparet in urina rufum lutum. uel quasi cinnabarum et spuma super eam. ergo corrupta est et plurima ictericia expansione fellis subita. neque plus colorem corrumpit. quod non cum fit neque epar ab actione sua obruit. Item quarta est yctericia. quod a corruptione uenarum est corrupta. cum uis nimis quantitatem calefiat. Vnde incendit sanguis. quod ab epate ad ipsam tendit. et colice fit. Sicque yctericiam gignit. Aliquando in corpore ictericia apparet nigra. quod cum defectus splenis euenit. in turbida fece sanguinis et turbulentia sui. Videntes quod yctericiam et eius intelligentes causam. uidendum est si habent febrem. Qui si habuerint et ictericia ante. vii.

dici apparuit anq̄ ueniat signū coctōis ꝛ digōis. mor
bi pessima ē ꝛ timorē mortis innuit. neqꝫ infirmitis
ē de curatōe sua. ꝛ si in die ētica apparuit. sic. vii. l'
viii. ul'. xi. l'. xiiii. p' apparitōe signi eit coctōis ale
uitas morbi. laudabil' ē ꝛ salutē nunciat. Ad ictericia op
tet mederi. ē mitigantib; colām ꝛ refrigantib;. Sic
sūt apozimata. de pruinis. oxisenutia. malgranati. cucur
bite ꝛ similib;. Cū aū morbꝫ incip declinare ꝛ acuiñ
febris exting. colā. r. deponam̄ ē succo cuscute. l' solat.
ē cassia. f. ꝛ manna demus tipsanā ē oxizacca. Nutiam̄
cucurbita. lentib;. bleta. ꝛ similib;. Cathaplā ponamus
sup epar. sandal. rosa. ordi. farina caphora. tēpatis cū
succo solat. l' portul'. febb; cessantib; ꝛ i corpore ictericia p
manente. demus infirmo mat. suci solat. cuscute ē
oxizacca. t roē d' caphora de spodio. d' sandali. de rosa.
de lacca. Nutiam̄ ē pdicib;. fasianis pull. oīa ē aceto. et
coriand' succo. l' aceto ꝛ lacte mulis. Si febbꝫ careant: ba
silica minuat in dextr manu. qnt suff. adiuuātib;
etata. tpr. asuetudine. De m̄ colām pgem'. ē cassia. f.
mirobalani citri. uiole. cuscute. absintheo prune
uiube. oxisenutia ꝛ similib;. ꝛ ē sirpis. pillis antido
tis. cole pgamus. Si aliqd flebothomie obuiauit. pp
u'tutis defectionē. l' tpis fritatē. l' etatē. Demꝰ succū
solat. cuscute ꝛ endiuie. atqꝫ mat. bn coctū ꝛ colatū.
ē oxicca. Itē demꝰ succ bile ē tr' de licca. absintheo.

de eupatorio .i. saluia siluatica. Si calor sit nimius deni
ste desiccatio. de camphora. c oxizacca. v ulmus c esolocana. portulacca. blita. c amigdaleo. demi tipsanu pisces rece
nti pullis c aceto et zucco cocti. C ualet adicticia et oppi
latione. epatis et splenis. Rec. ierap. absinthii. eupatorii. succi
ani. z.ii. rose. spodii. squinanti. asari. folii. an. z.i. et s. lacce
reubarbi. ana. z.i. et c. scamonee. z. s. tempera c succo endiuie
et oxizacca. Ad idem. ualet uetice. catarn n. purgant. Rec.
rose absinthii. spodii. an. z.ii. lacce reubarbi. mat. an.
portul. sem. squinanti. ana. z.i. et s. scamonee. dg. 9.ii. c.
a. c. manna. z.ii. tempera c succo solatri. tae ct. z.i. et s. dans
cu endiuie succo et oxizacca. succo et mat. bn cocto et
colato. Cofecto ictris da. ual similr. Rec. lacce spodii. ana
z.i. c. 9.i. reubarbi. qrta prte. z. camphore. 9. s. cia pul
uata das bibe. c apoziate de prunis. l oxisenicia. Si ic
ticia cessat de corpe. citrinitate i oclis remanete: extenuata
tione faciam c succo sicle. i. blete l c nigella. l c lacte
mulis ac. to. l oleo. r. et similib;. De passione splenis.

Passio splenis multu assimilat passioni epatis. pati
tur au ex .iiii. morboz genib;. sicut et alia mbra cor
poris pati dicim .i. mala conplone. morbo officiali. uicte
separatione. Prima splenis passio. duricies c sui. q. in epate
lo c sensu. qz facil pot tangi. Vn fit ut n alia significatio
necessia sit. et c splen magnificet. multo plus corp macat.
Aliqn splenetici uomut. sanguine colr. n. paucte et aliqn

Co [illegible] splen [illegible]
[illegible]

emittatur ē egrote. Qñq; eoꝝ appetit⁹. ad comestionē
augmentatur. ⁊ aliqñ pigriciā corpis ē tristicia ⁊ risus
paruitate. Q; gtingit ex sanguinis corruptōe ⁊ paruitati
eius in eoꝝ corpib;. Vnde flediuś alexandrinuś. Splen
inq̄d risus ē instrumentū. Cuius actio ē turbu
lentiā sanguinis trahe sibi. Cū aūt uirt⁹ deficiat in trahē
di sanguis turbulentiā remanet in sanguine clausa.
obscuritatē ē nigredine ei pstat. Vnde p totū corpus
obscurus nascit ⁊ melancolicus. ⁊ io color corpis mu
tatur. ⁊ nig̃ afficit. Cū aūt splen turbulentiā trahit
sanguinis ⁊ fecē clarificat sui subā necesse ē ut sit
clarus ⁊ tēpat⁹. p totū corp⁹ purgat. Sanguis eī
tēpamenti. atq; clarificatōis. animā ñ sollicitā ⁊ gaudē
tē. Q; fledi⁹ intellexit. ē splenē instrumentū risus dixit.
Si splenis passio curetur in initio; anq̄ sit obstinata.
⁊ durior sit; facilis incurtōe ⁊ obediens in medicamine.
Q; si neglexis dolor inopilatio ⁊ apā indurauit. dura
fit ad curand ⁊ longū ē ad sanand. ⁊ ē hr splen du
ritiem ñ optet medicari. ē cataplasmate ⁊ epithimā
te ⁊ emplaustris. sol exti. si; ⁊ fortis medicina ad
bibend detur. Q; a splen ñ rectp. epate gessionē ⁊ for
ciorē. Optet g; ē curare incipiam. dolorē splenis
pq̄ramus. si sigēs ibi uideat calores. q; tē i manu
sinistra basilicā fleobotomam. t uenā q̄ ē int auri
culā ⁊ mediē. Si tm tps etate gsuetudine ad

inueniuntur. Deinde succe solat. et mat. tamaricis. bn̄ coctos et colatos. cū trō eupatorii. ł de lacca. ē oxizacca. Si nob signo frīe cōplonis apparuit. sic. G. D. qz plurima passio splenis defrigitudine fit et humoribz gssis. oportet fortē medicinā dari et diureticā. sic epithimū. agaric. sticadō. camedreon polui pssiū. centaurea. capparis radic. absinthii et simil. fac apozimata et i fumo. ꝯ suā uirtutē. Da. Deinde oximel ē succo herbarum. mite. tamaricis. salic. apii. petrosilini et simil. deinde et sirupi de yreos. De calamito. Antid reubarbar. dialacca. diaprusca. diacosto. omozusia. trocis. de cāpora. ualet ad duritiē splenis. Rx. capparis. radic. costi. lacce. spic polii. reupontici. aristologie. lō. et ro. cassie. squinanti. ireos. p̄. ana. z. iii. tēpa ē succo apii. ł aceto. fac trō. z. i. et s. Da. i. ē succo abrotani et oximelle. Ad simile. Rx. rubee. polii. cappari. radic. radicis spinaris. nasturcii. sinapis. yreos. equal pond. tēpa ē succo tamaricis. Ad dolorē splenis et duritiē eius. Rx. cappari. radicum absinthii. asari. aristologie. ro. polii. reupontici. calamenti. spic. costi. an. tamaricis. succe eupatorii. cē. lacce squinanti. kolopēdrie. i. ling ceruinā. pssii. cassie. masticē. an. z. i. et s. cē. lacce tēpa ē succo tamaricis. Opercula iehis. D. q ē olim ualens ad splenis corruptionē. et eius duritiē humorum gssitudinē. aperit opilatoēs. siue bibitum. siue iunctū. Rx. cappari. radic. z. xx.

curdamane. ʒ. xv. tamarici. ʒ. aq̄. ʒ. xxxx. sirucdcon
.xl' coq: adsiduaᷓ igneᷓ. donec remaneat ol'm ⁊ cola. De
in~ acē. amoniaci. ʒ. vii ⁊ s. die ac nocte i fort aceto in
fusi. mitte in mortarii ⁊ moue. usq: fiat q̄ medulla.
⁊ mixto ē supducto ad. coq: lento igni. donec admisceat.
⁊ sic cu op' fuit: t' bibat. t' ungat. Itē ual' ad dolorē sple
nis. tamarix ē aceto ⁊ oxumelle. ⁊ si coquitur maq ⁊ mis
ceat ē uino iuuat similit: t' acē. ʒ. i ⁊ s. de radiē splenii
tabi. ē aceto. ⁊ da bibē. fac simili aq̄ u ferr infunditur.
si bibat p. vii. dies t' sola seu ē uino. Quidā medici dic.
splenetiē si accipiunt tamariti napū. ad bibend'. scutel
lam admanducād', xl'. dieb: duritiē splenis dis
solut. Itē aiunt. q̄ si lac capre. xl'. dies in binū. tale
bibunt: t' comedunt: n' hēbt splenis. d. dix. farina
defenugrco ⁊ nitro. ⁊ aceto incataplasē. ual' ad splenis
duritiē. Itē dix. C ramor uitis ē ol'o. ro ⁊ aceto. ⁊
ruta. ual' ad calin splenis aqā. E lectuariū. ualēs ad sple
nē ⁊ g̃ssos mūores. uētositatē emoroid'. uiscēm frigido
rē. urinē uētositatē. rx. ʒʒ. capari. radiē. cassie. polipo
dii. piret. pipis. lō. hi~. an. an. ʒ. vi. reubarbi. gali
ga. asari. mastic. cinnamoi. acori. spica. costi. cumi
ni. ana. ʒ. iii. mell'. q. s. Emplauiū. ualēs ad duritiē
splenis. bdelli. amoniaci. an. ʒ. x. pone i fort aceto.
ut molliat. deīn cu misce. ē. iii. ʒ. siisamelcon. ⁊ ʒ. i. to
latē cē. ⁊ cē. ʒ. v. ⁊ miurē. fariē comixtas: emplauiū.

fac. Si accepis de amoniaco. bdellio. thure. mirre.
an ʒ.ii. et posuis in aceto ac et miscuis. c̄ fenugreco.
et sinapi. et farina ordei et facies emplaustrum. similiter ualet.

R enes item simplices complicit — De passione renum et cetera —
patiuntur. sicut et alia membra. de mala cōplexione et morbo
officiali. uniuerse separatione. Quod est quando homo renes pati-
untur. dolorem nimium sentit infirmus. Sed est plurium propter societa-
tem simplicem uentrem cedantis. Differunt inter ilium et renum
dolorem. dolor renum stabilis est. nec ab uno loco se mouet. Dolor Renum ilium
Ilium uero dolor. per uentrem uagatur. Item qui dolorem uent in renibus
sentiunt dormitationem pedis. sub apposita dolenti renum.
propter societatem renis et pedis. expulsibus et neruis. superdor-
sum positas. Si dolor renum et defectio coitus. e mala sit cō-
plexione. uideatur si sit de calore. Urina enim incensio fit sperma- Cura si ex calore
tis et subtilitas sui et consumptio in renibus crassitiei. Urina
rubea uel citrina. Urina oportet infirmo lac asinini. uel capr-
nini. simili det et ser. Nutriat cum cucurbita. portulac-
ca. malua. Clisteri faciamus cum succo cucurbite. portul.
ordeo. psillio. uiola. liquor. Que uel hora cum oleo uiole sisa-
meleo. amigdaleo. Si corruptio ex frigiditudine sit. Ex frigore
sequitur ablatio concupiscentie. cupiditatis. defectio dorsi. femo-
rum. coxarum. sicut in femoribus. urina est alba. Cum uero calidis epi-
timatibus medicari et cum dissolutiuis cataplasmatibus. clis-
teribus. maxime cum oleis. sicut dispneleo. anetileo. cameleo. et
similibus. cum butiro bouino et ... sicut uinum. apii.

calamēti. camemill'. 6. sup eptomma. dolor renum facillime curat' excitio et habundātia ciborum abstinentia et acceptione diureticorum. Qd' universale ē dolorib; renum tangentib; iuuenib;. p̃a ē flebothomia. ē vicina a. 6. in iuncta sufficiant. Purgat. x. humores superfluitate et flatica digerit in vitate. mb' conforta. diuretica bibita fleg' uiscosa de renib; mundat. Vn ypocras in amphorismis. dolores renum. p'. l. annos pacientes numq̃ curant'. q2 diuturne passiones senib; contingentes cum ipsis permanebunt. D' apostemate renum.

Apostemata fiunt in renib; ex humorib; ad ipsos descendentib;. Vn dolor manebis sentit' et rigore febrib;. Iacet q' infirmus in latere sinistro et caecio. Si qi suspensos et graues sensiunt renes. causa ē. Si nimium grauat'. sanies ibi collig' et cito apit et sanies et sangs. ē urina egrediunt'. Si apa fit ex calis humorib;. nimia sitis. dolores maximi sequunt'. urina ru. feb acuta. Si ex frīs. paruus dolor ē in renib; et feb leuis. urina alba. Vn oportet i cāts et significationib;. apa i renib; n admedicād' festinem'. Q uia renes duri sr' ad sanand'. neq; uirt' medicine. n deficeret ad ipsos uenit. ꝓp longā uiā. Vitaam' q' si apata sr' ex calore demus loti psillii. ē olō. ro et succo et umbr. sem cucurbit. māna cocti dem' et colati. succi solat. endiuie. māt' cocti et colati. ē cassia. f. et amigdalo.

Si uentrē stoni minuit. clistē uiua . r fi. ē ordeo. uio
la. malua. olō. ro 7 similib; Nutām⁹ ē dicta humida.
7 q̄ cito digi ualeat sicē tipsana. acoru abstineat. ab eī
ratōē. alabore. 7 calis cibariuſ. sicē melle 7 similib; Si
uent in ħmi. pluſq̄ opritr solut⁹ sit: demuſ psillui.
sem̄ papauiſ. ʒ. i. 7 s. ē sirpo. ro. ł de mirta demuſ hos
teſeoſ. qui ualēt in ſtatu apſtui. ꝛc. papauiſ. dēg. cucu
miſ citruli. meloniſ portulace. cucurbite. ana. ʒ. iii.
amid. malue sem̄. bol. arī. ʒ. i. 7 s. cē. i. tepa ē succo mia
rti. fac ēē. ʒ. i. da bibe ē aq̄. ro. catapl̄a mollētiū. pone
extiuſ sup̄ apā. Que si de minorib; finiſ fūīt dem⁹ unig
daleō ē apozimate fenugrēi. ł ficuū siccar̄. ē medica
mine dissolubili 7 digestibile. Catapl̄a mollitīm exterius
de fenugrēco. frondui. caulib; 7 similib; Si apriū sit sa
niesq; ūn effluxerit. oportet festinare in solidatoē uul
nīſ. Dem⁹ ḡ ēē. sup̄ lectoſ. uulnib; solidatiuoſ. ē lac
te asinino. ł caprino. Calefaciem⁹ de foris ē spōgia. ł cata
plāte. de ordeo 7 ficub; 7 sapa fcā. qr ista sēp maturāt
apsta. sanie eicit. Si uuln⁹ sit pessimū clistēteur
ē ordō. lacte olō. ro. Sedeant in aq̄ calīa ū coctū sit
ordin. malua. qr ista m̄ (na). saniē subtraliat. 7 currere fa
cit. Si sanies nimiū sit ḡssa demuſ sucē ma̅r. 7 apu.
7 absinthiu. bn̄ coctū 7 colatū. p⁹ea dēt lac asininū.
7 iumentū. Q̄ uulnūs mundificēt. Si sanie lota. 7 u
ulnīs mundificato. pmanet arsura in uria dem⁹ lac

Sapa. i. uinum musti coctum.

naccinu. q2 mutati ad h ual. si uulnus sit intus ul
exti. nutriamus eu amido. cu gumiarabico. & ture rizi
ari cib: in firmu. & facta de massa. rizi genus leguminu
e. Si sanie ablata ut dequs. & uulnus mundificatu q in-
telligis ex febribus mitigatoribus & doloribus ablatoribus. urine
albedine. eius leuitate & sui putoris ablatione. ex-
tabit infirmu nutri cu cib facile digestibilib: sic
lacte & iure de lacte ex farina fco & amido. atq:
uirib: q̄sarū gallinar. ex fabis. maluis. acida. por
tul. bliti. cucurbita. cucumis citruli. lactu. e oibus
coctis. h cibaria. ardore urine mitigat. plagas sole
dant. Si u febr u tota ablata sit nutriamus carne ari
etis. edulor pullor. piscib; petrosis. abstineat alabore
& assidue faciant quiete. De ulcerib; ex calidis humorib;.

Aliqn humores cali & acuti descendut ad renes.
& intruscant ineis facietes uulnra excaecum
nib; suis. Id faciunt humores. adiuesica descedetes.
Medicina eor eade & dieta simul. S; discernedat ut
ti uulnra in renib; & uesica nascentia. Q in uade
renib; dolor. sentit in femorib; . urina e sanie grs
sa & comixta. Aliqn minuta caro exeut e cus carnis
frustula & faciet ex urina. Si uulnrib; de uesica: do
lor sentitur in pectine pectine & angustia in urina.
Post hora sanies residet in uase urinario & urina q
comes. & sanie sit h urina mali e odoris. Sic in

tallig de malinib; int renes et uesicā. sic de ill' q̄ in re
nib; t uesica. Ꝺ pter festinenti meditari uulna in re
nib;. q2 si i ueterauint n̄ āplius potint curari. Re
nes eni tenue sunt sube. in quib; sanies miscetur. n̄
m̄ recipit. Q̄ ua m̄ incipe debemus. de spongia aqua
calida. oleo infusa. p' fiat cataplā. ℞. rose lentis. mirtā
pulur molendini. olm. ros et similia. Dem' sem meloīs.
cucumis et bolū ē lacte asinino. Vniusalr aū omne
lac hac passionē iuuat. Dem' sem melonis. cucumis.
citruli. cucurbite. citonii malue. Q̄ uodeq; hoz i ue
nis cocti dab' ē uinub;. t in tipsano. t in lacte asi
nino. Dicatr et de hac cōpōita m̄. ℞. sem lini. dg.
ana. ʒ. iii. amidi. ʒ. vi. boli. gūmi arab. an. ʒ. i. et ʒ.
et fac ꝑ. Ad uat ꝑ de papauē. t ad calorē incēsione.
et uulna in renib; et uesica. ℞. sem papauis. iusqāi
lini cucumis. dg. medullā tritici. pond' eqāl fac ꝑ. Ad
uat' ad uulna renū t uesice. ℞. sem citruli. cucumis.
melonis. cucurbite. portulace. amidi. boli. rose. mir
te. sem citonii. malue. ana. ʒ. ii. lactuce. sem papaū
is. iusquiā. psillii. ana. ʒ. i. et ʒ. fac ꝑ. ʒ. i. et ʒ. Ꝺ uitat
ē amido. et amigdaleon. tipsane. oui uitello. et similib;
et similib;. Si uulna sint in uesica: mictam' aq̄
et mel. lac t mel. sāā citruli ē albugine oui. et
uisco. sem citonii. psillii iuuat similir. sim al
grum intromittimus. ē oleo. uio. et ē lacte mulieris. t

Re

asinino. vel albugine oui. muscc. semi citonii. psillium

iuuat similiter. si arnoglossa mittamus. est oleo uiol. cum lac

te mulieris. vel asinino. vel albugine oui. Et pictima faciamus.

cum ea albi. oleo. ro. vel uiol. dragg. malue sem. axungie ma

turis. Ad idem. ce. piscis butiri. anatis. axungie. citonii.

ceterum. De Sanguinis egestione cum urina.

Sanguinis egestio cum urina. iii. fit modis. de aptoe separatis. vel de suis uenis ruptis. vel de incisione uenarum inter renes et uesicam. Si sanguis sine dolore exit: intelligimus quod de epate sit. Si rubius fuit et cito exit sine ca... intendit quod in renibus uene rupte sunt vel ex forti saltu. vel casu. vel ex percussione. vel ex sanguinis multitudine. et suo acumine. est ex pura et rubeus sicut diximus. Si ue... nota est apparent non exit subito. maxime si parua sit ... apertio paruus et subito ... urina apparet quando cum sanguine mixta. Aliquando sanguis egredit de uesice uenis ... lapidis in renibus ... Cum enim lapis transit per... inter renes et uesicam. excoriat eas et sanguis emanat. maxime si lapis asper sit. Aliquando de uesice exit uenis ... sis. si tamen ante cedit signum ... in uesica. dolet enim uesica et sanguis quiescit. Aliquando exeunt frustra. de uesice ... quod est medicare uolumus uidendum est si ex epate fit. Incidatur uena basilica. de manu dextera. Demum subtilem dietam. precipientes ei coitum et laborem cauere. Medicina danda est in sanguinis fluxu ab epate. uin

dicta. Si sit de uenis in renib(us) incisis: et de uiis int(er) re
nes et uesicā ut de aptorie uenar(um) similit(er) de basilica e(st) mi
nuendū. ad iuuantib(us) etate. t(em)p(or)e. precipienda quies. p(ro)hi
benda exercicia. motus et coitus. Regat(ur) cibariis a dicta.
q(ue) diximus in sanguinis fluxu ab epate. dandi isti t(ro)ci(sci). q(ui)
ualet ad sanguinis micturā et saniei. R(ecipe). sem(inis) citruli. melo
nis. cucurbite cucumeris. portul(ace). spodii. succi liq(ui)r(icie). ana
ʒ. vi. sem(inis) lactuce et malue. gūmi arabici. rose. amidi. ʒ.
papaueris. sem(inis) ana. ʒ. iii. muce. sem(inis) citonii et acide. ana.
ʒ. ii. boli. acatie. ʒ. a(na) ʒ. ce. ʒ. iiii. c(um) succo arnoglosse. t(em)p(er)a
fac t(ro)ci(scos) et da bibe. Et ual(et) simil(ite)r. R(ecipe). medulle tr(aga)c(anthi). balaus
tie. an(a). ʒ. ii. alumi(nis). i. d(ra)g(ma). sem(inis) cucumeris. an(a). ʒ. iii. fac
puluē t(em)p(er)a c(um) aq(ua). ro(sacea). Et ual(et) ad sanguinis micturā et
uulnera in renib(us). et in uesica. R(ecipe). sem(inis) cucumeris. portul(ace)
cucurbite. an(a). ʒ. x. papaueris. ʒʒ. d(ra)g(ma). gūmi boli. mal
ue sem(inis). an(a). ʒ. x. apii. ce. iii. puluis et c(um) sirupo uio(lace). t(em)p(er)a
da in mod(um) nuc(is). et ro(sace). [illegible] liquefacit sanguine(m) de incisione
uenar(um) epatis. colatu(m) et renu(m). qui fluit in uesice spa
ciū et urine p(ro)hibet exitū: et ad sanguinē coagulatū. intra
[illegible]. qui descend(it) de sanguinis fluxu narium. R(ecipe). absinthii.
radic(is). sem(inis) mar(athri) et apii. dauce. muce. melonis sem(inis). frondium
ramni. pond(us) eq(ua)l(e). fac t(ro)ci(scos) das bibe. c(um) lacte asinino. et apo
zimate de radicib(us) et cicere. De generatione Lapidis.

Generatur lapis in renib(us). et uesica. duob(us) modis. et si cogn(osc)i
tur humores grossi et uiscosi: ex calore igneo i(n) reni

[illegible]

b; .i. calore tot^a n̄ excoquunt. Nā si in renib; uiscosa nas
cāt. uñ lapides efficiat: neq; purgent. s; remanēt i re
nib; congl'et. lapisq; efficiatur: plimū iuuenib; lapides
nascuntur in renib;. p'uis in uesica. cui' collū. meā
strenū gh'bet m̄ exire. uñ lapis gēat. uñ uesica cau
calidior ē. Maior cā lapid' inp'uis. grossitas ē urie. nihil
grosse. n gssitat uiscosa. q2 calor eaz n̄t bn̄ digessit. n ex
coxit. Res aū uiscosa. mag congl'at. n agglutinat. In mu
lib; ū. n raro nascit. q2 m̄ uñ lap' gēat n coadunatur
multis ex cāis. in mulib;. q2 n collū uesice eaz. cur
tū ē n foramina sua larga. n n̄ multū sūt tortuosa.
n min' bibūt aq̄ q̄ p'ui. lap'. n. maxē nascit q2 aqua
diūsa turbida bibūt. exq̄ maiores gssi. coadunat. n uis
cosi. ad gēand' lapid'. Quez acc̄ia semp sequunt. inseparabi
lia. s ex angustia urie. dolor otinuus. Si in renib;
n ancħis q̄ puncture acus intolābil' sentit. Ccēia
ē signū i urā ipi' lapid' uisio. Si in uesica sit: dolor
in pectine sentit. prurigo in ūga. n puer scalpe ē
cogit n tāe in manib;. qui dolore cogit fac̄e. n semp
uirga erigit. Si lapid' medicabimi. an in renib;
sit: t uesica p'quiramus. n an corpa acutis balniat
medicamib;. q̄ prius sit p'ganda. n prius infirmo balnea as
sicce facienda oī die t. t b. ē ḡdum ab. apozimata de
anis. t de apio. t sariola. dem' n de lapid' q̄ intra
spongiā ē. Rufus n diasc. dix. Lapid' int spōgā

inuenta puluari debe[n]t cu[m] uino dare. ul' alijs cali.
q[uia] lapid' frag[it]. dam[us] & p[er]siliu[m] c[um] uino l' apoziate d[e] rizo.
l' & calamito c[um] capparis radice. Ad eq[ue] hec i[n]ueniat[ur].
c[um] uino l' aq[ua] det[ur]. det[ur] & o[mn]ia diuretica. sic acoro[n]. spica.
calam[us] aromaticus. apiu[m]. semi[n]. petrosilini. cassia. xi =
lobalsami. calami[n]ti. nucis cipri. asar[us] & similt[er]. po =
sita l' simplicia. c[um] succo feniculi. apiu[m]. l' apoziate.
cu[m] sing[u]l[is]. scorpion[es] abusti. ʒ. s. c[um] uino p[re]d[icto]. Anud:
G. ual'. acid[us]. R[ecipe]. dauci. carpobalsami. spic[e]. asari. pe =
trosilini. an[ethi]. c[um] cinnamo[m]i. cassie. amomi. cimini. po =
d[er]is eq[ua]l'. fac puluere[m] adde[n]s mel q[uantum] s[ufficit]. abstineat a g[ros]sis
cibariis saturitate & mlta comestio[n]e. Assidue faci =
ant p[ost] cena[m] uomi[tum] & corp[us] mundificare c[um] sirupo de
absinthio. Ita [con]suescat diuretica. Vinu[m] n[on] bibant.
nisi subtile & claru[m]. sapozati. Tiriaca[m] maiorem
raro dem[us]. Consuescat tep[er]ata cibaria. neq[ue] ea neglig[a]t.
Si dolor p[er]maneat. neq[ue] cess[et] calefaciam[us]. c[um] aq[ua] calida.
u[bi] coq[ua]nt[ur] camomilla. rute[n]. pultes faciam[us] c[um] farina &
uino coctas & ponat[ur] sup[er] ancas. dorsu[m]. pectine[m]. Clistere
faciam[us] de malua. camomilla. furfure. fenugreco. or =
deo. oleo uiol'. camomillo & similib[us]. Sedeat in aq[ua] cali.
sulphurea. Si in uesica sit lapis: sic & de renib[us] deb[et]
medicari. Ac si adeo sit magn[us] u[t] exire ura[m] p[ro]hibeat:
festinem[us] lapid' de loco illo se mouere. No[n] sanabunt[ur]
n[isi] c[um] cirurgia i[n]cisione & lapidis electio[n]e. Si G. ill[u]d

megaregin. Lapid' auferre de uia. & enea euangalia.
a. uirgā eius. de argento satage. siue argentea. factā ē
sic subula. s; in capite plana. Q' mittat p uirgā ad auferendā
uēdā de suo loco petram. Si in ore sit uesice. oportet in
firmū supinū iacere. & pedes sursum erigere. & eos huc & illuc
mouere. Unde lap' de ore uesice remouet'. De diabete.

Passione diebetē. mittunt renes. ex defectione
contentiue uirtutis. Unde sep infirmi. nimis sitiunt.
neq; aquā possunt satari. Quā & quantā bibunt: simili ea
mingunt. Sic uidem' in canino appetitu. Q' cibo. n. co
medit' ē ferre nequit. mouet' n & ... foras. Simili cum
contentiua in renib; deficiat: n pot retinu. q̄ hnt aquosa
humitas. Necessē g ē ad uesicā effluat. Renes u ē humita
te exinaniti' mouent & aquosa humitas de uenis s' trahuntur.
Sanguis in uenis ē desiccet' humitas. ab epate. ē appetiti
ua tenet' uirtute & epar simili sugget alio. Sicq; pars
ab epate. sibi sumit'. Don puemat'. ad os stomachi. u contingi
tur sitis. Cum aq' bibunt. uene exercitentes ad epar. a illo sibi
eā appetunt. & sic uicina auicinus q adusq; ad renes
peruenunt. Q' ex calore suo cito trahunt sibi & ne ex
defectione sue contentiue eā expellunt ad uesicā & in ea cum
urina. Unde fit. u aq' nequit satari. neq; cessat sitis. Si ad
medicandā hanc passionē n festinet': infirm' nimium
macatur. & corpe consumunt' & ueter contrepat'. cito pclitatur.
Ut ptea g dari. triam re & stypticā. u renes confortentur.

⁊ calor extingatur. Sic est tysana. cum sapa mirtina.
vel sapa citoniorum. cum psillio loto. cum aq. f. ⁊ oleo. ro. ⁊ oxisacc
initia. Deinde utamur refrigeratiuis. de sandalis. de spodio. de cam
phora. de rosa. cum sirupis friis. ⁊ stipticis. Utamur cum frigida die
ta. sicut lactuca. portulacca. ordeo. mespilis. piris. car
ne edulina. Studeamus ut sudet. Ponamus cataplasma super renes.
de solatro. fronde uitis. oleo. ro. ⁊ similia. De passione uesice.

Passio uesice expellens urinam antequam multa coad
unetur quantitas appellatur guttata urina. que .ii.
fit modis. vel quia uesica. quantitatem urine pati non potuit. quia
acuta ⁊ pungitiua fuit. vel quia defecta sit non quiuit.
antequam urina aduneretur. Sed quia ex acumine quantitatis urine
contingit: subsequitur ardor nimius. puncta uesice. .ii. m
is fit. vel de passione renum. vel f. est sim. nunquam non expellit.
... Unde morbus generatur ⁊ transit per renes ⁊ uesicam. Quem
morbum medicari: procuramus. si acumine sit quantitatis.
Demus frigida. psillium cum oleo. ro. ⁊ aq. frigida vel drag. ⁊ semen
cucumeris an. ʒ. i. cum oleo. ro. ⁊ aq. frigida. vel spodium. ʒ. i. ⁊
s. cum aq. frigida ⁊ albugine oui ⁊ sirupo. ro. In uirgam mit
tamus oleum. r. cum lacte mulieris. Similiter enargaliam fa
ciamus cum oleo. r. ⁊ albugine oui. Confectio ualet ad calo
rem corporis. uesice ⁊ ardorem urine. atque guttationem.
R. drag. semen portulace. gummi semen cucumeris. melonis.
lactuce cucurbite. an. ʒ. iii. fac puluerem. fricans cum
oleo. r. das. ʒ. ii. vel. iii. cum sirupo. r. Utamur cum portulaca.

cucurbita . lactuca . tipsane ⁊ similib;. Si urie
guttatio ex defectu uesice . l ex cople one humi
tis fit. dem' thiriaca maiore . athanasia . itm ma
iore . diarodon ⁊ simil'. & pubima sup ponam' pecti
ni . p. oli nardini . ciduleon ⁊ simil'. ossceant' pudi
is suis . aromatice spes . vinu bibat forte ⁊ odori
feru . dmdot . ad ulcera nat' usu . p. galie . gariof.
cubebe . asari . mastice thuris galanga . cinamomi . cas
sie . cipi . rose . cardamomi . maioris ⁊ minoris . pipis lo.
zz . spice . cardemene ⁊ carui . spes e simil'. cimino .
pig . equat' pond'. tepa c succo cimini ⁊ d.a.z.u. lum.
At similr nat'. p. mirobolani . indi . z . xx . belli
rici . papauis albi . an . z . v. cipi . sauine . rose succi .
ypoquistidos . opii . thuris masculi . bdellii . an . z . v. facpsi
uie . deni fer' endame . ace ⁊ calefac . donec in aqua
extinguie . in aq fac coq xilocamuca . q. dulcissim
e . usq; ad consumatione . dein cola coq; usq; ad pfecti
one . i . ad mell' spissitudine ⁊ c ipso tepa spes das . z . v.
e aq . u extinctu fuit illd' ferru . At p. cortice itiens
iecoris galline . z . x . cipi . glandui . balaustie . an . z . x.
nuce . u . Puluis ⁊ c olo . r . frica ⁊ bibe dato . D comig

Oridia ignorant aliqn lectos cioe ignorat .
comingunt . n sentientes . q. plurimi pui pati
untur . ex graui sopni ⁊ multitudine humitatis
aliqn in maiori etate . ctingit . e cople humida fit.

maxime in senioribus. quia vesice eorum molles sunt, propter humiditatem corporum. Quod si cui medicemur thiriacam maiorem dederunt. nitam et mirtam in oderifero uino similiter faciunt. Ruta agrestis in uino cocta et bibita multum iuuat. Glandes iuniperi thus equali pondere in uino coquantur. quod uinum bibatur. cum oleo mirtino. Vesica tauri. cap in censa. detur bibere. cum aceto et aqua. Cum ad dormiendum ueniat. tantum chimoleam cum oleo accipiat. quam cum felle taurino tepefacta naturam ungat. Assiue faciat electuaria calida et odorifera. De difficultate mingendi.

Urina aliquando impeditur exire de uesica. uel de renibus. Sed iuuenibus. plurimum de renibus. propter calorem plurimum suum. Senibus de uesica. ex inordinata dieta. Quod si sit de uesica. uel ex toto aufertur. uel minuatur urina. Totum auferri. ex mortificatione est expulsiue uirtutis in uesica. Intelligitur quia neque morbus alius in uesica sentitur. ut ex constrictione uie. non exit. ut exitus sit patiuntur. stringentes urinam. aliqua de causa. Aliquandiu et postea mingere non possunt. Secundo uie non urina exit de uesica ex oppilatione est lapidis. sanguinis uel coagulum. uel grossior humor. uel sanies. uel cibet rei in nascentis. sicut uerruce carnis superflue. Vi propter oriticationem uie uesice. ex apostemate. Et si in collo sit uesica grauatur et dolet in fundo. in illo loco.

hȝ febrē incendētē . uigilias nimias . urine strin-
riam . duritiē sup̄ uesicā . cum maiori dolore ⁊
pulsatōe . h cito mortificat . nisi minima succurrat.
Si ex ura sit opilata : nichil hor ē q̄ dicta sut.
Intellig᷑ ū . p̄rito dolore in renib; & uesica . Ubi g.
Si sanguinē . & saniē infirmus minxerit . & scabiē
in uesica huit ⁊ p⁹ urīa stricta fuit intelligim⁹
sanguinē eē . & saniē coagulatā . opilasse loca illa.
Ablatōis urine minorate . eadē ē cā que ⁊ toti⁹.
S; tū h minorat᷑ . illa extoto auferť . De q̄ uidē
dū ē ū nascat᷑ . Si ex defectōe expulsiue uirtu-
tis in uesica . infundat᷑ in aq̄ calā ⁊ recte sedeat.
ut collū uesice . inferiora tendat . precipiatur
sibi ū sup̄ pectinem manus fēcēt . Post donent᷑ sibi
calā ⁊ odorifā . ū spicca . cassia . cinnamomum .
.i. camni agrē
curdemene . acorū mac̄ ⁊ similia ⁊ de cōpōitis tri-
iaca maior ⁊ athanasia . dialacca ⁊ simil᷑ . balne-
ū assue faciat ū sudet . pectinem ungat . dorsū
ē olō nardino . cameleon . muscelēō . calefiat de
spica . sisimbrio . camomilla . aneto ⁊ similib; Si stran-
guria . ex sanguine coagulato fiat . & sanie . & postule .
Q̄ medicanda sit renū uulnia . sic dictū ē . Sedeat in aq̄
calā . dissolutiuis oliis se ungat . Clisterizet᷑ in uga ē
lacte mulis ⁊ olō uio . Si ex apāte sit basilicam-
nuat᷑ . S uec⁹ solat᷑ ⁊ endiuie . ē cassia . f . det᷑ . Calefi

ut cũ aq̃. calĩa. ĩ cocta sunt camomilla. malua mo
le & similib;. Cataplã fiat de solat[ro]. & oleo. ro. farina
ordei. Intelligit[ur] locus ap[ost]ẽatis. ex dolore [et] grauitate. quem
ex tactu sentit. Si passio in fortitudine sit uenã
oportet calcaneo uicinã flebotomari. Calefaciamus
c̃ spongia & aq̃ infusa. ĩ cocta sunt camomille. aneti
& simil[ia]. Clisteri faciamus in uirga. c̃ lacte mulis. aq̃
ordei. axungia. anatis oleo. ro. Epithima faciend[um] est
de cera. ysopo. oleo nardino. aut de malua. oleo. ro. a
xungia. anseris. galline. Sedeat in aq̃ calĩa ĩ mi
gat. tepate urticã cõp[ri]mat. Apã c̃ crepuit. det[ur]
ad bibend[um] d[eco]c[tio]. melonis semĩ & cucumis. Medice
m[en]t sic uulua renũ & ap[ost]ẽata. Neq; negligat aq̃m
calidam. & epithimata. Si lapis sit. ut dixim[us] deb[et]
medicari.

De paucitate coitus. De fluxu sanguinis. De ficultate
De multa erectione. De suffocatione parturientis.
Mulieris que satiriasi dicit[ur]. matricis. De partu
De gonorrea. De exitu matricis secundine.
De spermatis in de suo loco. De sciatica
sompno effusione. De apostemate genuum
De iectu uulue matricis. dolore.
D[e] ap[ost]ẽate intestinis. De ordinata De podagra.
De menstruis. dieta pregnantium. gra...
Explicit liber V. Incipit VI. De morbis ...

Deus animaliu͂ genia existen-
tia creauit uolens ut firmit͂ et stabilit͂ p̱maneret̃
q̃ nullo modo perirent, indidit n̄
ille, atq; multu͂ delectari possit.
et operari in ipsis mēbris animalibus q̄ a-
nimalib' fecit. e multa͂ concupiscentia͂.
et desideriu͂ ... admirabile dedit delectatio-
ne͂. et inseparabile. ut genus eo͞r repet͂. ne forte ab hōia-
to coitu. ab animalib; genito amittat͂. Q̃ ue ē fiat.
necesse ē coire aīalia masculin. s. et femininu͂. Q̄b; dē h'
m̄ aptauit mēb'. ut alter sp̄ma emittet. alt͂ recipet. Ta-
lia eni͂ sunt formata. ut ad op' sui neq; meliora ēē
possent neq; pciosiora. h aliq̄n diuisa patiunt͂. ut
eo͞r actiones inmutent͂. Vn̄ in hac particla pas-
siones eo͞r cause et signa sc̄ dicende. Incipiamus
q̃ de coitu defecto cuius pōna fuit mulier in ipsa
actio. q̃ et alia inīt mēb' corporis .s. spā n̄ sun. Cu͂ q̃
hō coire cogitat. t' imaginat͂. subito uenit ad uen-
uent' p̱pulsus. q̄ sibi a corde iung͂ et p̱ndi neruu͂
intrat concauu͂. que͂ inflat et erig͂t. ut actionem
sua͂ explere possit. Q̄d erig͂t uenit sibi a corde.
Cor eni͂ mandat toti corpori uētu͂ sp̄ale. Vari-
tē. sp̄ma acerbū. desideriu͂ abcatt͂. Inueniunt͂ aut͂
quida͂ hōies. multu͂ uentu͂ et habitate hntes. sine i-
flatiua necessitate. atq; sp̄ma effluit sine uolu͂

tate et erectoe. B cpiunt̃ n̄ nimiā. ħn̄tes ↄcupiscētiā

q n̄ erūpunt. n̄ spma abeis emittit. Cū n̄ aū aceb

pr̄ḡdunt. uirt̃ sensibil' et mot' uolūtarius p̄riuos.

et acorde uirt̃ pulsabil' et intrat p arrēas. simil̄r de

remediis xonoū cor' uirt̃ ee. q in ... nichis e ū ms

cuidam et i temimis ... mouet ab ipsis m

inui calor ... et iecore et ee spmans ...

mis. Q nos galien' de p̄ncipalib; dix̄ ee mb's. q spma adunat i et mutat. et iā ad uirgi connectitur.

Virt' coit' n̄ e ... ut n̄ coplo ... cāla ...

da. i ... q e calc augm̄tat ↄcupiscētia et e

... spma. Si coplo ... mutat. maxie n̄

tui coitus fit n̄ pfecte. Verbi gr̄a. Si calor et siccitas

ei ... paruū spma et magnā ↄcupiscētiā hnt.

Si frigitudo et siccitas p̄ualuint fit paruū spma. Si

... f. et h̄u. multū hnt spma. s; parua e ↄcupis

centia. Aristotil' dix̄. Si multos hnt pilos in corpo

re uiri t' multas pennas uolucres q sit animalia

... multi ... coitū. q: multitudo pilorum. ex

nimio e calore et multa hūitate. Ex quib; duob;

necē e ee coitū. ē cui q sua acto. impleat. i. i fli

... ueni. vn̄ antiqui medici dixerunt. Vēq: b ca

adunant. sine cibo m̄. spma gñant. coitū augm̄

tant. i. calor et hūitas et uētositas. Que si n̄ oīa sed

ii. tm̄ aduenerit. melius e q si unū solū ...

hoz uirtute agnoiur. bū cōpetit exclusis sine trib; reb; potīt. quib; sp̄ma augm̄tat̄ & coitus confor tur. sić est ē. m̄q oīa h̄ ita adunant̄. qi calid' ē & humid' ūtositatis gn̄atiuū & multū nutritiuū. cui n̄ necā ē aliud ad h̄ op' comisci. Simil̄r frumenti coctum. maxime ē medullis ossiū. & simil̄r rapa. fabe. uen tositatē faciunt. multū nutriunt. si nū frumenti pu ...

Qui pfectus ēē uult huic offi cio. mittat ē ip̄is cala... ...tatē ...z tēpantia. Cā q̄ sp̄ma gn̄ant. cib; ē sić recēs caro. cerebella. o ui uitella. ficus. pinee & similia. Medicina sp̄ma gn̄ans ē. stinci. satirion. ʒ. galanga. been album & rufū. costū. ēē. nasturiū urtice sem̄. anisū. lini sem̄. Ungu̅m ad eos qui sp̄mate indiget baccariū lau ri. sem̄ ruta. stercus colūbini. pipis. sal. ēē. terbentine. ana. ʒ. ol̄i lib. ii. oīa animsce. lūbos & inguē pūge. Itē pi pis. satirionis. stinco. seminis eruce. exeq̄ itaque ē uino potata an̄ cibū ualde iuuant. Et st ... q̄dā & m̄ ... ad h̄ ualēs. sić rapa. sparagi. eruce. sem̄ siue bauca. & similia. Et h̄ist simplicib; m̄ tantud' ualēs cōposit̄. Electuariū iohis damasceni ualēs ad forte coitū. R. ʒʒ. pipis lōgi. an̄. ʒ. xiii. sem̄ cepaȝ. dauci. eruce se m̄. urtice semīs. an̄. liguā ocelli. an̄. ʒ. xiiii. spagi. sem̄ sal. stinconis. caude & ūbilici ei' satirionis. an̄. ʒ. xv. pinee. xxv. fac puluie mel. q. s. Al' ualēs simil̄r

⁊ ad fortitudinē veneris ⁊ emorroides. ℞. ʒ. galanga yri
gi radicē. cinamomi. piperis longi. semi lini. an. xv. penidi.
amigdalarum dulcis. ana. ʒ. xxx. eruce sem. dauci. an. an
xi. cardamomi. cē. gariofili. cē. piretri. piperis. nucis mīcate.
macē. an. ʒ. iii. mel. q. s. da añ cibū ⁊ post cibū in modum a
uellane. Ad idem valet silr. ℞. cinamomi. costi. spice. cē. mat.
ʒ. ii. mēte. origani. calamenti. cass. an. ʒ. viii. polii. piperis
longi ⁊ albi. asari. urtice semi. carice. gariof. galāga.
yringi radicis. piretri. cardamomi. spinatis radicis. ⁊ ra
puleii. an. ʒ. iii. sisami. nucis. fistici. amigdali. pinee
mūdatorum. penidi. an. ʒ. xv. m. q. s. Ad idem valet silr. ℞.
seminis lini. an. penid. sisami. amigdali. an. ʒ. i. yring.
galāgi. calamenti. an. ʒ. ß. m. q. s. Juuat etiam lac bovi
nū ⁊ consuetudo bibendi vinum cum cinnamomo ⁊ gariofi
lo. galāga ⁊ similibus. Sirupus valens simil. ℞. mat. an.
eruce sem. dauci. mēte. calamenti. origani. an. ʒ. xxx. uue
passe mūde. c. ʒ. oīa coque in. x. lib. ad medietatē. de
inde cola ⁊ mitte tantundē mell. ⁊ fac silr. In fine decoctio
nis mitte. cē. ʒ. ii. ⁊ galāga. gariofili. piperis. lō. cinamo
mi. yringi. cardamomi. costi. mastic. an. ʒ. i. oīa pul
uerizata in panno ligent. Sic coct. ꝓ calin ⁊ sicc auferant.
Prohibeat oīs medicina ⁊ dieta superius dicta. ⁊ precipue
comedi t lac vaccinū. pisces recētes. bliti. esolocaria cucurbita
⁊ similia. Custis faciam. cū friis ⁊ huius oleis. succo cucur
bite. ut inungatur ⁊ calor refrigetur. De nimia erectione virge

Si artie et nervi virge impleant ventositate. ne
cesse est erigi et erecta diu permanere. Quod si diu
permaneat. neque resideat. sine tamen concupiscentia et volun
tate coitus. passio que pergeri mos vocatur. est ea ventositas
est inflativa et grossa. humiditas viscosa et calore modata est.
omnis inquid medicina vel dieta que coitum augmentat huic passi
oni sunt nocitiva. Cuius medicande gratia est dare ven
tositatem mitigantia et refrigerantia. unguentum dorsum et vir
gam. a nu. tetthelos. solat. succo portulace. lanuginis aq.
semper vive. iusquiami. lactuce. portulace. cum succo coriandri.
et parum camphore. agni spina fac similiter. assuete faciat
sedere semper et dormire super frondem culcatam. G. dixit. Quod
mulieres athenienses in festivitatibus suis posuerunt ut sederent
et dormirent agnum herbam propter castitatem. Quia nomi
natur hoc de nominatum est de castitate. Iaceat semper
in latere et non supinus. Dorsum enim cum calefiat. arteria et
nervi necesse est calefieri et calor ad virgam veniat. et
ex desiderio coitus eam moveat. item opium misceat et cam
phora cum oleo rosaceo et virgam inde unge. De Gonorrea

Sperma sine voluntate. concupiscentia. vel delectatione
ex defectione est virtutis contentive. que in vasis est sper
matis et hoc sine erectione fit. vel ex passione nascens spermatis.
sicut spasmo. quod virtus expulsiva movetur ut sperma extra
eiciatur. sicut in epilepticis videmus quod cum erectione efficitur.
Item est vel ex spermatis quantitate. vel ex eius qualitate. Cum sperma

tate. si multiplicatu͂ et augmentatu͂: uasa impleat. ex
q̄litate. si i calorē et q̄ntitatē mutat᷑ et inliq̄dicatē et
aquositatē. In medicina da passioē. cū frigida nutriam᷑
dieta. sic lactuca. portulaca. c̄solocana. cucurbita.
plita. citruli. cucumib; melonib; et o͞ib; frigīs et hūīs
ł frigīs et siccis. sicē sumac. aceto et simlib;. Vngam᷑
dorsū et ingn̄ frigīs reb; sollat. succo. mandr̄. oleo. r. por
tulaca. liargiro. cerusa. culcit᷑ sep̄ sit frigida. bibe frigē
i domo ponende. Accē farinā gladiū. ʒ. ii. c̄ acbo
uino oī die. Simili' lactuce sem̄ c̄ succo portula
ce et lactuce. an̄. ʒ. iii. aneti. sem̄ rute. sem̄ agno
glose sem̄ an̄. ʒ. s. fac puluerē. de q̄ da bibe uinu
no c̄ frigida. Ruta et iusquiami c̄ sirupo ł mirta et
aceto pst᷑. agni spmatis. rute. an̄. ʒ. ii. balausthe
ʒ. i. da bibe c̄ aq̄ sep̄ infundat᷑ aq̄ frigida et acib' ul'
potib; cal' cibi caueat. De spmatis isompno effusioē.

Hui n̄ patiunt᷑ pollutionē. q2 uene eo2 sūt
strette et ubiuitate sit plene. neq; calorē pfect᷑.
Sz conueniunt aetatē gratia m̄ spmatis q2
pfectior ē et augmentatior calor. et eo2 sit uene lar
giores. nō mouet᷑ n̄. ut m̄ augmentati expellat.
et ei c̄ ebullitoē in sōno emittat. Sz qm̄ ł pollutē
q̄ uenit ex habundantia spmatis n̄ ē simil' ei que
ex c̄cupiscētia amoris succedit. In ea enī q̄ ex cō
cupiscētia ē imaginat᷑ aīa amata q sit uera

ūn adcoitū mouetur ñ ut pollutionē faciat. aliqñ hō uidet mulierē aliqm & concupiscit eā. q cū dormiat imaginatur sibi qd cū ea dormiat & ūn pollutio uenit. qr imaginatio aīe ñ ē sib cōplō corpis. Multi enī in somniis hoīes uident. ē in corpib; eor multiplicēt humores. qi in collo sarcinas portār ḡues. Si exhumorib; sint exinaniti. uidēt sibi uolitare & ambulare & similia. Pollutō ñ ē aliud q cū elōget sōnus & corpa sudēt. Pollutōnē sēp hntes. ē frā m̄. siue cibarus. siue unguētis sic diximus i sepe erigētib;. De ungēt. & ulce.

Apā & uulnera unge. seu pustule. s exhumorib; a corpe descēdētib;. Que palā ē sta sunt ē mbr: q fit i apatulo. hntelti. un nascitur ex infirmat: ē plāo mb:. Si ulña sint sn apatt. medicom ē cerusa. litargiro. añ. ʒ. iii. cucurbite puluis. nemmte añ. ʒ. ss. ē olo. ro. Si humida sint ulña mittamus cortices cipssimos ōbustos & emathitis. Si uga sibi pruriat. mittam. cē & cāphorā. exeq faciam clistē i uirga. & si apā uideam. ē ungōme dicem. R. carbonis argentee ceruse. litargiri. menmte. añ. ʒ. ss. cē. acane. balaustie. añ. ʒ. ii. fac puluē & unga ē olo. ro. & cem. Ad frōdis uitui. thuris. añ. ʒ. a. ceruse. iiii. tēpa ē aq & ui se ungat & pea lauet ē aq marina. Ad ac. albugnē oui. olm. ro. cē. muriā fac ūge. Ad ac. uiri. cinerē

frondium uiridis. tepida cum aqua et unge. De apostemate testiculorum.

Humores in corpore ad testiculos descendentes. apostema ibi facere solent. Quod si sint acuti et calidi rubicundus vel citrinus est color apostematis. sicut dolor corporis et sine dolore. Si ex percussione. vel cissura sit. in firmitas manifestabitur. in medicando aperire calore. de uena minuatur et in dorso scarifetur. et postea urino vel calore cum farmacia purgemus. deinde apostemata redeamus. cum epithimatibus et cataplasmatibus. puluis de fronde ramni. cum oleo r. apostemati si ponatur. vel cum cimolea succo solatri et cetera. vel farinam ordei coctam cum melle et aqua. vel fabas cum uino coctas. Cataplasma ualet ad apostema calidum in testiculis. Recipe. rose. uiole. sandali. rubei. albi. ana. ℥. iii. malue medium et eius semen. v. menta triti. tepida cum succo solatri et oleo rosarum. Si ex frigore sit apostema. ponamus unam passam mundatam et ciminum. fabas coctas. vel melle lotum. cum sapa coctam. uitellum oui. farinam tritici. Cataplasma ualet similiter. Recipe. balausthe. fabe farinate et ciceris. camomille. ana. ℥. vi. thuris. mirre. cumini. i. axungie. renum capon. et cetera. sisameleos. medulle bouine uitelli oui. fac unguentum. Cura.

Farinam ordeaceam in mulsa coctam super pone. Si autem nimium rubeat. cimolea cum aqua rosarum illiniantur. Que cum dessiccata fuint aqua calida testiculi abluantur. Absinthium cum ficubus tritum et in panno illatum adidem ualet. Vuapassa cum cimino. melle et farina fabe trita et linteo induc [testiculorum]. ta testiculorum tumorem inprimis maxime sanat. De medicaminibus

cardore. dolore. pulsatione. Si fit in . . . color apostematis est color corporis.

vel rubi q. . . ualy.

feculenta . . . sub mola . . . vel . . .

ul illiniantur

Vulnia in testiclis de uenientia et calli. sic sunt
medicanda. c̄ lanolea c̄ aq̄ sup ponenda. et
acatia cerusa c̄ oleo. ro. litargiri cathimia argenti
oleo rosato. Vng̃ ad prurriginē i testiclis. excoctam
et sangue ebutto. R. medulle bouine. ʒ. z. oli. ro.
a. cerusé. z. vi. cē. ii. acatie. rosé sem. iii. ii. fac ung̃.
Ad uał simuliter. R. ceruse. z. vi. sulphuris. z. ii. ol. ro.
a. tēpa c̄ aceto. Si testicli exiudere fuint uulnera
ta. de alumine et galla fac ung̃. et sup mitte. Si fissura
fuint. acc̄ patinn cu oleo. ro. et oui uitello et fac ug̃.
Omnis crepata in pelli uētris et testiclor̄ c̄ da
toruis c̄ exmotu forti. sic p⁹ saturitatē q̄ue tol
latur pond⁹. t̄ fortiter tussiatur. siue alte uocifetur. et p⁹
saturitatē cogat̄. t̄ luctat̄. t̄ p̄p lubrica humitatē. un̄ et
mbr̄ lubricū fit. loc̄ suū dimittit et aliū n̄ suū acci
piens. un̄ et pellicula illi⁹ loci c̄ scissa. ac ue ut neruus
si c̄puit n̄ soluatur. Sz tn̄ q̄dā crepata leuior c̄ altera.
q̄ c̄ i cēsioē mutat̄. et ad dilatādū p̄hibet. p̄p collectionē
t̄ excisinē extremi iui. siue pellicule. quod i puis
otingit maxiē. In alijs etatib; p̄piat̄ ne sacēt. neq;
cocant. neq; laborēt. t̄ nimiu se moueāt. et sup illā
c̄pataurā. occauū plūbū c̄ acatia sup ponat̄ et ligēt
c̄ puluino bōbicino pleno. Subt⁹ plūbū ungamus
unguētis dissolutiuis et uentosi- expulsiuis. sic aloe.
mirr. thus. licia. acatia. succo ypoq̄stidos. bdellio. et

simulib; . Si magnificet crepitum et aliq[ui] uiscerum
illuc descendant : erit molestissima adeo ut infirmum
amotu et q[ui]etate aliq[uan]do retrahat. Ad medicam[en]tum est du
ra. Neq[ue] aliquid p[ro]ficere possunt medici. nisi est solu
tione uenti et dissolutione sue uentositatis. sic pillulis
de serapino. t[ame]n bdellio. diaromate. diacimini. sucegre
ne tamen inuste dum fiat thiptica. abstineat se agrestis
ciborum et uentositatem facientib[us]. Cathaplasma ualet ad id.
R. mastici. thus. nucem cipressi. frondium titimalli. mir
re. sarcocollam. equali pondere. tempera cum aceto. Al[iud]. R[ecipe].
acatiam. balaustiam. nucem cipressi. equali pondere. mastice.
thuris. mirre. ce. sarcocolle. ʒ ij. sanguinis draco. ana.
ʒ ii. tempera cum oleo r. et aceto. De menstruis.

Menstrua mulieribus ueniunt circa etatem . xiiii. an
norum subeunt. Sed tamen si festinauerint in xii. Que
sic attingunt mulieribus sicut pollutio masculis. Cum eorum q[ui]a
corpora mulierum aliter frigida et humida sunt. non multos
humores colligunt. q[ui] cum ad inferiora descendunt : cum menstru
is exeunt. sicut in arboribus uidemus quare humores
cum gummis egrediuntur. et exeant menstrua sicut operatur.
in quantitate et temp[or]e. purgant humores superfluitates.
Q[uod] si s[ecundu]m in quantitate sua temp[or]e. vel si auferant. diuersitates
passionum generant. Et eorum ablatio. aut, ut. Natalis
q[uod] mulieribus post l[m]a. annos attingit. Aliis in . xl. aliis
in . xxxv. max[ime] multis pinguibus et carnosis. Maxime

accidentalr. & ex ciuitate. & ex sanguine. & ex m. ex ciui
tate si in m̄bris discent aliqua coplexis male naturalit
& accidentalr. ex sanguine p substa uulue & uenar sui.
ex substa uulue si sit spissa & uiscosa nr. seu accide
talr. ex uenar substa si sunt strete & uiscose nr. sicut
pinguibus euenit. quibus uene ora sunt strta. seu
accidentalr. sic ex opilatione. q in nasci eis de humori
bus grossis & uiscosis. De m̄ & quantitate. & qualitate. & ex
motu suo. de quantitate si sit parua. Que quantitas
& ex subtili e dieta. & ex nimius exercitus. Rursus
mulieres se exercentes & nimiu mouentes. n multu
mestruoz hnt. Sz que quiescit & multu comedit.
& suauit uiuunt. multu purgationis mestruoz. ex
qualitate m. & ex grossitate. & uiscositate. & densita
dine e & desiccatate. hinc grossitate eni uias sanguis clau
dit. neq; facile exit. Similr infrigidat. & desiccat.
n currit in uenas facile. ex motu m. i alia mb
se mouente sic i anu & dr emorroids & inares.
Rursus si quedam mulieres multu fluxu sanguis
habuit & quedam si ab emorroidib; & pectore.
& euenis q cpiunt multu emisint. he os & si
miles. mestrua descendentia n hnt. Item si mestrua
aufiunt & corrumpunt ex tristicia. gaudia. ge
mitu. timore. ira & aliis similibus passionibus
anime. Cu ablatio mestruoz diu elongetur.

passione in isto patiuntur. ut pote defectionem appe
titiue. abhominationem. malum appetitum sicut pidarus
ire. carbonum. lacterum et similium. Alia ad huc passio
sequitur maior. sicut colli et dorsi. capitis et oculorum dolor.
patiuntur et acutas febres. cutis uero prouenit nigredinem
et ruborem. Aliquando est sicut lauata carnis recentis. Vrini
salis enim corpora morbis maximis sunt apparata. si
est passionibus protecta ydropisi. et moerie. mania et similibus.
Flebotomemus in media uena. donec cum menstruis.
ablata erit maior. et ablatio fiet. Ergo nos medi
camur auferentes res illas unde ablatio uenire so
leat et in incipiendo nobis est aflebotomia quae uocatur safe
na. Si autem quae menstrua et scarificatio pedum. ualet illis.
Cum flebotomemus. et scarificemus. parum sanguinis aufera
tur et in alio die fiat similiter de alio pede. G. in epidi
mia femina. cuius per. iiii. menses ablata fuerunt menstrua.
et facta est multum macida et appetitum iam perdidat. Quam
est uidit. tribus diebus sanguinem pungauit. In die prima unam
abstulit libram et s. In secunda die lib. i. in tercia. ÷. vii. q.
cum fecimus paulo post figam rediit prout fuerat. Similiter ua
lens menstruis mulierum. calamentum agreste et domesticum.
cum aqua mellis coctum. De qua aqua da bibere post balneum. Ad
huc faciat balneare et post ea. ÷. ii. de diatheseris.
et castorei. i. cum aqua mellis. Aliquando dari prodest iera
pigra maxime quae facta fit cum cinnamomo. Aliud

mo demu᷒ ꝛ q̄ urinā ꝓuocēt. sic̄ maṫr. amīū. ci
minum. apiū. ameos. cassiā. spicā. sq̄nāti ꝛ si
milia. Demus apozima. de absintio. de radicib;
de faseole. ʒ. iii. oli nardini ʒ a. galbani. s. Vt demus
diasmarte ʒ i. c̄ apozimate. de sauina. t de aniso.
Apozima ual' ad m̄ēstrua ꝓuocanda. ℞. calamīti
theados. petrosilium. sauine. ysopu. camedreos. came
pitheos. poliu. ana. ʒ. iii. maṫ. an̄. apii. ameos.
dauci. squinanti. cuscute. an̄. ʒ. ii. cass̄. arist.
t gentiane. bacc̄ lauri. reupontici. an̄ ʒ. i. ꝛ s.
oīa coq; in aq̄ ꝛ da bibe. ʒ. iiii. Ad apozima ual' si
milr. ℞. rubee. ʒ. vi. maṫ. radix apii. an̄. xv. an̄
xv. dauci. viii. faseoli. rubi. xv. mathe. x. ysopu. ca
lamīti. ameos. x. oīa coq; . in. x. lib aq̄ usq; ad unā.
ꝛ da bibe. ʒ. iiii. cū amigdalis amaro. Puluis ual'
simulr. ℞. sauine. apii. an̄. ʒ. x. ciminum. alteln
n. x. cassie. spic̄. absinthu. ana. ʒ. iii. sq̄nāti maṫ.
an̄. an̄. ʒ. i. ꝛ s. turbit. q̄nti alie sp̄es. fac puluerē
c̄ amigdaleo amaro. da bibe. iiii. s. c̄ apozimate
de calamīto. Pill' ual' similr. ℞. ierap̄. ʒ. iii. absin
thii. turbit. ʒ. iiii. scamonee. amoniaci. opopana
ci. serapinos. bdellii. castorei. ana. ʒ. i ꝛ s. cassie.
sauine. maṫ. an̄. apii. calamīti. apii. squinanti. an̄
ʒ. s. tēpa c̄ apii. succo facies. pillis da bibe. ʒ. iii. c̄
apozimate. de calamīto. Nasbus faciam' de calam̄

Ad uir libr[?] ... nō ...
q̄ [illegible]

mto. centaurea. genciana et similib; aluin mirra.
tepa e yrelo. faciamus simlr. elect. mirra. ingl
la. calamint. fiet simlr e melle. d'prat ut interiora
uulue ungat mulier e olo. ro. et yreleo. ne forte
tude medicine grauent apa t' uulua. Calefactio
n min'. e. iuuamti decameinleo. sansuco. me
liloto. cass. aneto. calamto. mta et similib'. siue c
positas. seu simpliciib; fac coqre i aq infusa spo
ga calefacta e ipa. Simlr iuuat qbus coctas i
uas. mulier sup sedeat. ut tot' ml fumus intrat
uulue interiora. De fluxu sanguinis. minus e mrie

Fluxus sanguis exies e mistruus plusq opte
at t' de organis aptis in uulua ueniens. si
ue crep tas et te subito et ueloct sangs ex. rubus
et clarus. t' exiens e augmtet sua qntitas pp mlt
ta suauitate et nimia amestione. t' qntitate u
si sit acuta colica. t' salsa flamica. t' exacuine
sanguis q uulua retine u potuit et festinat u
expellat. Si m sit colica color ei erit citinus.
Si flamica albus. Si sanguinea rubus. Si fit e toti
corpis pp corruptione sui et malignitate sue qli
tatis. Si augmtet iste fluxens neq; cessat patiunt
mulier. colorr mutatoes. fastidiu maculetia. ydro
pisim. q2 epar pp h necce e refrigescat et acto
sua deficiat. Vn optet u si augmtet et ieu exti

ad uuluam
sangs corpt et decedns fluxu q
u possit mb' pta

guere uelimus mulierē in superiorib; flebotomem᷑.
ut m ad superiora attrahat᷑. hi fit si sanguis cā fuit. Si
colā. r. fer dand' ē catarticē ꝛ antidot᷑. q eā ṗgare de
bant. Et t similit̄ in flāte. Ɫ cola mḡ. faciam᷑ catar
tica. Ɫ antidota sibi attinētia. Deī redeam᷑ ad me
dicinā sanguinē stringentē. sic acatiā. corall᷑. gūme.
mirte semī. balaustia. portulace semī. boli. cornu
cerui. ꝯcula marina ꝛ silia de mū salij. ita ē medi
cand' sic in fluxu sanguis in pectore. Ɫ de aliis mē
bris. Cibos dem᷑ ṗdicēs. fasianos ꝛ similia. Mulier se
deat ī aq̄ ū cocta sit tamarisch. cortē malūgrani.
galla. mirta. rosa ꝛ silia. Vētosas apponam᷑ mamil
lis ꝛ exugam᷑ sine scarificatōē. Pessari faciam᷑. de gal
la. alumine thure. eq̄li pōd'e. tēpa ē aceto. Ad ꝩ. ac
catia. ypoq̄stides. thus. tēpa ē aceto. t roē. ual' simil'r.
℞. balausthe. ocle marine. acacia. an̄. ꝫ. ιιι. galle.
sāguis dco. sauina. cupular̄ glandiū. boli. aluminis.
an̄. ꝫ. ι. ꝛ ꝭ. succi. ypoq̄stidos. ı. caphore. carabe. an̄.
ꝫ ꝭ. fac tr̄ ē succo ūge passionis ꝛ da bibē. Simili' fac
nascari. Puluis ual' simil'r. ℞. ꝯcule marine. cor
nu ciuim. an̄. ꝫ. vi. balausthe. carabe. coralli. spo
du. rose. an̄. ꝫ. ııı. fac puluē ꝛ da bibē. D' suffocatiōē.
Aliqn̄ mulieres patiunt᷑. q. suffocatio
matris uocat᷑. Vn̄ eaꝝ appetit᷑ defit. ꝛ corp᷑
refrigescit. Sepe mulieres iā deficiunt ꝛ subtraut᷑.

fulius eaz paruissimus 7 debilissimus. aliqn ex
toto aufert. aliqn mulieres. adeo coartant. ut eaz
capita genib; implicent. vii. b. Vidi mqd mulie
re .viii. m. patiente. q 7 inflatu pdidit 7 pulsu. qi eēt
mortua. neqs distulit amortua. n qz pars i medio
corpis erat calida. Multi medicoz mortuā eē pu
taiunt. Qd certificare uolentes. lanā q tarissime
carpinatā accepunt 7 narib; applicaunt. De cui
motu hibe uiue cā certificati sut qz flatu hebat.
7 animal flatu viis uiuit. Cā h passionis. mul
titudo e spmatis. t corruptio sui. h atinguit. qz
diu remote fuerit a ammctoe masclor. un necē
e augmtet spma corrupat. 7 qi uenenū effici
at. Plurimi h uidue paciunt. max plus mari
tate 7 parturientes sepissime. Simulr puellis eue
nit. si ueniū sit cohabitare masclis. Spma eni
coadunatr in ipsis. q expette sic masclis necē
sit. h eni n acre expetit. Cu mulier hre masclm
n ualeat. adunatr in spma 7 abipso fragd fum.
ascēdit addiafragm q 7 uulua sut iuncta. qz uo
diafragma iunctu e e gula cu 7 instrumtis uoci
ex instrumtis
suffocatio. h aut qting. Jt em h morb; est ablatoib;
hui si mstrua aufant. 7 spma augmtet. multo
plus pororat 7 maxie iautupno. t yeme. Plima
na in huic morbo e machinanda. u manus 7 pedes

i accessione fricandi i pede.

mulis foemus. tunc medicatus cu diaquileo. naribus apponimus abominabilem odorem. sic castorea. galbanum. pi cule. lane obuste. lichinii extincti. pillorum humanorum et similibus. Inferius fumigemus cum odoriferis fumigationibus sic cum ligno aloe. musco. costo. Odorifera olea ponamus in uulua. sic yreleon musceleon. cameleon. nardileon. uel spina thure ad fistula. Ventosas in pectinem ponamus et inunguentando ungamus os uulue cum oliis odoriferis intrinsecus et extrinsecus. Demus diachimeno cum apio. succo. Calamenti. siropo. ierapigra. cum succo absinthii. Demus .z.i. de agarico cum uino odorifero. Lauemus uuluam. de absinthio. serpillo. camemilo. cum succo. aneto. calamento. Item ualet ad suffocationem matricis .z.ii. de succo iusquiami et castorea. piperis. al. costi. musci. opii. ana .z.i. et s. tempera cum uino dulci da.

bibe

Aliquando apostemata nascuntur. De apostemate uulue.

Aliquando in uulua multa forma. Si quando colera adsit. rubeum calorem generat apostema. quod da unde necessitate sit gossa. uel depercussione. uel de immoderatione ablatione. Si enim apostema in uulue sit pro. sequitur dolor cum thirignia. Si inmore umbilici et constipatio digestionis. doloremque subypocondria. Si apostema sit colericum. uel sanguinolentum. febrem habent acutas siue et dolorem nimium. Si de humoribus grossis sit tumor et duricies. grauitas in ancliis et coxis. Quam oportet curari. Si apostema in uulua sit. parendo

Si impurpura sequitur dolor

un̄ sit. q̄ si sit ex calore. basilica. l' media erit
incidenda. ⁊ sanguinanda sc̄d' uirtutē. n̄ q̄d ꝯrui
sit. Si mulieṛ in multa sint a parte uenā pedis incidī.
minuere. melius enī iuuat q̄ si in alio loco fi
at. Itē d̄r. Vulue passiōe nocēē sup̄ manū mi
nuere. ꝯtraria enī attingit. sanguis trac' ad su
piora corpis. Si mulier ē fortis. bis indie auferat
sanguis. Si debil' semel. Post d̄a ta in q̄ iacuit a
ꝑiat ualeat. sic succ' solat'. cassi f'. mana. mel ro
sati ⁊ simulia. Cataplasmet inꝑmus. de repugnā
tib; caloribus ⁊ nūb' illius ꝯfortatiuis. sic portulac
ca. solat'. sēpuiua. psillio. cinoglosa. endiuia. olo
ro. ⁊ simulib;. Post dissolutiua ponamus. sic ciclami
mā caules. olim uiolin. sem lini. malua. fenugr̄
axungiā ansis. galline. mellilota. albuginem
oui ⁊ simulia. oib; nastarizem'. siue cōpōitis siue
simplicib;. Diasc'. Spica nardi. cocta i aq̄. l' si i ea
sedeat mulier. i nastare paulo mlt valz ual' ad calā uuluā
⁊ duritie suā ut' in uisatione. l' i statione. l' uētosi
tatē. Rc̄. axungiā. medullā uituli. añ. ʒ. vii. me
dulle ciu. xi. ansis. galline. ʒc. iiii. mathē. melt'.
añ. ʒ. ii. ysopi. ii. ʒ. v. tēpa ē lacte mulis ⁊ olo. rosa
to. Si apa sit frēdū. ex̄ q̄u q; dissoluat erit faciēd'.
sic fenugr̄. meli lota. sem lini. mta. sāsucē ⁊ similia
sūt apponenda. ē pahnna faciami' ⁊ nastari simili

Demus apozima de radicib; ad bibendum & desquanto. pill' de serapino. balneu. assidue & epithimata. leuia danda sunt cibaria & grossos humores n generantia. Si eni fuerint in parte collecti ee sanie. ponenda sunt catapl'a maturatiua & aptiua. sic de fenugreco. sem lini. farina ordei. tritici ficub; c fimo columbino coctis. Si erupit apa & sanies. in uesica effluat. det lac asininum. & caprinu. sem cucumis & melonis. clistizen in uulua c tipsano & mellis. confectio unguenti & nastaricon. axungie ansis. galline. uituli. cere. an. x. ℈. uitelli oui assi v. bdellii mirre. i. & s. ℥. ysreleos. oli nardini qntu sufficiat. De ulcerib; uulue.

Vulna in uulua generant. de acutis apostematib; & aliqn de acutis medicamentibus & de abortu. Que eni fiunt cu sanie uel fluentu dolore & pulsatione matricis. Si sit putrefacta sanies fit color nig. c putredine orribili & nimia. & ardore nimio. Vn mulieri c precipiend. ut in uulua ponat quib; mundificent uulna & calor extingat. & calor mitiget. sic suce solat. arnoglose. olii rosacei. cu albugine oui. lacte mulis suce portulace & similia. Demus mulieri ad bibend catartic de umub. sem papauis. liquirc & similib; & mu tam c cucurbita. portulaca & similia. Sede at in aqua. ii cocta sunt mirte. rosa. fenugre balaui

na. lentes cortices malignati et silia. Si uene sint co:
rose. dein sanguine draco. mirr. th. bolu. ce. a. rutol.
De quibus omnibus clisteri faciamus vel nastare. Simul. nat. lini
u. acatia ... nastai fiat. Valet ad prurigine ualet
uulue ce. ciphora. licangi. bacce lauri. albugo. oui
ros. siue clisteri. seu nastai fiat ... Diasc. dicit. farina
fenugr. cum sanguine ansis ual ad duritiem matricis. Val et
lac fieuu. cum uitello oui si facias nastale. De uertu.

Vulua aliquando patitur mollitiem. matrici ... .
propter nimiam humiditatem. vel in loco frigido multam
sessionem. seu aque frigide infusionem. his enim mollit. et
assuo loco egreditur. Aliquando causa propter nimiam expressionem
in partu. Vnde in medicinanda. ypoquistidos. et balau
sta. in uulua sunt ponenda. Sed cum in aqua uel cocta sit
stiptica. Epithima fiat cum oleo ro. et mirtino. Comme
det obstipticei uel reponat interiora. De uino faciamus
puluerem. de rebus stipticis et de super ponamus. Sufmu
tationem faciamus. quia aliquando uulua redit interioribus.
Diasc. dicit. da bouina ual ad uuluam egressam si inde
fumiget. mulieri eadem parte intra quam ante exierit perfunt.

Cro ut galius. De apostemate eiusdem.

Cum in multis suis libris perfitetur. ligatio fetus in ma
trice. est. sicut ligatio fructus in arbore. fructus enim cum primi
gniat. debilis esse probatur. Vnde et facile labitur si quo
libet uento arbor emoueatur. vel quibuslibet uento arbor:

aliis similib;. Cu au ia in arbore firmet' et ia tepus
sui mediet'. ligatus firmius. et a timore cadendi.
remotius. Cu au ia ad maturitate opleat'. cadit sn
ulle motu et ab arbore sepat'. Simili' in uulua fet'.
Cu eni spina uuluam ietus ligto ei' e debil'. Vn si
mulier patit' in saltu. t' i lubricatoe et casu et i farma
cia. t' flebotomia. seu uentris. fluxu. an emorro
ids. siue de collo uulue. t' nimio motu corpis. seu
aie. dissoluit' ligatio fet' et de uulua facile labit'. Si a
e ia pfecto coplear'. tepe uo medio. fortior et soli
dior e ei' ligato. Vn q' gaudat'. sn nocumto fetus
aliq' m' mouet'. Oportet q' i ipu ne acept'. si ulla femina
ad memoria reducat propria cibaria q' illo i tpr i ueniri
neqt'. ne forte desidet et n inueniat. Ca ut ab ea
ciendu et si desidat in ueniendo festinet. q' usa ad
ea sibi adducenda. Reqit' au extrinsec' gaude itide.
e reb; confortatib; sic olo nardino. mathceleo absithu
olo et odorifis cataplasmatib;. Maxie i principio co
ceptus. Cu appinqt partui assiue faciat balneari.
et ungi mollitiuis oliis et nutat' nutrimtis mollib;.
Si inflatio pedis sup uenit. ungat' olo nardino. ro
sato et aceto. fumiget' crura e aq. pea chimolea cu
aceto tepata sit' sit ponenda. Pedes fumigeri' e apo
mate de caulib; d' aptano et si hi' appetitu i aueni
entiu cibor. i ungt' modatu exercitu. odorifu bibat

unnũ ꝯᵹruũ ip̃a sit dieta. Pᵒ cibũ accipiat malag
nata. citonia pira. Si uaiũ l' carbonẽ ꝯsint dentᵉ p
cũ fabe assate. ẽ pulũ l' cataplata. odorifa ⁊ aromati
ca pectori sũt apponẽda. l' ubo. Si uidores furiosi pec
tᵒ ꝯuaiunt. opt' farmac'iã dari. p'q̃ fet' .iiii. m̃ses
expleuit. ⁊ ad .vii. peruenit. ĩ cui tẽp'e medui int'
tp̃a incipiẽdi fet' ut fouat. ⁊ pfecte in uulua ligat.
ut medic' ĩ farmatia danda n̄ sit temarius. Q ua
si dedit ⁊ leuẽ ⁊ sec'am opt' dari. Ad dissolutiõẽ
uẽtositatis. ne cã sit abortiendi. ẽ pit iste puluis ad
r' unl' q' ual' ad uẽtositatẽ matris. ℞. ʒ. edoar. dro
nchi. sem̃ apii. an̄. ʒ. ii. castorei. ʒ. i. amios. iiii. ʒ. ue
cam. ʒ. x. puluiata. ʒ. ʒ. i. dato. antidot'. ual'. ad dolo
rẽ matris. ⁊ uẽtositatẽ siu. ⁊ itloi. ig'uida. aborti
eni aufert. ℞. sem̃. apii. mat'. amios. ʒʒ. ana.
ʒ. iii. mathẽ. gariof'. cardamõi. asari. an̄. ʒ. i. ⁊ s.
cinnamõi nucis muscate. castorei. ʒ. edoar. dro
mechi (nchi). acori. an̄. ʒ. ii. ʒ. uẽ. ʒ. vi. pulũ ⁊ add. m.
l' q. suffic'. da. ʒ. i. c̃ uino. Ad ual' ad duritiẽ pt'.
q' galien' ⁊ ad morsũ aranee ⁊ scorpionis. q' ueneno
sa st' ualẽ dixẽ. ℞. pip's albi. xxx. g'na. mirr'
castorei. storace. ʒ. i. ⁊ s. opii. iii. galbani. semẽ
apii. an̄. siseleos (amios). an̄. ʒ. iiii. ⁊ s. fac puluerẽ tẽpa
c̃ uino da bibe. ʒ. i. ⁊ s. cum. viii. uncis uini.

De difficultate pariendi.

Si grauida uento l' irat'
stomachi ut uulue patiat'
ꝯpositũ ei dare

Cum mulier tempus natale pariendi expleverit.
movetur fetus motu suo fortiori. et ita vulvam ne-
cesse est dilatari. et virtute sua expulsiva fetum de sedibus
emittere. Tamen aliquando contingit parientes neque parere pos-
sunt. Quod multis fit ex causis. vel ex calore subito et extraneo.
mulieris ledente. vel angustiis viae vulvae. vel ex nimia mu-
lierum pinguedine. vel si fetus mortuus sit. neque se adiuvet
adiuvat movendo. Aliquando si accipit aliquam quam adhuc sit par-
vula. Et si in hieme fuerit. aeris enim frigiditas vulvae con-
stringit vias. Si in estate fugit. calor aeris virtutem dis-
solvit. quae fetum adiuvare solet egredi. Oportet ergo si videmus
mulierem in partu laborantem. precipiamus eam balneum
in aqua ubi fenugrecum. malva. semen lini. ordeum [illegible]
cocta sint. deinde ungamus coxas et ventris inferiora humidis
et dissolutivis epithimatibus. fricemus latera et femora.
oleis dissolutivis. Demus oxizacram ad bibendum. et capillum veneris
vel rutam. vel absinthium. de quibus pulvis factus detur ʒ .i. cum vino.
Sternutationes faciamus cum thure. ambulet per loca diversa suaviter.
Postquam iam peperit. si secundina De retentu secundine.
remanserit. mox ea expellenda oportet festinari. cum sternuta-
tione tenendo os et nares. Similiter est. pulverizatum demus
cum aqua calida et urtice coctione. Similiter quoque infusum et percolatum cum
ʒ .i. pulverati seminis malve. deinde cum aqua calida ad biben-
dum et urtice coctione. Item valent ad emittendum secundinam. et
sanguinem a partu remanentem. fumigationes vulve cum

cū oculis salsor piscū. & ungul' equor. & stercore ca
nino. siue c̄ ceruica. & similia. Si sang' p' ptā n̄ exierit.
medicem̄. c̄ medicina que uocatur citrina. Nac' igitur

Passio sciatica nascitur ex humoribus in uius nimi dolore.
illū q̄ssi descendentib; q̄ scia uocatur. hic ē lacton
ē coxe. ptimi aū fit ex flaucis & uiscosis humorib;
i iacutate coxe se coadunantib;. Aliqn ex humorib;
sanguinolentis. c̄ rubea colā mixtis & ib' collectis. Inte
patiunt' dolorē in coxis. Aliqn usq; ad crura des
cendit dolor & ad calcaneū. & usq; ad p'minū pedis
digitū. Aliqn in una pte. aliqn in utraq;. Si autē
sit in sinistra. peior & molestior ē. q̄ uideat'. Si ex
humorib; sanguinolētis & colicis. sequit' nimietas doloris.
& continuatio pulsationis & ardor atq; incēsio q̄ maxe
iuuenib; euenit. Si ex causis costricē cē humorib;.
uena minuat' q̄ saphena uocat' de calcaneo. Si pas
sio sit in utraq; pte. flebotomet' utraq; uene. & maxi
timā ual' si flebotomia. ū una die in firm' euadat.
Aliqn ... uena in medio bracho flebotomanda
de pte infirma. maxe ī initio si fiat. si nos adiu
uat tps. & etas. & regio. & consuetudo. p' dāda firmac ta.
q̄ coleā. v. purgat. Similiter clistē faciam'. mitam' cū
...a caloris cauterita. Sepe balneet' ī dulci aqua.
Dem' pillis de aloe & mastic. Ungim' frīs epithimati
b;. Si de humorib; sit frīs & uiscosis. dem' farmaciā

chimos illos suauit purgatū sic pillas de rasia. l

de ferra l de limodacal. l deni de stomaticō. pillās de

edontō. 7 similia. friōs 7 uiscosos chimos purgātes

Clistē de centaurea faciamus. semine lini. fenugrē colo-

qnt. 7 similib;. Nutriam' ē cib' bonorū chimorū gnan

tis. Caueāt a plenitudine cibi 7 pot'. maxē si gūsit

addigendū durī. Cautissime ueteant coitū. maxie p'

cibū. Cū ꝑhibit' clisti. farmachia. balneis. corp' mu

dificatū de m̄ medla mitiorē confīcatiua. redeūdū

Ad epitimata exetica 7 cataplīta. Unū costa filius lucedia

lib' quē de ligaturis fecit. Nēcp epitimata emplaustri

seu catapla. aliciu mēb' sic sit ponēda. uel mēbr ꝑcedit

eē calefaciēd. t m̄ gīsa de ipo dissoluēda. oportet ꝑce-

sisse ꝑgatione totius corpis ē farmachia 7 flebotho

mia. ēcaficare ū corpe mūdificato. 7 passioē rema

nēte in u no solo mēb ip̄ uicores in ipso clausos. si

m̄ n̄ fuit q̄ eos aliūde effluēs augmentāt. tē nā

sic ponāt epitimata 7 alia. Sꝫ si corp' plenū sit

iniorib; oportet ꝑforāt cauēāt. q2 multo mag ad

illud infirmū tēnt. q̄ dissoluūt. ō. dīx. li pass si

inuenitur oportet uenas inadi 7 p' icēli ē d.xul

tōcāe i cēdi ē ētore peccatis 7 mltū ꝑfuit. Id'. Si ca

lefaciam' loē i firmū ē medla bouina uel. Dīdē

i firmo calida m̄ 7 dissolutiua. sic thiriaca. philoniū.

suēgenē. diaton. pipeon. 7 similia. fumigani' ē aq̄

uena q̄ ē in uenit a sandū ꝑde

l Cumun flamma

= uena q̄ est in [illegible] genu ē boni

[illegible] laudabilius

[illegible] quod est [illegible]

[illegible] uter

[illegible] gerimandrec.

[illegible] ant. aristologie

[illegible] 1. sec.

pince. dt. 1. dos

[illegible] elacthear. 1.

a calamenti . origani . melliloti . similiter fronde laurj
sit cocta et similia . Pill' ual' ad artetice dolore contra
morbos frig . guttis et uiscosis et sciaticos . podagricos .
necessitate inueterate . Rx . amoniaci . serapinos . bdellium .
opopanaci . aloe sarcocolle . asa . sem . cicute . apii . an .
ʒ . ii . coloquintide . ii . cucurbite . iii . scamonee . acori . ʒ .
ii . tempera cum succo porri et facias pill' . da . ʒ . i . ʒ . ii . ʒ . iii .
secundum uirtute patientis . Pill' de serapinos ual' similiter .
Rx . Sene . ʒ . x . bdellium . iii . serapinos sarcocolle . amo
niaci . an . ʒ . ii . mathe . acori . coloquintide . scamonee
an . ʒ . s . calamint . apii sem an . mat . cicute . spice . th
ciados . sal amoniaci . tempera cum succo apii . et da . ʒ . iii .
et aperitiue de nigre ciceris . Experta uiris . d . ual' ad scia
ticos . podagricos desiccitate . Rx . coloquintide . lxxx . vi . ʒ .
euforbii . ad' lactis titimalli . xxx . oia tant' et i
iii . lib aq ponantur per diem et iii . iiii . die una lib
uetis oli mitte et suauiter coque donec due partes re
maneant . aq . de inde cola et mitte ad fonte cathinis qui ad
solii remaneat olim . Post ea pone . iiii . ʒ . cere et liquefia
mitte euforbii bene pistum et lac titimalli et iterum
tempera . De inde i firma loca unge . calcaneum . s . et pedum
plantas . Si fortius operari uolueris . da i firmo sero . gr . x .
ii . de serapino . in mane unge . Subpositam deponens
uiscosium flegma . ual' ad dolore renum et de colica passi
desiccitudinis . Rx . serapinos . ʒ . ii . bdellium . sarcocolle

colo͠qntide. scamonee. mt. lien. fell taurim. iunii: ana
.ʒ.i. tēpa ē mell' cocto & fac in modo glandiū. pone .i.
& p̄q̄ exit pone aliam usq: ad t̄ciā. Storacelnon ualet
ad dolorē arterie. mb' frīa calefac̄ similit'. & uesicā et
renes. dum ap̄ta destruit. R. sisameleos caului. ʒ.i.
storacbie. ʒ.iii. coq: suauit' ut dissoluat' storacbia. de
inde cola & unge. Calia ap̄ta epitimata destruunt ue
tositatē in mb's adunatā. huores g̃ssos digerī. & dis
soluunt. mb' frīa calefaciunt. fortius epitimatu ē ele
ciarioleō. p' castolon. daspnoleon. cicuteleon. sāmucelō.
pigilon. annelon. yrelon. balsamū & simil'. Si quis
uelit fortiora ad dissoluēdos huores g̃ssos & uētositatē
expellēdā. cōq̄ puretī i q̄cq: noz uoluit. castoreū ana
cardū. eufforbiū. cicutā. storacbā. costū. calamentū.
& similia. Quātitas uoz ponēdoz in sola. t. ʒ.ii.vi.
neq: freq̄nt' faciēda ista. cauēda.n. p' mūdificatō
nē interioris corporis. ne passio peioret' & augm̄tet'. Sz
si ex sola fit uētate. t mb's inclusa uētositate. & sri
mati aualent' h' epitimata q̄nq: ipōnt. Podag̃.

Podag̃ ē dolor calcanei & plāte pedis ē distēsio
neruī & pulsatōē suī. nascēs ex mal' huorib:
ad calcanei descēdētib:. Q' si sit cali & acuta. dolor
nimi erit & pulsatio ī cōdēs calcanei cūtina. Si
frīi & g̃ssi: g̃uitas nimia fit & extēsio: sn̄ dolore
t pulsatōē nimia. Ap̄ta aut̄ podag̃e & arterice

passionū ñ sufficiētia. q̄ tumor in sol' carnosis
mēbris nascit̄ . ⁊ hūttor multū sanguis. hoc̄ mēbror̄
hūitas uiscosa ⁊ fūū ē nutrimētū. Itē q̄ carne sī
nuda : ñ sī tumescia. Ṗterimū h' passio innascit̄
suauit̄ ⁊ q̄ete uiuentib; ⁊ exercicia neglegētib; ut'
p̄gatōes ⁊ corporis mundificatoes nolētib; maxime
ē multū comedāt atq; bibant. hec eni res icorpore
supfluos gnant hūores. Sꝫ aū ñ pedes inuenit
debiles. descēdit adeos hūores. Debil' eni ē sunt debi
lia. ñ possunt expellere exdefectoē sua. Vñ maxīe
h' passio uenit p̄ncipib; ⁊ suauit̄ uiuētib; ⁊ corpa
p̄uitoa hūtib; maxime si multo coitu utant̄.
⁊ cibis nimius impleant̄. Cōcatenatio eni mēbror̄
calescit ē motus adcoitū fit. ⁊ calor hūores illos
sibi attrahit. Atm assue factoē coit' hui laxantur
⁊ corrūpunt̄. plante manuū ac pedū. atq; cal
caneaꝝ n̄uosa eē mēb' uidēt̄. Vñ fit ut eunuchi
q̄ ñ coeunt. ñ patiunt̄ hc morbū. ⁊ si huint. ra
rū tñ. q̄ fit exmultitudine hūor̄ ꝑ i ordinatā
onē diete. Sic ⁊ pueri q̄ ñ st̄ podagri ñ exiordina
toē diete ⁊ ciborū multitudine. Or ulterius ñ fuit
podagre. q̄ ñ laborāt in coitu sic masculi ⁊ omi
mēse purgāt̄ mēstruis. Et uicq̄d dixi de podagris. ind'
intelligēdū de artetcis. G. podagra i q̄d passio ue
niens in ue. t' estate. sanat̄ in . xl. dieb; t' ātea.

Si aũ i ancipio ⁊ usq ad remẽ durauit: durũ ē
ā curari. Q̃a optet nos ei curare. flebotomem⁹ eos
si multũ sanguis habuit ⁊ maxiē sup manũ si eis san
guis eã. ł cole sit habundata. Q̃ si humores sunt flãa.
farmata flãas purgatiua sũt purgand. Sic ē pill
de cassia. ł hirmodactil. ł serapino. Cũ ēt fiet q̃ mãtia
sit expulsa. reuitam⁹ ad pedes ē cataplasmare ⁊ epitti
mare ⁊ subfumigare. ⁊ incipiend de reb: repugnãtib:
⁊ illos humores a pedib: repellẽtib: Si cali sint humo
res. psillii. dia. ro. Succus solat. farina ordi. lẽtigĩes
cortices cucurbite. coriand succ. albugo oui. sãdali.
rose. camphore ⁊ simil sunt apponenda. Si fri. succus
caulis cicute. ungueñ ⁊ alia cataplasma q̃ sũt dicenda.
Calia dem⁹ antidota. sicut tyriac. sucge. diacitri
diaten. pyseon. philoniũ ⁊ similia. Rutam⁹ ē leui
dieta ⁊ tẽpata. m⁹ unguẽ⁹ exercicia ⁊ de hac etc.
dem⁹ q̃ iã expta sumus. pillis de hirmodactil. uac.
adarcaceos ⁊ podagricos de frãtate. R. aloes. hirmodac
til. mirob. citri. Colloquintid. turbit. bdellii. serapinos.
añ. ʒ. iii. Sarcocolle. castorei. euforbii. oppopanacis.
cicute. api. semĩ. añ. ʒ. i ⁊ s. ce. a. tẽpa ē succo uiñ.
⁊ fac pill. Alr. R. añ. sisameleos. piperis. al ⁊ lõ. capsie.
añ. ʒ. i. ʒ. agarici. añ. ʒ. iii. castoreĩ. vi. hirmodac
til. x. x. tẽpa ē uino ⁊ fac pill. Alr. R. hirmodactil.
mirobolani cit. añ. ʒ. iii. turbit. ʒ. i ⁊ s. aloes. ʒ. x.

Marginal notes (left margin): hereus ... cum ... cataplasmatum ualet multum; ... uiua ... cum ... ualet; ... albumine oui cum aloe ... cum ... conmixtum et ... locum ... ualet

tepa cu succo porri. Al'. R. aloe. ʒ. ii. ce. an. ʒ. x. Se
rapinei. mirobolani cit. bellirici. Emodactili. an. ʒ. x.
pipis m. a lo. an ʒ. ii. a ʒ. asa. opoponac. an. ʒ. i. Sinem
an. ʒ. ii. z apsie an. ʒ. ii. tepa c succo porri. Al'. R. mi
rob. citri. bellir. a emblic. an. ʒ. vi. origani an. ʒ. ixx.
rapsie. an. ʒ. iii. ermodactili. ana. penid. ʒ. xv. bdellii.
ʒ. xxi. tepa c succo solat. Al'. R. coloquintid' aloe. sarco
colle. serapinos. bdellii. eufurbii. Scamonee. auricu. mas
tic. fidui basilicos. an. an. ʒ. iiii. tepa c succo caului
a sic pill' de oib; uis da. ʒ. i. t'. ii. t'. iii. scdm uires pati
entis c aq. Catapla l' podagre de calore. ungat manus
a pedes. atq; genua nequ; fit podag. R. farina ordi.
ʒ. x. sandali. r. acacie. iii. ceruse. ce. opii. an. ʒ. i. tpa
c succo solat. Al' sanguinolentis. l' afactib; a cali podagre.
R. Malue. farine ordei. psillii. oia pulvert a c succo
portulace a olo. ro. tepant. Al' citonia in aceto cocta
farina ordi dure. d. o pui. ce. par c lacte tepata. mi
tigat dolore calidii. podagricis. Al'. R. sandali. r. albi.
memitte. farina ordi. an. ʒ. i. tepa c succo solat.
l' coriandri. frigis podagricis l' scaraces. c aceto tepat.
hic valet mirabe. a ruta insimul pistata. a commixta
ualt axungia ulgis c pecud' stercore. ualt a simili cap
illa. Radix elacteii in aceto cocta. ualt. a ad omia
unguenta a epithimata calida ualent.

De cõi passiõe. De morsu spõali. De carbunculis.
iectione cor. De scorpione. De uulnib; corpis.
pore nascẽte. De morsib; uei. De scrophulis.
De effimira feb. De paruis et apstis. De ruptis et dedisuicatõe.
De causon. De morsu canis rabidi. De sanguin effluxu.
De terciana. De labore et dolore. ut ab aliq uulnib; inciso.
De sinocho. De apostem. De albugine et aspitate.
De qrtana. De porris et uerruc. et unguentis glutine.
De cotidiana. De elephantia. De incensione ignis.
De nimio sudore. De morphea. De uulnere ppt cerras.
De caliẽda et me. De lentiginib;. ut alia calceamenta.
De ictu uãda morti. De lichenib;. De fissura.
fera potioni. De scabie et pruigine. Explicit lib. vi.

Incipit. vii. Vaticus liber. Extior. mbr.

Expoliti in supioi particula interior membrorum passionib; et cõrum expositis curationib; sed oratõris nõr antiquorum grã sufficiens expetebat breuiarium. õsequi. ut in hac. vii. particula q fine nr̃o libri ẽ imposituram. Dicemus quod extrinsecis accidunt in extioribus. Subsequitur curatões eaz sed auctoritate ypocratis et galieni q fundatores extiterũt huius artis. Incipiẽdo a febribus. G. enim dixit molestiores has eẽ oib; morbis. et accidũt. n. interiora et exteriora. et nocẽt spiritib; et aĩantis uitalib; et naturalib; actõib;. Incipiamus ab effimeris febrib;. q in nascũtur spiritib;. hec febres. n. de paruis oriũtur causis et a

liqn aliaz st cu febri. et nulle alie ee st qpaz. Effimia
g febr ex calore nascit simplici. q spi sui in t putredine
calefac. vn fit. u n duret n die una. Spi in st. uitali.
spi q fundamentu e uite. et m caloris nat. Animalis qui
fundamentu e sensus. et uoluntarii motus. natural spi q fundamentu
e .iiii. uirtutu. nat. Que st appetitiua. cotentiua. di
gestiua. et expulsiua. Et febr duob accidit modis. Vt eni
ipsa e morbus. t accidens tale q ex alio morbo sequitur.
Qn ipsa e morbus. fit ex cais. Vna e q corp patit ex
intrinsec. sic calor e [illegible] sol et ueneni. et frig nimiu.
et balnea aquarum [illegible] corpa uirib suis desiccantiu.
et opilantiu. sic nitrea aq. t aluminosa t sulphurea.
Scda e motus nimius corpis. sic labor et exercitia. am
bulatio nimia et similia. Effimia febr q accidens e alti
us morbi. e febr apa seqns inguinis et ascellarum et colli.
et simuliu. Sangs eni collect i apate. n cito dissoluatur.
necce e calefieri. et putrescere. et uitale spm calefaciat.
De in cor calesc. p cuictone arteiarum et cordis. vn gnia
t effimia febr. Et st ee effimiece. Oportet unumqq cu
dicam. et signatioes et plenissimas curatoes. Intelli
g febr effimia. q e ex calore sol qcepta corpib sut
calidiora. et nimiu dolentia et facies rubicudissima e.
Aliqn patiunt calm recina. et in cedes nares. febr
p ueneni. corpa magis q capita calefac. Et sonora de
siccat et ledit. qr calor ueneni desiccat humectatoe

corpus. Febris ex nimia siccitate mutat colorem et aufert
pulcritudinem. Convertitur enim in lividitatem et obscuritatem
et sic extenuatum corpus refrigerescit et desiccatur. In capitibus
est siccitate gravatis sentitur. Febris ex stiptice et desiccative aq
balneis. Cutem duritiem et siccitatem reddit. Quamquam extrigu-
dine sint. Que cutis si cum manibus tangatur, apparet ali-
quantulum infirma quasi in gallia et malignitate contecta. Cum
autem manus in totum corpus in morem aliquamdiu in expositi-
one calefiunt manus ipsius sentiuntur infirmi a corpore.
exiens fumus a corpore acutus. Febris ex cibis et potibus
calidis. Incendit sanguinem calor suus et spiritum naturalem qui cor
inhabitat. et ita calor cordis impeditur et a corde per totum
reliquum corporis diffunditur. Urina rubicundior est quam
in aliis effimeris. Quia urina est sanguinis colamentum et ceterorum
humorum. et quia calor est in sanguine ... sentiunt calorem
in capite. Febris ex labore corporis. Corpus fatigatum debile
et siccum facit in articulis nimiam debilitatem et continuum
dolorem. Sudor multo minorem quam in ceteris effimeris.
Et cum febris est declinaverit dissolvitur humiditatem desic-
cate corporis sicut in exeuntibus a balneis. Alii sudant
sudore laudabili et si non sudaverint, fumus de ipsorum
corpore ascendit. Febris ex ira intelligitur ex facie ru-
bicunda et egressione oculorum et velocitate motus cor-
de desiccatione palpebrarum et fortitudine et magnitu-
dine pulsuum. Aliquando color citrinitatem et tremorem pati-

unctur. Qđ fit ē ira timore inuenta sit. febris extatica.
et angustia oculos concauat et liquescat. calore aufert. corpus
debilitat. pulsus subtiliat. urina fit acuta. hec signa ad
signat hoīe et tale sit in oib; angustus qlescq; sit. cum g
medic' intellexit. unde effimera sit febris. ad curandum erit
facil. et si excellere fit febris. t ex ueneris. t ueneris. balneā
d' sit. i declinatōē febris. neq; balneo tā debet imorari.
aq̄ tepida dulcis sit. postq̄ balneū exierit lecto flores
frigidi sunt [illegible] ponendi. Sic uiol' ros'. salicis. psillui. mir
te. et similib; humectande sunt sepe nares eorum. ē olō. ui.
et imposita unguēta olō. r. et aceto. fumigāda capita
p' febris declinatōnē. ē tepida aq̄. ū uiol'. et camemi
lā sint cocta. Si ūq̄ reuma non hēat. neq; caput dole
at. si humores sit in capite [illegible] caueāt [illegible] na
res fumo hmōi apponāt. Dent' sue maligranati. ē zuc.
et sirup. al. rosat. et uiolatū. nutrimt' ē mica panis lo
ta. ē zucco. ē cucurbita. portulaca. cucumere. lactucis
malgranatis. Post ablatōnē febris [illegible] carnis. pul
t et similib. Si consuetudine sit: apponat' p' declinatōē
feb. aq̄ ū camomilū sāsucē. menta. basilicē. cocte sit
capite inclinato sup hoc fumū. p' balneet' in tepida
aq̄ et dulci. Melius ē [illegible] in aere balnei. q̄ in solio. quia
calor h' aeris sudare fac. humectatōe dissolui. poros
apit. Si catarrū ht. caueat frnte balneari. n
ipsi q̄ catarr' ad dissolutionē [illegible]. Odorat odo

rifera. Sāsucē. sābucum. 7 similia. Calis opiāt uestimētis. Vicinū hēāt carbonū foc. sine fumo. ut pluriat frigiditatē aeris. Vngatur cū tēpatis unguētis. sicē camomilo anetileo. & rosō 7 similibus. Si febris exceptiens sit aliarū 7 desiccatiuis corpis. oportet balneū phiberi. ñ p declinatōnē feb. Crum ponam' in aq. ū cocta sint. camomill. aneti. sāsucē 7 simil. fumos see o dolūt. p' balneū faciam'. ū cū sudauit frem'. 7 c aq dulci 7 pura fumigem'. ñ cui cutē emolliūt 7 poros aperiunt. Caueat unguēta in balneis. q: poros claudūt corpis. 7 fumū cōcludūt in interiora sua. 7 ēpata uitāt exterius & corpus dissolnentia 7 poros aperientia. Vitet etiam re frigerantia. & utāmur cū dieta facile digestiua. Si ex calidis sit cibarius 7 potibus 7 ungueta. Dem' c sucē mali granati. sirup al. 7 ro. t uiol. Cataplasma sup ponis epati. de portulaca. aq. lentigine. atq; psillio. corticibus cucurbite. farin ordi. ol. ro. cāphora 7 similib;. & utamur portulaca. endiuia. c solocannia. cucurbita. miscētur aq c sinerit. c sirupo de psillio t mal granato. Si de labore sit corpus. oportet studeam' ei q̄eti 7 suauitati. fricem' cū suauitē c ol. ro. t uiol. balneetur i tēpato balneo. 7 c exierit; ungatur c ol. ro. t uiol. & utam' cū cibariis. sicut pulli edul. pisciculi 7 similib;. Si febris ex inanimato sit motu; cruis sibi repugnet ū aña mitigetur. delectetur c sinonib;. actorib; diuisis. musi

tur quibus et uiscerum rebus diuisis et odoriferis et pulueris fomentis.
Gaudeamus in inmoectatione corporis est temperatis balneis. Un
gamus post quam exierit. de oleo ro. et uio. Neque moretur in balneo
neque appropinquet contrarium. Nutriatur cum tipsana. cum colocasia. cucur
bita. portulaca. bleta. Febre discedente. demus pullos. pisces.
sturnos. fasianos uinum temperatum. Odorentur sandali. camphora.
rosa uiola. Vinum salsum caueat desiccatiua. Nutriatur humec
tatiuis. secundum etatem et consuetudinem suam et tempora anni regionem.
et similia. Si febris ista sit cum parte unguentis. et est liber aliquis loci
ducamus in medicinalibus operibus que contra febrium esse uidentur.

Causon est febris cuius signa. De causon. —

Sitis nimia et continua. calor incensiuus. mo
lestissimus non repugnatiuus et ab nimio corruptionis propter acu
tam materiam uirtus grauatur. Materia enim sua est ignea. acuta et
colica in concauitate uenarum que cordi uicine sunt. ad uina
tamen maxime in uenis circa stomachum et concauitatis epatis et pul
monis. Accidentia hanc febrem comitantia sunt calor ni
mius sitis continua. Causa fomenti caloris in hac febre
est colera intra uenas. Diurnitas et continuitas. ex plurima sunt
colera in uenis cordis uicinis collecta que huic febri gene
rativa est et sic uenarum circa stomachum et concauitatis epatis.
Propterea necesse est sitis continue et continuetur. Hec febris duobus di
uiditur modis. Una est purus et molestissimus. alius non
purus et minus molestus. Purus est molestissimus. de colera ru
[illegible]

quor ceplo nasciẗ calā ul' siccā in mā in estiuo tpr:
estiuū eni tpis hanc cōseruat ualet augmentat. Alter
mod' purus necp; adeo ē molestus exceda.r. cāma ē
mēs iu mixta i fumo nascit. Que medicina sūt ut quā
febr' molestissimā amor commutt. Propter ambitie ñ negli
garie. & stideat medic' ū.mu. sua tpā p' recte itelligt.
i in uno quoq; opeṫ sed' q̄ opteat. Si uidit inmutato inbi
q̄ ñ indiget ū purget. i remoueat inbi mata purget
ut ūmoueat. ē oxifencia. prunis. iuiub. cassia. f. mi
na. uiola. i siqd' hāt ārū. Sic defectōē ūtutis i crudita
tē. l uiscositatē matē. caueat qnto plus ualat. ñ iaug
mētr faciat. q̄ ñ disturbabit. i ipediet a regimīe me
dic; ppter q̄nocuā i mor' inteta cū effugit. ū adiuuet
i integrito sue ūtutis ē dieta addigend' facilis in
culla laudabili. sic tipsano pisces pants nuca ē aq. fr̄a.
b. f. t. lora. Galienus au illis cibos minuit q̄m iacuta e
gritudine infirm' debat nutri. In nutendo uiqd' ifirmo
inteneo mā tplex ē iñacuta ēgritudine. Ut eni oiiidia
ē quantū infirmi ūtutis. l' tpis infirmitatis l' ī quasi inbi.
Qūitas ūtutis neccia ē. ū bñ custodiat. Nt eni repugna
tiua ē morbi. Vn pfimus aliqn dat cibū ē defectio ūtutis
āberit necp; tps morbi asīdat. Qūntas tpis sciat. ū sed' uici
nitate stat' cibū ordinent. Vbi gnā ē sit uicinissimī
dieta subtilissima. i aliqn nulla dabit. Si remot' crossi
[illegible] talis uel qui cibū dabantur.

r subtrahitur. Qualitas morbi est secunda. quia omnis febricitans humore indiget dieta. Quantum ad febrem vero corporis consuetudini querit habere ciborum quantitatem plurimam et aliquando in tempore accessionis. Quia si febris nullam quietem habuerit, et infirmum mederi necesse sit, eligenda est hora in qua sanus comedere solebat et conveniens dieti tempus. frigidus vero potest aurora. Inquinata est et excitata aer subtilis et clarus est. febris mitigata. quia frigida aurora calori febris repugnat. His sermones galieni ordinanda dieta infirmi. est acuta egritudo assit. his apponit. causa sue auctoritatis. Quia autem causon a principio usque in finem

familiaris est


est periculosa et molesta. oportet nunc familiari dieta subtili. tipsana. mica panis magis lota et in aqua. cum zucaro. Si febris siccus. aqua detur cum zucaro. mixta. sugat malagranata. uvas menales. Mollitie cucumeris et citruli. Sirupus violarum. et similibus. Incipe demum. z. ii. psillii. aque f. lote. z. i. seminis portulace. Si autem cibum oportuerit dari. mica panis lota danda erit in vespere et malagranatis et non sit et febris mitigatur. Custodiatur autem quantum plus possimus. ne cibus detur et febris augmentum non est necessitate maxima cogimur. Si digestio sit stiptica. molliatur et succo cucurbite. manna. viola. cassia. fistula. sirupo violarum et similibus. Et si non valeat. suppositorium fiat de viola. mercurialis. scamonea. lacte et similibus. Et si hoc non valeat. clistere faciamus. de succo bete. furfure. bisma cedrate arborem. sic cedra. viol et similibus. Et in augmento febris studeamus de inanitione corporis quantum possimus. non aliquid impediat. sic suspicio humanis defectionis

in repugnantē morbi. Tunc enī aliquātulū recreandꝰ ēēt
cū dieta subtili. Sic̄ ptisana ꝛ mica panis lota ꝛ demū
parū quātū sufficiat itaut sube ꝛ nō pl'. Si dolor ca
pitis supueniat olm. ro. c̄ aceto dandꝰ ꝛ suc̄ portulace.
Vngātur hīs frons ꝛ tēpora. Si inquietudines faciam' c̄ oleo
ro. ꝛ uio. Calcanea ꝛ crura faciam' infundi aq̄ tepida.
ꝛ dulci. Post ungāt' plante pedū c̄ olō. uio. Ligētur
crura c̄ mollib; pannis. Cataplasmabunt' frōs ꝛ tēpa.
desidat' ꝛ rosā. ordei farina. c̄ aq̄. r. tēpata. t' succo cucu'
bite. t' portulace. Singlis infirmo inquietudinē unguēd
c̄ hoc cataplasmata. sem̄ lactuc̄ ꝛ papaūis q̄ tēpanda
sunt c̄ suc̄ lactuc̄. Si siccitas sit more ꝛ asptās in ling:
lapient' utq; c̄ psillio ꝛ sem̄ citoniū. ol'. rosat. Si aūt cor ti
c̄ timore.
meat: psilliū dem' c̄ succo cucumis ꝛ sis'po. uio. t' demus
agrestib; t' aceto. t' de pomi citrini. t' cataplēni' cū desidat'.
farina ordi ꝛ suc̄ cucurbite. t' aq̄. ro. tēpatis. Q; super
ponēd' c̄ pō granato. nutēd' c̄ c̄ cucurbita. portulaca.
lēti; mūdatis. Et oīa coquāt' c̄ aceto uuaꝝ agrestiū.
ꝛ amigdalis ꝛ similib;. aut ponāt' sibi frondes. mirte.
salic̄ ꝛ similiū. Hanc febrē patiētes. pl'imi incidūt fre
nesim. qb; medicādū. Sic̄ ī pma parcela diximꝰ. Singl'
ꝛ tussim siccā patiūt'. ꝛ si tussi sit vetetā. Ex q̄ medi
cida sic̄ diximꝰ singli p loca sua. De terciana. —

Terciana febs q̄ tercio diē fit. nascit' de humis
colicis ī mutatis ꝛ putrefactis. Sꝫ tn̄ si putredo sit

ext̃ uenas ł artias. gnat̃ terciana interpolata ẽ rigore ⁊ tremore. Et si putredo sit int̃ uenas ⁊ artias. acũt ł terciana continua ł causon. Reprehendum̃ tñ aq̄bdã obiciẽti entib; nob. Vñ inquient terciana. ł causon. conuenuit. et dissolruit: q̄bs respõdebim᷒. Conuenit. q: matia una. .i. colici humores sũt. ⁊ int̃ uenas ⁊ artias sũt continue sũt. Differt scdm locũ. ũ humores sũ. ł conuenuit. Incẽsiões enĩ causõ pe iueni ĩ corda uicinis. maxĩe uenis ouis ł̃or. ⁊ epatis. atq; pulmonis. specialit᷒ q̄ i alˢ locis corpˢis. Incẽsiões terciane. continue ĩoib; uenis toci᷒ corpis eq̄les sũt. Intelliguntˢ aũ terciane continue. tb; mnˢ. ł de re nãli ⁊ ñ nãli ⁊ ext̃ ñ ñ̃x bi gña. Q͛a plimũ etate inasciũt̃. maxĩe si aer calidior sit. ⁊ siccior ⁊ cõplões regionˢ similes sint. ⁊ exercitia in firmoꝝ dũ sanĩ fiunt. in nimio labore siue fatigatõe. ł de re nãli. Que plimũ innascuntˢ. q̄bs cõplõnes. calidissime ⁊ siccissime artiãtˢ maxĩe si corpore sint macilẽti potiũ rant etate. .xxiiii. annoꝝ. usq;. .xxxvi. ł de re ex ĩ ñ. .i. accidẽtib; i firmo. ⁊ significatõib; medico. Q͛a aũ ĩ fab de humorib; nascit̃ colicis acutis. necẽe ẽ sep sequitur rigor nimius q̄ puncta spine ł ac. acuta enĩ illa ĩ sensibilib; mbˢ ẽ uicina. Que ẽ effluat. ⁊ mb᷒ pungat sensibilia acumine sui puncturã ⁊ tremorẽ gnat ẽ ñ i usu hñt. q. fit ẽ ĩ m̃ ext̃ pulsũ ⁊ artias sit. pũ ẽ aũ hunc feb colic᷒ uomit᷒ digẽ uncta maxĩe ĩ tcio ptõo. ł i quart. vrĩa coꝝ rufa. ł ignea subrit. ⁊ epe q̄; febrẽ acutã hent

⁊ i epate putturā ꝓp cole ⁊ sanguis mixturā. q̄ si sit ita.
xii. tenet horas ⁊ dimittat. xxxvi ⁊ ipso finit. vii.
idē dieb;. xiiii. q̄ si. xii. excesserit horas. neq; die. iiii.
decimo finat intellig̃ n̄ ee̅ ita. s; q̄ n̄ ē sit ita ⁊ ē
alia sit mixta. ⁊ sit ꝑdictū tinnū ⁊ diutius durat.
Aliqn̄ icipiēs i autūpno ⁊ i ue finiēs. qr i febsi moles
ti' ē gen' putredinis. Vn̄ optet cauē ne res dent calē
ne forte colā rubia ē acumine suo cebr' ascēdat ⁊ apā fa
ciat ⁊ ide i firmi' frenesum i currat. q̄ febis timidior ē
⁊ molestior. qr colā. ru. ex mobilitate sua ⁊ uelocitate
ē acumine n̄ pmitt' peccare i firmū n̄ errare medic̄.
Vn̄ optet medic̄ ꝓuide nbi initū ⁊ si uirtus i firmi sit
ydonea. infiores fumosi ⁊ mobiles; farmatia det. depruni.
oxisēmta. uiola. mirobolans citrin. cassia. f. māna ⁊ si
milia. Dein' sed' uirtutē ⁊ etatē. det ⁊ suc' malignati.
⁊ q̄da catartica i lib' mō iā ꝑdicta. ex cole. ru. st̄ pur
gatiua. Cauēdū tam ne i die accessiōis dēt. ne forte n̄
ipediat. i morbi repugnatoē. Det q̄ i die accessiōis succus
malignati ē sirpo. uiol. ⁊ psilliū ē sirpo. ro. vitet q̄ cib'
i accessiōis tēpib; neq; etiā det tib; horis ꝑcedentib;. s;
sustēt ē sirpo. ui. l' rosa. usq; p' discessionē feb. Deīn det
tpsanū. i uespe. panis ē zucc̄ lot'. Si sit stiptici. neq; ca
tartica possint ab initio sic dixim' dari. q̄ q̄da nos im
pediant. ū pote corruptio aeris. l' defectō uirtutis. dein'
in dimissionis dieb; oxifemā. mānā. fistulā. cassiā. sirp̄



mol. Si aū egō n̄ humectetur. supposita oficiat c̄ menutte.
mola. scamonea. micro. lito. Similr̄ 7 clistē ficiam' de p̄
mis. mol. in uib. furfure. ordeo mundato. Custodiam' dies
m. tāq̄ dies accessiōis. ū inueniat dies. vii. corpa mudifica
ta 7 ipata ad obediēdū n̄. in morbi repugnatiōe. neq; im
pediat cibo t' medicamine aliq̄. Si aū infirm' i augmē
tatōe febris murmret sitr 7 siccatōib; labiorz. t' palati detur
psillui in aq̄ cucumis c̄ sirpo. iii. rosar. iulap. t' similib;.
Similr̄ sucē malgranatis. dissoluat' aq̄ bibēda sirpo. iio. rosar.
iulap. 7 similib; . Cessante aū i cēsiōe 7 feb mitigato acumē.
si murmuret depuncta stōi. danda ē mica panis. ē lota
ē 7 ucē. Vtend' ē ē solocāna. portulacca. malua. cucurbita.
lactuca. q̄ oīa coqnt' c̄ amigdalon. Ita tm̄ faciēda ē
feb incipiat cessare. Si cap̄ doleat sup frōtē 7 tipora. olē
ē aceto ponam' rosatū. Nares humectande ē olō mol. Si
ū capite desiccato frenesim incidit. Humectatio fiat. ē ol'
mol' 7 lacte mulis puellā nutientis. Capit' raso in fun
dam' lac 7 aq̄ tepidā. ū papaui 7 lactuce sunt cocte. mol' 7
similib; pedes 7 crura i ponis in aq̄ tepida 7 dulci. Dīn ē
olō mol' calcanea plātaq; pedū ungāt'. Si ū. vii. die uōit'
t' egō sr̄ ueniunt. spōte excretōe n̄ ē cit stngēda. s; dimit
tēda q̄diu ūtus ifirmi pati ualeat. Danda calore stōi mi
tiganti 7 sitim extinguēta. sic sirp̄ malignati. t' rosati. t'
oxizacā. Ponend' i aq̄ bibēda spodii. sem portulace 7 simi
lia. Si aū egō augmētet' 7 defectōe ūtutis dubitemus

ꝛ i epate putrefactā .ꝑ. colē ꝛ sanguis mixtura. q si sit in .xii. tenet horas ꝛ dimittat. xxxvi ꝛ ipso finit .vii. ide dieb; .xiiii. q si .xii. excesserit horas. neq; die .iiii. decimo finatur intelligitur non ce ua. s; q n e sit ua ꝛ e alia sit mixta. ꝛ sit pdictū tminū ꝛ diuturis durat. Aliqn incipiens i autūpno ꝛ i ue finies. qr i febribus molesti e geni putredinis. Vn optet caue ne res dent calē ne forte colā rubea e acumine suo cebrū ascēdat ꝛ apā faciat ꝛ inde i firm frenesim incurrat. q febris timidior e ꝛ molestior. qr colā .ru. ex mobilitate sua ꝛ uelocitate e acumine n patitur peccare ifirmū n errare medicū. Vn optet medicū puide mbi intuū ꝛ si uirtus ifirmi sit ydonea. mīores fumosi ꝛ mobiles, tamarinda det. deprunē. oxisantia. uiola. mirobolans citrins. cassia. f. manna ꝛ similia. Deinde sed uirtutē ꝛ etatē. det ꝛ suē malignitati. ꝛ qdā catartica i lib mō iā pdicta. ex cole .ru. sit purgatiua. Cauēdū tam ne i die accessionis det. ne forte n impediatur. i morbi repugnatione. Det q i die accessionis succus malignati e sirupo. uiol. ꝛ psilliū e sirupo. ro. vitet q cib i accessionis tēpib; neq; etiā det tb; horis pcedētib; . s; sustētur e sirupo. ui. l. rosa. usq; p discessionē feb. Dein det tipsanū. i uespe. panis e zucc lot. Si sit stiptica. neq; catartica possint ab initio sic diximus dari. q qdā nos impediant. ii pote corruptio aeris. l defectū uirtutis. deinde in dimissionis dieb; oxisantiā. mānā. fistulā. cassiā. sirp

uiol'. Si aū ego n̄ humectet. supposita officiat ē mentite.
mola. scamonea. nitro. lato. Simulit et clisse faciam de ...
ius. uiol'. in uit. furfure ordeo mundato. Custodiam' dieb'
ait. tamq dies accessiois. n inueniat dies. vii. corpa mūdifica
ta et parata obediendū n. in morbi repugnatiōe. neq; im
pediat cibo t medicamine aliq. Si aū infirmi augmē
tatoe febs murmuret siti et siccatoib; labior. t palati demus
psillui in aq cucurbit ē sirupo. uiol. rosat. iulap. t similib.
Simult siue malignatis. discat aq bibenda sirupo. uio. rosto.
iulap. et similib; . Cessante aū i cessiōe et feb mitigato acumē.
si murmuret depuncta siti. danda ē mica panis. ē lota
ē ꝛ ucē. Vutend' ē ē solocana. portulacca. malua. cucurbita.
lactuca. q om̄a coqnt ē amigdalon. Ita tm facienda ē
feb incipiat cessare. Si cap dolat sup frontē et tpora. olō
ē aceto ponam' rosatū. Nares humectande ē olō uiol. Si
n capite desiccato frenesim incidit. humtatio fiat. ē ol'
uiol et lacte mulis puellā nutentis. Capis raso in fim
dam' lac et aq tepida. u papaui et lactuce sint cocte. uiol et
similib; pedes et crura i ponis in aq tepida et dulci. Dm̄ ē
olō uiol' calcanea plantaq; pedū ungant. Si n. vii. die uoit.
t egō sr uenint. spōte exactoē n n̄ erit stringenda. sz dimit
tenda qdiu uacis ifirmi pars ualat. Danda calorē sitī mi
tigantia et sitim extinguitia. sic sirp malignati. t rosati. t
oxizacca. Ponend' i aq bibenda spodui. sem portulace et simi
lia. Si aū ego augmentet. defectoe uirtutis dubitemus

ad hanc singultus sestinamus. e secundum intentam. et causa est
despodio et sicut diximus in disuria et distinctione. Similiter si ex
fractura in cadit. medicabimur sicut in suo capitulo diximus. singultus
aut sine minuat medicina sed que exuccatione cogitur. De sino.

Quia sanguis omnibus humoribus temperatior est
Quia lenitas et saporosior atque uicinior humane complexioni:
inde et familiaris existit. Qui fere in totius nutrimentum
corporis. sed tamen si quantitate augmentatur et qualitate mutatur.
diminuitur id est neque regitur negans sibi uitam sicut pater
inobedientem sibi filium. Remanet ergo crudus et indigestus.
extensusque temperamentum necesse est putrescat. generatur febris que
sinochus uocatur. et est continua. quia sanguis humor est uenas et ar
terias. semper quia sunt uie siue ad omnia membra corporis. In libro de fe
bribus dicitur febris putredinum duplicem. Alia enim est pu
tredo inter uenas et arterias. alia enim extra. Dicimus ergo de putre
que continua sit exuccatione. que extra erit interpolata. Scilicet
est de puro sanguine inter febres acuta. est inter uasa non tamen
putrescit calefaciat. huic ergo febris proprie est inflare. quia sicut diximus
de puro sanguine nascitur. et in corde et pulmone maxima est uite.
Unde calor inflatiuus abundat ista febris uocatur inflamma
quia causa fuit in flatibus calor in pectoris siue pulmonis.
Differt autem nascens de sanguine putredinem que nascitur de e
iusdem ebullitione. Que potest fieri uena pulsus est diuisio. que
constringi sunt maior et supra in quo dilatatur. propter sollicitudinem et ex
pallenda fumosa putredine. Alia nulla inuenimus habet

accidentia. Que uero signa preueniunt. et futuram prenuntiant ... an quam appareat. sanguinis. gutturis. umbrorum. plenitudo corporis. rubor coloris. calor superficiei corporis. Et autem signa sequuntur cum dolor capitis. inflatio et gutturis sui tumor timporum. egressio oculorum. paruitas sitis. stupor assiduus. imaginatio ... ante oculos. ... Vrina rubicunda. sic ... Primum hic secatur ... cum ante ... oportet ... de uirtute infirmi ... et etate. at ... complexione. tempore. aeris consuetudine. que si conueniunt et uirtus maxime. flebotomandus infirmus. et de sanguine quantum sufficiat auferatur. Si autem ... nimium sit cibum quem comedat infirmus. et adhuc in uentre sit ... Oportet ... indie secunda ... suspendatur flebotomia. quamuis indigendo. cibo ... a uentre excludatur. quod ... fiat ... faciamus nos artificialiter. Si autem nulla horum conueniant. signa ... uirtus sola. scarificemus et non flebotomemus. Omnibus uero aliis ... sola tamen uirtute dissonante neque flebotomari ne ... scarificari necesse est. quia uirtus sola semper morbo repugnat. Vnde semper est inuestiganda et obseruanda quoque et confortanda ... posse adiuuanda. Si uero obuiet flebotomie ... de ... Caueatur maxime ... augmentatione ... uirtus ... in istis enim duobus temporibus non ... consideramus adeo laborat in morbi repugnationibus. Propter ... calorem et acuitatem sanguinis. est psillio. suco maligranati. siropo uiol. siropo de ... Quod si digestio ... humectanda

i capitis ... gutturis ...

... flebotomia

... flebotomia ante ... complexio. tempus. aer ...

...

i ... et ...

fiat· humectet. c̄ exitenuata. cassia. fistula. prunis. uiola. ⁊
similib. Si ħt impectore autē c̄ subueniente passione no
uella. Dem⁹ uinuł. uiolas. sem̄ portulac. ⁊ similia. Vtatur
cib̄ leuib; dig̃sti· insulsa lactabili. sic tipsima siue pani
mica. Si aū sang̃s ñ sit colic⁹. ł nimis acutus uēt humec
tet sic iā dicta diarum⁹. Si ħ ñ ꝑfic. supposita fiat ⁊ clis
tizem⁹. Capiti dolore sup ueniente. olm. ro. apponatur.
c̄ aceto. Nares inūctēt ol. uiol. pedes ⁊ crura aq̄ im
ponant tepid. ū camemilli. uiola ⁊ simił cocta sint.
Ligent ⁊ crura mollib; pannis. dolore ñ cessante. ⁊
de catarro ł tusse carēte pectore. Lac mulis ł asininum
capiti infundam⁹. Lauetq; c̄ aq̄ ū ordii uiol. ⁊ camemilli
sint cocta. Sinutatio fiat c̄ olo uiol. Angustia ū ł icon
sione sup uenientib; psillii dem⁹. ⁊ suce malig̃nati ⁊ si
ꝑpū. ro. ⁊ simił. Si mēte stupent ⁊ oclos apire nō ualet.
cessandū c̄ a sup̄dicta capis ma ⁊ pedes infundi ꝑdicta aq̄
sufficiat. Nutrend⁹ malig̃nati s. ⁊ pane loto. Si aū cardiaci
inciderit: catapla tlō debet sr pom. de sandal. rosa. fima
ordi. căphora ⁊ aq̄. rosata. Sang̃ne narib; effluente. sr pom
t i temporib; ⁊ frōte cataplasmata. i cardiaca ꝑdicta. Si ā
necēē sit i fine hui⁹ feb extīguere q̄ remanet i cēsionis.
dem⁹ ħ electuariū q. ꝑbauim⁹. ℞. sperm. sādal. cām. sem̄
portulac. suce liq̄r. aā. ʒ. iii. sem̄ cucumis. melonis. cuc
bite mūdate. aā. ʒ. ii. drag̃. gūmi arabic. amid. aā. ʒ. i.
cubebe. Căphore. aā. ℈. i. cand. ʒ. vi. fiat pulue ⁊ tēpa c̄

sirup. xv. da. ʒ. iii. mulsum cum ual. De quartana.

Febris quartana de putrida nascitur colera nigra. Que si fit in
uasis: generatur sine rigore quartana que uocatur continua.
Si extra uasa generatur interpolata. Dicta autem quartana. quia in iiii. te
net horas intermittens. ad iiii. que exsignis est; sicut & tertiana
intellige. Idem re nati & non nati. atque extra nati. De re nati: quia
plurimum patiuntur hanc qui complexione mixtam frigidam & siccam. & eta
te senes maxime frigida & sicca & maxime subalbi uenas habentes. atque
(l' uacuas)
cauas. De re non nati. sicut temporibus anni. si sit autumpnus. aer fri
gidus & siccus. tunc fiunt & regiones similiter. De re extra nati. in initio
accessionis cum incipiat. patiens(?) ... erit rigor. laborio
sui corporis. frangitur(?) os sui. Colera enim nigra que hic febris est
nimis propter sui frigiditatem & grossitudinem. super sensibilia membra effluens.
grauat frangit & frangit ea. Calor febrientis humidus est. cuius sic
ea. hinc febris diuturna & dolor splenis ipsa sunt. Urina in principio
febris alba & ... in declinatione & accessione & in digestione fit
nigra. Que de putrida nascitur nigra colera que frigida est & sicca. et ut
de colera nigra. que de incensionibus aliorum est ... Signa. colera
rubea & flaua. ... pertinet suis peccantibus unaquaque discerni. ut
medicamina sua ordinentur singula. ... Dietam. ...
ones dicte de pura colera nigra debuit intelligi. Regatur
infirmus cum digestibilibus & diureticis. sicut succo ... [illegible]
... que omnia coquuntur & colentur cum oximelle aromatico & melle ro.
dentur apozima de radicibus cum sirupo de absinthio. purgetur iam
cum uomitu(?) paulatim. incitetur sudor cum cameleon. aneton.

calamintelon. Nō purgetur corpus in principio feb. ē immo
sis in declinatiōē feb. & apparentibus signis coctiōis eius. cola in
q̄ oportet purgari. ē farmacia & clisti. tunc mungi prius. d
ū dem⁹ tē de eupatorio. de reubarbo. de aniso. sic i quā
ptisana iā diximus. & ū sirupo de squinanto. & de calamīto. &
de calamīto. & ē apozima de radicibus aliquado. in fine u' feb.
demus urinē m. & diachimineū. Caueam⁹ tamen nec in i estiua.
calida regiōē iuuenili etate. Iniēme q̄ danda & regione
frigida. etate senili. atque cōplone frigida. Vitanda sit & refrigera
tia. que cruduficant & prohibet digendarum diuturnu
bi fit cā q̄ cartanā si tertiana cedit. & in sum⁹ tunc
nis exurbat mac & colle cōplone. Cuius urina rufa & ig
nea. & sitis nimia. uigilie. tēpe anni estate. & aeris calida
& sicca. intellig feb eē de incēsione colē rubee. Uū ipri
mis medicabit ē refrigerantib; sic succ malignati & oxica
ca. Si sit stipac⁹ ē prunis. manna. uiola. pnectē & similib⁹.
Que si ū sufficiat. clisti ē faciēd. Si aū m̄ icipiat digeri
dem⁹ catartic colē. rū. i eē purgatiui sine labore sicut
pruna oxizaccara manna & similia. Demus malagranata.
uuas. portulaccā. blitu. ēsolocāna. balneent. aq̄ tepida feb
cessante i aq̄ ū cocta sit camemila. melilota. uiol & simil.
tota corpi p⁹ balneū epitima faciam⁹ ē uino. & olo uiol. Si
hanc feb morbi sanguinolēt⁹ pcessit. & cōpl infirmi sit si
mil. uene q; plene sunt. urīa rufa gssa. sapor i ore dulcis
cōpn⁹ multe. tēps iunale. intelligēd feb eē de incēsione sāg

guinis. danda e digestibilia et matie sui oplesnctoe extra

tiua. sic oxizacca. zipuum rodazacca. mel uiol. succe sca

riol. Infirmi pedes et crura iponant aq calida. ui camemi

lli et uiol sint coct. Moueat uomit in pncipio accessiois

e rigo incipit. Dem mulagranata. Misceat aq bibenda e

oxizacca. in digesta et excocta. flebotomenr de basilica.

t media ii longi. gtt et icessiu exeat. Similr et farma

ra danda sanguis subtiliatiua et siue icesiois extinctiua.

Si aut h feb. aut. mult dies. Abstinendu in firmo de cibo

oi die accessiois. in alia u die par comedat. Si hac febre

morbi flatici pcesserit. et ifirm senior fuit e copl fria

et humida sit. tps hyemis. pulsus tardus. urina grossa cruda

t alba. sitis parua. intedat ee feb de icesioe flatis. Dand

in initio succe scariol. et mixt. apu. Que oia coquit et co

lent. Det aut libra s. e. xx. x. mell rosat. t uiol. Si aut

sit stiptici. moueat e farmacia. siue clistere flatis depo

situius. Incitet sudor e calo epithimate et diuretico. Absti

neat a cib. in die accessiois ni cum uirtus deficit neq pati

possit. Dein par comedat. Vinu bibat subtile et clarum et

in calore tepatu. De uolatilib comedat q carnes tenuis

et ad digend sint facillimas. et inducat lotiu eiciis e blita.

caueat oia refrigitiua. Post cibu accipiat diachimenu. Dia

ton. piperon. Dianison. Vtat aut uomit e radicis frodib et

aneto. atq oximell et aq calida. Sepe accipiat tiriaca. mag.

diacosti. diaireu. Diasulfur et simil. feb cessante. ia p. m.

ebdomadas. nutriat(ur) c(um) pullis fasianis. p(er)dicib(us). Post au(tem) a(n)n(um) an
nuale comedat agnu(m). Sumatq(ue) n(atur)a(m) sep(er) diureticam (et) p(ri)n
cipaliu(m) m(em)broru(m) (con)fortativa(m). **Cotidiana.**

Febris u(er)o q(ue) cotidiana uocatur de putredine flaticoru(m)
chimoru(m) nascit(ur). Antiq(ui) u(er)o (con)cordant omne flatica
mat(er)ia(m). colica(m). siue melancolica(m) putrecentes. ebullire (et) in
calore (et) feb(rem) i(n)generare. Id(eo) fit (et) fla(tica). Si eni(m) putrescat (et) si i(n)t(ra)
uasa. (con)tinua(m) generat grauem (et) sine rigore. Si sit extra
uasa fit (con)tinua i(n)terpolata. xxiiii. tenens horas (et) sex
dimittens. q(ue) tib(us) ex signis intellig(itur). s(ci)l(icet) (et) ex etate (et) de re nat(ura)li.
(et) n(on) n(atura)li et extra n(atura)li. De re n(atura)li. q(uia) plimu(m) nasc(itur) (com)plexio(n)e frigida
(et) humida h(abe)ntib(us) (et) etate senectib(us). Post pueris. ex drinante flate.
senib(us) u(er)o natur(aliter). pueris u(er)o accidentaliter. De re n(on) n(atura)li. q(uia) plim(um)
in hieme fit (et) in regio(n)e. Post aere n(atura)li frigido (et) humido. maxi(m)e
si in sua sanitate quieuit. Post suauit uixerit. De re extra n(atura)li.
q(uia) hanc febrem sep(er) nimius frigor seq(ui)t(ur). u(er)o totu(m) corp(us) (con)gele
tur. maxi(m)e extremitates. Putrescente au(tem) flate. calor pau
latim uidet(ur) ascendere (et) febrem lenta(m) facere. s(ed) tam(en) diutina.
h(anc) feb(rem) sep(er) famulatur dolor stom(achi). q(uia) flegma plimu(m) in illo regnat.
maxi(m)e more suo. Vrina (et) flatica in(te)riores euomunt (et) i(n)firmus
subtiliat (et) facies tumet (et) color plumbi(us). Post liuid(us) e(st). hos humid(os)
h(abe)t. n(on) sitit. Vn(de) optet medic(us) i(n)terrogare n(on) flatis. un(de) fit ista
febris. quotidia(na). flegma uacat fri(gid)u(m) (et) humid(um) e(st). Q(ue) sp(eci)es inde
nascens de celamito sanguis. q(uo)d (est) frigid(um) (et) grossum e(st). s(ed) hu
mid(um) min(us) s(ic)c(a) (et) acetosu(m) flegma nascens extranea frigoris

i colamito sanguis. spetiel lenior ē 7 calidior sic salsū flegma.
nascitur exuberantia caloris i colamito sanguis. Vn siqs uideat
ex urinam sitam patentē 7 si eū os būtē. de salso flāa in
telligēdū ē. Danda sunt q̄ oxizacca ē aq̄ cala. In hora accessionis
pedes eorū 7 crura ponam(us) in aq̄ cala. ū camemilū. anetū.
uiola sint cocta. fricemus plantā pedū. ē sal. 7 oleo mol.
Si uomitus uenit in initio mebi spontaneus. leuitatē 7
subtiliatē m̄ pretendit. Qd si ñ ueniat artificial' ñ fiat.
q2 incitari uomitū in principio: q̄sistē m̄ 7 coagulationem
denunciat 7 addigerend' tarditatē. Danda oxizaccā. ē aq̄ calā.
q2 multū ual' in feb. ula q2 dissoluit m̄ 7 subtiliat. Post
dandū tipsanū ē oxizaccā. ut digestibil' uenē fiat t' artifi
cialit. t' eū farmacia. t' cluti. Si de iflatē 7 gurgulatione i
ralnez murmuret infirm(us) 7 de illā abhominationib(us) m̄ dissol
utā 7 subtiliatā ad exeund' ualdum. Vn ñ ē leui catartē. siue
pill. ē adiuuanda in expellenda illa m̄. In illā abhominationib;
uomit(us) ē leuib; ē incitand'. Si aū in ūtute infirmi catar
tē ñ possit suscipi. laborand' leuitē in subtilianda m̄ cauta
furenda scd' m̄ ñ īmb ū illa m̄ regnat. Vt si sit illa m̄ salsū
flāmē 7 ē epar det m̄ mūdificādo epati q̄ra q̄ ē urina supfu
itatē suā expellat. sic tē de spodio. de cāphora. de sād' ē oxizaccā
Si flā sit acetosū. det tē. de rosa. de bbr. de aniso. ē scariol'.
m̄at. apū sēm 7 oximell. Sic medicand' ē puna septima
nā. Si aū diuturnior sit febs. dandū ē apozima de radi
cib; 7 sirop' desprīato 7 de absinthio. Si aū m̄ sit in illō

flata acetoso. det̃ in medio initio. mellicte aromatic̃. Vel oximell' c aq̄ cal'a. Ptisan̄ c tipsano. c comitū vin̄. 7 apu. cocta 7 c oximell'. In ora accessiois cui iā rige incepit. incitet' uomitus c oximell'. 7 aq̄ tepida. ū aneti. 7 radices sint cocta. Pedes iponēdi s aq̄ cal'a. ū cocti sit camomilli. aneti. mellloti. sāsuc̃. arʒtamī. 7 similia. Dem' mel c aq̄. ca. 7 m iā digestio immīnēte minuēte. Dem apozima de aloe. de ierap̄. de absintio. siue de pillis aureis. Et si uētus infirm pati neqt. dent̃ te de eupatorio. de absintio. de reubarbo. c apozimate de radicib; 7 oximell'. moueat uomit'. in inīto accessiois. neq; comedat. n febris molestatio qescat. neq; subtilib; dietet̃. n ut infirmi deficiēdo molestet̃. Aparēte aūt signo in urina coctois. calefaciam'. 7 fumigem' stō. c reb; calis. sic olo nardino. mathcelon anetileō. absintileō 7 similib;. Fumigem' c aq̄ cal'a. ū cocta sit camemilli. spic̃. mastix. absinthiū. 7 silia. Cataplāta ponēda s stō cal'a. mediata. 7 odorifa. Aq̄ bibēdā misceam' odorifō uino. 7 mellicto aromatico. Dem' stō cōfortātiua. siue cibū. seu potiūcla. h enī feb̃ pa c cons stōi. De nimio sudore.

Sudor ali' c nat. ali' n nat. In mesim uenit laudabili 7 imoderatus excessus. In tp̃r ettatis. iā sudore nocitiua emittunt̃ 7 n ualentia. Nō nat c de cōsūptōe carnis. q nulla alia emittat̃ n ualētia. 7 iuuantia. Sudor aūt me n suā exi qntate sed n emittēts matie.

uri et mutatur in colore. sicut uidemus cum fit rufus. uel o-
citrinus. uiridus uel albus. Iudicatur iuuamentum siue no-
cumentum excitantis suorum humorum. Sed tamen non temere sunt
agenda. nisi qui febres habuit diuturnas et in ea re sudo-
res prouocandi indigeat. uirtute in firmi salua. De uariolis.

Uariole de sanguinis putridi nascuntur cor-
ruptione. et sic de accidentibus sinochi comitantibus
eam. Sig. febris est fortitudo. cephalea. rubor oculorum et faci-
ei. plenitudo corporis grauitas. dolor inguinalis et in pectore tus-
sis. prurigo in naribus. tenuitatio puncta in superficie corporis.
Causa in quies exitum: pungit carnem et cutem. separans uiscosas
... aderat que est iudicis et ea signa uera in passionis. Oportet
... est quod intus est calidis et humidis. quod in dissoluat et extinscet
expellat. Caueat frigida in. que poros claudit et congelat.
Medicina uero uariolas cito eiciens et sine molestatione. sucer
est maturitatem. apii. et ozizacea. Accipiat de hac confectione. herba
ta anob. ... fice sicca. lentes mundate. ana. ... lacce.
... drag. ... ma. ... omnia coquantur in urinalibus aque
... usque ad ... unce. Coque deinde cola et mitte ... de ce.
... da bibere. ante cibum ieiuno et hora dormitionis donec tota appa-
reat. et deinde cesset. Aque rose. lentes mundate. ana. ...
... lacce. ... mat. seminis citoniorum. ... ana. ...
... omnia coquantur et colentur et bibe. ... Deinde cum zucca-
dem ... tipsani. ... cucurbita. ... ompnino
nino ... ne forte ... reliquantur et cadentes in

cardiacea moriatur. Studendum minimo ne in oculis pustule
nascantur. et lavemus cum decocta olive oculos mundificante. His
mundificatis imponatur aqua ro. cum succo maligranati. vel aqua ro. aut
ea sumac. Si hos cedando exterunt. lavetur cum visco psillii et
zucc. Post dies vii. oportet custodiri dietam vel dieta solutionis.
qua hec passio propria est solutioni ventris supervenienti. Que si veni
at oportet eam stringi. cum medicina in diarria dicta. vel aliis locis nostri
lib. Vulceribus effluentibus et desiccari incipientibus impleatur culcitra.
in infirmus iaceat. Deinde farina. sup ponatur vulneribus [illegible]
farina risi. vel milio cum croco. De cautela et medicina venenorum.

Medicina autem universalis omnibus invantia venenosis
erit. Oportet suspiciosos decipiendi cavere omnes. unde
suspicioni timet. neque famelici. vel sitibundi. ab eis accipiant
aliquid. quod apte sit qualitatis. scilicet dulcis in dulcibus. acetosa
in acetosis. salsa in salsis. vitet abhominosa vel fetentia. Di
ascoridis. Si quis aquam frigidam sufficienter ante cibum bibit. bene vas quan
titatis discernere poterit. Cum autem tetigerit membrum vel potum. arsura.
tentigatio sive spasmus. seu tumor in digito. sive in gula mor
tale et venenosum est. Similiter si os cuerint. et salivam effluere
fecit. et labra formicavit. in lingua ardor fuit et duricies in
dentibus. venenosum esse intelligimus. Quod si est ad stomachum venit.
et angustiam genuit. atque sudavit. vomit. inflabitur. colores
mutabitur. riguit. assura affuit. precordia stridet. obtene
brabunt oculi. Oportet festinari. in medicetur. alioquin mori
unt. G. et diascoridis precepit quod providerat. si res venenosa

timeatur. accipiantur ʒ. ii. fac' sicce c nucib; quib; uene
nosa an comesta afundant. Pr' gmatico n min' subue
niet. Simile cataniae c ficub; siccis facuit idē. rute
par. Itē calamintu c uino ual. Diasē. trā singullatā mitti
uate in uenenosoz exhibitiōē tollat. q an t postea bibit.
ā nil obst q2 uomunt. G. cfectionē dic. q a mortalib; cib
custodit. q nichodemi regē dic. q a mortalib; cib custodit
accipe solutā c suspicione mict. Rx. baccas lauri. terre sigil
late. ana. ʒ. iii. fac puluē tempās c olo 7 da c uino: uinc mel
liens in specie auellane. Hanc sitam uenenosa dedis pima
ueni in stō; uenena expellit c uomitu. Ut siqs negligat.
7 pcedim b in cidat. oportet in uenenosis expellendis labora
re an q diment in corpe. & expellent aut t c uomitu. t egōe
n eq: solu uomitu. in his expellendis adiuuat. S; 7 c quita
tis fuit denotat. Liqre eni t odore. t sapore. in uomitu
qle uenenosu fuit ostendit. Si eni unctuosu fuit. 7 albo
nimo odore intellig qz rana marina fuit. t lep'
marin'. Si coagulat' 7 petrat' intellig sangs fuisse boui
nus. De odore intellig. si opiu fuit. De colore si cerusa. t
gypsu. ego maxie iuuat. in expellenda nocua m. Vom
tus aut incitet c olo in aq. cala. t aq cala. c mell' 7 oleo.
Aq de aneto idē fac. si arsura in uētre fuit. Demū olo. ro.
c aq fris. Certificato q a stō sit mundificat' 7 arsura atq;
dolor cessauit. demū egestabulia c clisti. ii mundificet
intestina de reb; ill' uenenosis. De in' det lac p' mundifi

carnes ceruas. vel ser. Vitatur et rebus calidis et uenenosis sicut ficubus
siccis. nucibus auellanis. fisticis. uuis passis. sisamo. Vtatur
et uuis ouis gallinae annalibus agni. eduli. piscibus grossis. Si in fine
uentris ardeat. vel pungat. vel clisterizetur. Gallina grassa coquatur quae ad
incisionem deficiat. uis autem illud bibat. Balsamum cum lacte mu
lieris multum ual. ardore. vel dolori uentris. ex rebus uenenosis.
Detur et tiriaca maior. Quia cum confectam tiriace uenenose.
Andromacus dicit non fuisse nisi ad destruendas res uenenosas.
Quae tribus modis facit vel desiccando uenenum. vel mundificando expul
sionem. De principalibus membris. id est corde. cerebro et epate. vel quia membra
principalia in uenenosis expellendis confortat. Ipse elopsi et andro
mac. G. recedes dicit quia tiriaca magna. ex carnibus tiriae
facta. non solos morsus tiriae. vel serpentium factos adiuuat. vel
uenena ebibita. sed et post accepta ablius adhuc accipien
dis defendit. De morsu serpentum.

Quem tirus momordit in initio in albedinem mutat colorem.
et tumescit locus morsurae nimium. apparens quasi incisio g
uis. Patiens deficit. stupescit. sudor frigescit. lingua. tortura uen
tris. uomitus colericus subsequitur et nisi succurramus ueneno cor incen
ditur et precipitatur. Incipiendo est autem in loca morsurae strictius
ligetur ne uenenum perueniat ... Ad membra principalia. post suggatur.
Suggens sit ... lauet et ... tetur cum spongia.
calida subfricetur ... scarificetur. ut uenenum egrediatur.
... autem est ... loci illius. Si in loco sit quod incidi possit.
sic ... similibus locis. Detur et tiriaca maior ut sanguine

dissoluat. et coagulari prohibeat. quia uenenum sanguinem cordis coagulat sicut et coagulatur lac. sed calore tiriace dissoluitur et cor in expellendo confortatur. sicut et flamma ignis in expulsione fumi. Quod si thiriacam non inueneris: demus quod dictum sumus. succi de frondibus mali silvestris qui alio nomine dicitur macianum. cum uino cocto mixtis. uel aqua in qua ste agrimonia coctum sit. uel. z. a. et ʒ. detur de thir. cum lacte pecudis. et succi de frondibus mirte. et succi sansuci. ana lib. s. genciane. z. a. coste. z. a. et ʒ. omnia coquantur ad medietatem. et detur bibere. uel detur cerebrum galline cum uino. et semine cauliui. Manducet cepas. porros. allia. et similia. Item iuuat pullus galline scisus per medium. et loco unde sub fumigato. Similiter squilla in aceto cocta. et frondes mali pistate et superposite. Item ficus et allia pistata confirmat. G. hanc iuuare confectionem. R. serapini piperis. assa. opopanacis. ana. z. u. galbani. sulphuris. ana z. u. tempera cum uino et superpone. De morsu scorpionis.

Quem scorpius momordit. dolorem maximum patitur. quia puncta ac. aliquando calet. aliquando non frigescit. aliquando dolor augmentatur. aliquando non. Rigorem et frigitatem patiuntur in corporis extremitatibus. tumet in locis illis. aliquando frigide sudat. Oportet dicamus quod est thiriaca maior. uel succum gencianae cum quibus ungendus erit locus ille. Detur aristologie rotunde. z. a. et ʒ. cum uino. baccas lauri similiter. butirum bonum et mel bibat. Cancros pistatos demus bibendos. cum lacte asinino. Ortica cum uino. agaricum idem facit. Radix croci ortolani. uel frondes eius cum uino bibat. Quidam medici dicunt. Dum in firmus hanc radicem in manibus tenu

erit. nullu dolore sentit. Confectio quam dicit pom'' fiet. ual

ad morsu scorpionis et aranee. R. mirobolanorum. z. vi. piperis. z.

iii. opii. z. i. ms. piretri. z. v. tempera cum uino et fac in modum

fabe. et dabis. ii. bibendas. Ad. R. calamenti. agrimonie et demoth

ei. piperis nitte. rute. ana. z. v. tempera cum melle et da bibe.

Ad. R. rute semen erucee. piretri. storace. sulfuris. ana. z.

viii. castorei. z. iii. fac puluerem tempera cum sanguine testudi

nis et da bibe. Ad mitigandum dolorem de morsu reptilium.

q. diapente dicitur se probasse. R. castorei. piperis albi. mirre.

opii. ana. z. iii. tempera cum uino et da in modum fabe cum uino.

Sic enim fecit galienus. Diapente alio m. R. maiorane. piperis

albi. castorei. opii. ana. z. ii. tempera cum uino, comedenda. bibat

uinum forte. in balneo assuescat sudare. Auellane iuuat

comeste. et fro cataplasmate. G. dicit. frondes lauri coctas in

uino pistatas ualet fro cataplasmate inde. Diascorides dicit. ba

silicon simuliter ualet. sulfur. cum ... pistata. et super iposita ualet.

... malue semen. et lini ualet. similiter maiorana pistata.

cum aceto et sale ibi fac. Quidam medici dicunt. si accipias cas

toreum et allium et pistes. atque cum oleo tempera et cataplasma facias iu

Quoniam apes De morsu uesparum et apum. — ualet.

pupungunt et uespe. uenenum enim habent acutum.

patiuntur lesionem et dolorem nimium. fiuntque ibi uesicle ni

gre. Unde oportet super poni alcanna cum ordei farina et aceto tem

pata. lac ficuum ualet. et nuces pistate cum aceto. et frondes basilicon.

et bliccis pistate atque super iposite. Quidam medici dicunt. fro

des malue pistate et apposite valet. Item si succo malue ungat. non mordebunt a vespis et apibus. Item musca manibus fricata et morsure super posita iuvat. De morsu rabidi canis.

Canis naturaliter frigidus et siccus est. Cui nigra dominante colera. unde ex sui habundantia immutata et putrefacta. et toti corpori dominans. ita corrupta. necesse est canis rabidos faciat. et maxime in autumpno et vere. Signa cognoscendi canem rabidum. quia alii canes eum fugiunt. et semper est presagus et solivagus. nutat quasi hebriosus ore aperto lingua dependente. salivam nimiam de ore semper emittit. oculi sunt rusi et rubicundi. aures pendule retorte. cauda inter coxas. oculi aperti et tamen de lapide. sive quolibet alio obiecto offenditur. et canibus vel visu repugnat. et iam ubere sine latrat. Quem cum canes videant fugiunt. timentes eum latrantes super ipsum. Certum autem signum vel bucella panis accepta vel gat sanguine morsura. morsi existente et proiciat canibus. Quam si refutaverit. intelligimus canis rabidi esse. sunt ... accidentia patiuntur inde. sompnia sunt turbida. in sompni expergefactione sunt timorosi. sine causa irascuntur. stupidi et continue circumspicientes. aspiciunt ab aliquo non patientes. quod est iuvat passionem timent aquam quasi canes latrantes et raucescunt. timentes est aquam inspicientur. vel tremitus cadant. quibus non medicatus succurrerit. moriuntur. Incipiamus igitur medicari ante horum accidentium apparitionem. Aperiatur vulnera cum igne vel ferro fortiter. ut cum sanguine venenum effluat. Apponatur et sanguisuga. ut venenum exeat. Dentur et acuta ma in que vulnera apponat. sicut allium. sinapis. sal. acetum. cepe calamentum. ...

cia. ł cõpõita. c̄ aceto ul' melle tẽpata sunt sup ponẽda. q̄ faciendo p̄occupar̄ mala sig̃. Si au apparueant: oportet dari medicinã. cole nigre purgatiuã & mutamur. cu dieta subtili. et ad digerendu facili. dein tiriacã & m. i qua cane apponantur fluminei. Diał. diã. C mises cor ac cipiant. z. iii. & gentiane. z. ii. & bibant c̄ uino. G. dis adiungit libanũ. & h m̄ cõposuit. ℞. canc. incensi. z. v. Gentiane. z. iii. ter singillatim. z. vii. fac puluerẽ. da bibe z. ii. c̄ aq̃ ĩ cane sint cocti. At q̄ cratic fec̄ ual' similit. ℞. canc incensi. z. xv. mirra. z. iii. et ◦ iii. gentiane. z. i. & s. pipis albi. g̃na. xv. unũ q̃ntu suff. da. z. i. & s. cu uino. Ar. G. ℞. basilic aristologie lõge. añ. z. vii. gẽtia ne. z. viii. pipis opopanacis. ana. z. i. mel. q. s. da. z. i. & s. cu aq̃ cala. Dentur & nuces ad manducandu. Nuces & pistate c̄ sal' & uulni sup posite ualet. Si aq̃ timeant. o portet machinari. quom dent nesciẽti. Faciat g̃ cana lẽ gule apposita oculte aq̃ infundat. quidã medici dicunt. iecur canis assatu datu comede: iuuat ee timo re aque. Itẽ iuuat aq̃ ĩ ferraru sua extingit istrumenta. nitus oblata. Medicina morsus canis rabidi. sine aliqui iuuatiua erit ista. litium. opopanacis. cepe. sal. ruta. nuces. frumentu. frondes ficus nita. orobi. simplicia. si ue cõposita. c̄ aceto. ł mell. & sup posita ual'. Morsibus & h̃ ĩminis psunt. ossa uitul' incensa. h c̄ melle tẽpata. et super imposita. De Labore corporis.

Laborē patiuntur corpa. l ex nimio motu. l ex h̄uorib; intrinsecus se mouentib;. Fit aū. iiii. mīs p̄m dicitur ꝗuis. alt calefactoꝝ. aliuꝰ tebinosuꝰ. q̄rtꝰ dolorosus. Grauis ē. ē corpꝰ humorib; redundat ꝗsuis. ptinentib; fritati . humiditati q̄ ex nimio dissoluuntur motu. digest subtil efficit̄ sangs l aquosꝰ. Ɖ cuȝ uasa implentur. l ꝗuant̄. q fit ē uirtꝰ n̄r defecta sit. neq; pati eū poss;. Tebinosus ē qī p̄mꝰ. s; tandē uirtus n̄r ē fortis. q̄ humores illi ad mouendū insecunt̄ uñ tebinositas tand̄ sequit̄. hoꝝ duoꝝ m̄. ē euacuatoē fit sic. flebotomia. farmatia. epithimate. oliꝰ tēpatis. sic ẏrelion. sambucelion. aneticon. ꝉ fiat in balneis ē fricatoē tēpatis.

Alie due spēcies. i. dolorosus calefactoꝝ. ex humoribus acutis igneis in corpe adunatis. ex quoꝝ nimio motu stimuli efficiunt̄. calor ē labore augm̄tat̄ aliqn̄ feb effimera efficit̄. Si enī in putrescat calefactoꝝ labor ꝗatur. uī feb cont̄. Si aū ebulliat. neq putrescat: dolorosus ꝗnit̄. vñ dolor in tota supficie corpis. qī dolor uulnis. puctura qī acu facta. uñ medi opꝰtet ē epithimate olo. ro. i balneo aq̄ dulcis tēpato. i fundat̄ aq̄ tepida. q̄ duo facier pficua. l cū acutas fumositates ipūgentes cū sudore expellit. l corpori humectationē tribuit. Q.a q. n̄li calore dissoluit̄. corpi restaurat̄. dolorꝰ aū mutatio subita exceptione calī. l fria. l ex uictura sepata. vñ cū fira ē inuestiganda si sit cautior. Dīē igr at̄

¶ Iustin' pūgit' accedit' ağgiite cir. dolor ē sentit' ei ganti ...

1201

... q dolorē sentit n' pot ... dolens ...

si plenu sit corpus exquisita. l' ciborum multitudine. l' pur
gationis negligentia vel alia. quibus certificatis purgabimus.
e flebotomia. l' farmatia. l' redeunte ad pristinam conformationem é
securitatis 7 sin timere. Si aut nullu illorum appareat. calefacti
7 fumigatio sit faciatur ... 7 repugnatiua. dolenti ...
gmita e ... calis 7 ... sic anetiton 7 ...
Aliquando dolor fit extensus. neque sentit in ... sic si male po
sita dormiens tenuit membra dolentia. l' subito tollit ea. l' fiunt i
frigidata 7 si calefactio ... tenetur. Sin aut ad purgationem re
deatur. Si aut ad purgationem redeat. Si aut ad purgationem redea
t. e farmatia. l' flebotomia. ne forte plenitudo corporis ca sit.
... aulgo intellecta. sic si in qualitate. cibi l' quantitate contra
temperamentu accipiant. neque tamen paulatim consuetam intelligit.
aquolibet. l' ne conclusio porrum fit. ca absciss ignorata. l' quando me
bra sint incisa. quorum nutrimentum cibis rediens ad corpus non sentitur.
o. sup epitomia. Cui subito in famitate sua dolor subito super
uenit 7 fortissimus. in illico adiacens cogitatur. propter ipsa die
prima festinet flebotomia. ne uirtus deficiat 7 auferri non pos
sit sanguis quantum sufficit. De apostematibus.

Omnia apostemata nascuntur de humoribus ad membra in quibus sunt
effluentibus. Que l' de ca sunt exterior. siue interior.
e exterior. sic percussione. uulnere. contusione. fractura. saltu. submi
sione. Qualecumque accidit horum. mouentur humores illius membri.
q. e debit 7 defecti inueniunt. adunantur ibi. Causa interior de
habundantia humorum 7 corruptionibus eorum 7 separatione membra recepi

omnis pueri ... ex ... mora
i ... accepta large ...
... noceat

mati. Nam aũ fiũt apa de aliciuis. iiii. ĩmoz ẽ c̃mina.
r ul ucc̃ositate aliq. q nascit ex sanguine flegmon uocat. ẽ sig
catio h̃ ẽ. rubor. calor. tumor. intumescatio. Q de cola nasc̃r ruba.
appellat erisipila. Color ei' citrinus ⁊ rufus ẽ medi'. i tactu dur'.
p ulsus mini' ⁊ pungitiuus. De flate nascit apa. ẽ x uma.
molle. albu sine dolore. De cola. nig. schiros dr. ẽ qd durũ
apa. n sensibile. Cola nig liuidi r iuride sin dolore r pul
sation. S; ẽ mag morte. cane efficit. Volentes aũ medicari a
pa. uidam' si de sanguine nasc̃r. ⁊ tc̃ tand flebotomem'. et
de sanguine tollam' quri ut' patiat. P' dem' uñ feruor sãgnis
extingr. sic consermitiã. manna. cassia. f. prunã. uuuib.
⁊ similia. Purgato toto corpe. ad infirmii mbr redeam'.
ẽ reb; mbe repugnatiu; sic desandat. rubeis. bolo. mirta.
opio. ⁊ similib;. In statu apatis. ca dissolutiua. misceat
ur. sic leui. cre. endiuia. ⁊ similib;. Diasc. uitellũ oui. ẽ
olo. ro. ⁊ pauco croco ⁊ mirta positũ desup; apa ; de san
gne grosso dissolut. ẽ t similr uitell idẽ ẽ olo. uio. sr calid'
apa mitigat. ⁊ ad digend accelat. dissolues n adu collecta.
In apate de cola. ru. incipiẽdu apurganda ipa cola. ⁊ ad
mbr infirmii ẽ repugnatiuis redeund p'ea sic solatro.
coriandro. sep uiua. portulace. psillio. iusquiamo. lactuca
endiuia ⁊ similib;. Fiũt cucurbita. lẽtib; portulaca.
blito ⁊ similib;. In apate flatico. dandũ flã pgatiua. ⁊ p' mbr
defectũ medicamini. Ponam' ibi spõgia aq tepide ⁊ aceto i
fusã. S; spõgia in ueniri n possit; lana ẽ sup ponenda.

A liquam aq calē nutrim optet sup ponē. Apsim de colera nigra
ñ diu canē effecto. ma ñ e apponēda. s; cancer ē i curabile
malū. Medicina colē nigre erit pungitiua. & si apa gli
bet colligat. ē p cataplate apiani. ide semola pistata. ē
oleo roseo cocta. Que sup apā est ponenda. & simili caules
ē butiro bouino. ung dialtee ualēt humectatiui duri
apātis apies sui molestatoē. R. seminis lini. fenugrei. mal
ue ana lib. s. oli lib. iii. litargiri z. iii. coq; leni foco. Ad
ualet apāta sine capite. R. sem lini. fenugrei. stercoris colū
bini. ana. z. viii. sisami cbusti. z. xxx. fac sisamū pis
tari. cū medullā. Deī ē alus speb; tēpa. Si plus uelis
mūdificare de oleo sisamino pone. Ad i apiori apātis.
R. ficus siccas in aq coctas & pariter mite atq; oli appone.
Dialtea ioħis. D. ualēt mūdificādo calō apāti. R. psiliu.
z. xxx. iusqami. z. xv. mirra. z. xxxv. fenugrei.
semins lini. ana. z. xxx. malue. sem. z. xv. Oia ponā
t i aq. cala. De in acē spumas coz. tēpa ē oleo & litargira.
ñ sufficiant. Ad dialt apām ue q i corpe sit. & maxime
in splenis grossitudine & epatis. R. amoniaci. ℥. iiii. aceti.
lib. i. dimitte in simil die. i. & p pista i mortario. ut effici
at sic medulla. Deī acē. cē. z. iii. oli. ro. ℥. iiii. cē. ℥. i.
coq; ad foc suaue. q addissoluat oia. & i mortario tēpa.

Verruce sunt caro egsta. De pars verrucis.
Vdura & spissa. p totū corpus nata. s; tū maxie
in manib; & pedib;. q̄s expellit ñ in corpis excitura.

ĝuĩ aũt de flãte . t' cola nig̃ . Q̃ g̃ moll' ē ⁊ siñ dolore . i

tellig̃ ēē d' flãte . Dura ⁊ spissa p pendunt̃ ēē de colera

nig̃ . Optet g̃ ē mediari uoluim⁹ . pmũ ad p'gandũ

ill' un fuit incipiam⁹ . p' de foris ponam⁹ medicinã illoꝝ

desiccatiuã . Que si ñ ualeat apponẽda sẽ calida . uñ in

cẽdant̃ ⁊ corrupiãt̃ . desiccatiua . sic ẽ olm mirtinum .

rosatũ . rumoꝝ . uuaꝝ cinis . c̃ aceto tẽpatis . acatia . cũ

do . r . sic similit̃ . nigella . flẽ ouui . t' capnu . c̃ uino tẽ

pata ualet . Diasẽ . lac ficuũ c̃ pinguedine tẽpatũ de sũ

posito . Incẽsiua ũ erugimis . cins . ʒ . viii . colòquide . ʒ . x .

nir̃ . fell taurini . ana . ʒ . viii . sal' amoniaci . ʒ . vi . alu

minis auripigmẽti . ʒ . xxxi . spume marine . an . ʒ . ii .

tẽpa c̃ suco lupini . Si h' ñ sufficiant incide ferro . Diasẽ .

cicer sanat uerrucas . si sedi unũ q̃q; uerrucã g̃nũ acci

pias ⁊ adunã infrustulã panni ligas ⁊ h' in kalendis

mẽsis fac ⁊ infirm⁹ rẽc̃ pcat . De elefancia

Lepra e passio nascẽs de cola nig̃ icensa ⁊ putrefcã .

Apparẽs in supficie corpis ⁊ nascẽs de . iiii . humorib⁹ .

s; unde incẽsis ⁊ corruptis ⁊ i colã nig̃ mutatis . Cu

aũ q̃tinaria . t' cui de corruptoẽ sãg̃nis ⁊ uocat̃ allopicia .

Alia de cola . ru . ⁊ dr̃ leonina . Alia de cola nig̃ ⁊ apel

lat̃ elephantia . Q̃rta de flãte ⁊ dr̃ tiria . De corruptoẽ

sanguis rubet . putrida ē . tumet . sangs ⁊ sanies in efflu

unt . De cola . ru . citrina ē . petr̃ sicẽ . fissuras manuũ

⁊ pedũ . ictio . macilẽtia . Cui⁹ calor si augmẽtẽ . na

giūs̄ siccatis avicula sequitur. & cadunt. Si de colera nigra. color eius niger erit. & putredo. crescit salua gutta. crescunt supercilia. finduntur manus & pedes. diminuuntur digiti. Si de flate : tumescit corpus. glandes nascuntur. color eius albus. oculorum fluxus. Oportet nos esse medicam dispositionem incipiamus apurgando. illis corruptis morbis. Diuturnii morbi medicaturi. incipiant amundificanda sua materia & corpore expellenda. Que si decorruptione sit sanguis. flebotomemus de mediana uena. quod faciendum erit cum materia in uenis sit. Si enim est extra uenas. flebotomia erit cauenda cum multum nuceat. Intelligitur esse extra uenas. decorruptione sigi in fronte. & putredine. & pustulis in facie. & toto corpore. Demum dimittenda flebotomia. & accipienda farinata. Precipimus cum subtili dieta. non est utilis neque corruptibilis. Omnis in pacula cum sua de melancolia. loquor magis de melancolia sed quamdiu sit exptus. Si quis purgare uoluerit hanc materiam. & amundificare inde corpus. asoritissima purgatione incipiat. & ita forsitan materia ne augmentetur, plurimum. & si fuit cauenda. non nos oportet si materia nimis corpori pareat. uolo te mederi. morbum declinare. infirmus afauere. materia non faciente assuescamus. & cum magnis medicaminibus. uiuentem. sicut in pologeo est inporiante de epatimo. theodoritto. maiori ter bonus sirupo de epatimo sero est epatino. In in mussilone & cum non sit tempus carnem dare. Demus triacam magnam factam est pigne dine & carne thirie. Omnis umquam magis uidi homine in

ta mea ac in firmitate plenarie sanatum non quod unum bi
bit in terra cecidit. et inde apparuit. Hunc enim uidi
cicatricari et excoriari. et unquam illud euadit. Verum etiam
cum est testimonio usuali. Alia dixerunt antiqui de carne
et pinguedine. tiriace. et sunt unanima magnitudine. in hac
et in aliis dura passione. Purgato autem supradicto corpore me
dicamine. Demum tiriaca. et similia. corpus custodientia
et putredine mundificantia. Precipiamus balneare. si non cum
aqua dulcibus. Item iuuat incensio. et dicte obseruatio. cibi par
citas. Interrogatus enim galienus a quodam in hac. respondit abstinere

M orphea est corruptio. De morfea. ... natura
sanguinis. unde et nutritur cutis corporis. sine macula inter cutem
nec carnis. est cum uniuersali defectione digestiue uirtutis. quia
cum deficit sanguinem corrumpit. quod adducit uenis eam nutrire.
Si autem eius sanguinis fit flamea. alba fit morfea. Si de colera est
nigra. Est autem morfea triplex. Vnde enim humidi coloris nascitur de me
colica et sanguine. Vel nigra nascitur de sanguine melancolico. Vel alba.
et de flamate salso. in quibus tribus generibus non sanguis minuendus est.
sed oportet forti medicamine purgari sicut theodoricon. ierapigra
logodion et similibus. Vomitum detur semel in mense et abstineat
a cibis malos humores generantibus. et dicte digestis. sepe balneetur. G.
morfeam mediante precipimus post mundificationem corporis. Vnguatur
ergo corpus calce et anacardo. et calce. aloe. litargiro. acacia.
sulphure cetera albo. simplicibus siue compositis. cum aceto temperatis.
Item G. apud siluaticum habet naturale est lacte ficuum. item cuscuta

plur. ... idē faciūt. sāgs leporinꝰ ualꝫ. capparis ra
dix ē aceto sīlr. Bibat aūt ꝺ hr antidotū. ℞. mirobolam. ci
trin. citrin. bellirič. ebulč. fiseleos aū. ʒ. xv. pulueris ierp.
ʒ. xviii. fumi tre. agarici. thir. aū. ʒ. xxv. sene. ʒ.
xx. agarici. thir. ʒ. xxx. tapsie. ʒ. x. aceti. ʒ. viii. fac
puluič. uode m. q. s. da. ʒ. ii. Alis ungiūt inūc. ʒ.
xv. elli nig. ℞. ℞. chebuli. ʒ. xxx. bellirici. ebulici.
mirōs. calami. coloqntide. aū. ʒ. x. epithi ierap. ana
ʒ. xx. mastice. xii. nigelle. sinapi. aū. ʒ. v. tapsie. ʒ.
iii. m. q. s. da. ʒ. iii. diebꝫ tbꝫ minus ... minus
sit. Vngūt ualꝫ morphee oīs colorꝫ. ℞. tapsie ... sina
pi. nigelle. semis urtice. piret. rubee. aū. ʒ. iii.
costi. coloqntide. elli nig. capparis radix. mire alu
minis. staphisagre. mit. ana. ʒ. ... eufoibii. scamonee
sal amoniaci. sandarici. aneos. q. s. ... ipā ē aceto

Impetigo ... De impetigine. ——— ... ge.
sūt duo. Vna ē ... ē superficie corporis ... ... nig ...
... signis. Aliqn ē pruriginē. Vt superficie ... co
busta. cuiꝰ color citrīꝰ. Vt rubeū. ... furfurea.
fissa ... pruriginosa. nascit de melācolica ... minus
necēsa. Prima species medicabit ē flebotomia ... far
macia ... ... mundificātibꝫ. Seda ē ... colere
nigre ... balneū assiue fiat aq dulcis. Lauēt
ē furfure farine fabe. Vngēt oleo frumūti. aceto
porri citri. carui ... pistata sulfure ē aceto. cinere

... unū caput ... ... ut pedibꝫ
... ... sanguis ... ...

Impetigo ... serpigo sūt de genere scabiei
... impetigo ... ...
... ... sursum ... deorsum ...
serpigo ... ... non
... ... sursum ... ...
... ...

c lacte feminino. gumi prunorum. farina ciceris c lacte ficuum. ellebor nigr. c aceto. ual. acacie. ʒ. vii. gummi arabici ʒ. iii. c aceto unge. postea lavetur c aqua dulci et ungatur c oleo. r.

De scabie et prurigine.

Sepe non mouent malos expellit ad superficiem corporis. ui medicinarum sitiora que si sint subtiles et nimium liquidi dissoluuntur de cute c sudore et fumo. Si grossi permaneat sub cute. Si mediocris pruriginem gignunt. grossi scabiem faciunt. Scabies sicca et non saniosa c pruriginem et puctura et fissura: de coleris elimus in corpus esse significat uulnosa et grossa in superficie corporis neque pruriginem faciunt. c scalpatur cutis excoriatur. sicut alba scama. significat salsum et incensum flegma. et plurimi in naser seniorib. propter collectionem salsi flatis et defectum cutis. Scabies humida et scabiosa. atque saniosa et c dilectatione. pruriginosa. sanguinem incensum c colera. r. esse demonstrat. Si saniei sit grossa. maiore humiditatem sanguinis significat. Si subtilior aquosa et citrina colera humiditatem ostendit. Cum igitur scabies et sanguine et colera. r. cognitum est. flebotomemus de media uena. Si autem aliquid nobis obuiet in minutione purgemus c catartico de cassia. f. et suce fumi terre. et mirobolani citrinis et similib. frequenter balnea in quib. sudet. quod tangit corpora epithimatib. uiscositate sua prohibet dissolutionem humorum et poros claudit. Sed tamen parum olei. ro. c adhibendum. Si scabies sit ex humiditate flegmatis. purgemus flegma c catartico. de epithimo. sive agarico. et similibus. assidue fiat balneum in quo sudet. De uino ui garium da apii succo. et calamenti. Post purgata corporib. ad exteriora ungenta redeamus. Ungentum. b. litargirii c oleo. iii. cinis caulium c uitello siliquis dialec. carnis c aceto uale die. Sulphur c lentis

Hic incipit de longa. omni...
consumptionem ...

Ergo uniuers affert febrem.

cum oleo. mixtum ualet scabiei impetigini et ungui [illegible]. sulphur cum aceto [illegible]
fac. [illegible] cum melle et sulphur. silis uiuum. Sal quoque cum aceto et oleo simul liniatur
[illegible] foco. mitigat dolorem et minuit scabiem et impetiginem. Aqua sul
phurea uel marina. uel cum sale cocta. uel cum frondibus olivae. minuit uentris pu
stulas. scabiem. impetiginem et silia. frondes quoque olive cocte cum aqua et aceto. Sal
et frondes cane. Vnguentum ualet scabiei et impetigini de calore. R. litargirum. ʒ. x.
cerusse. cathmie argentee. ana. ʒ. iii. calcedonie. seu pice argentee. iiii. ana
ʒ. ii. olei. ro. et aceti quod sufficit. Ad desiccandas pustulas et uariolas de calore. R.
acatie. gummi arabici. ana. ʒ. ii. litargirum. cathmie argentee. ana. ʒ. i. [illegible]
tritum cum aqua rosata. De carbunculis.

Carbunculi de sanguine grosso nascuntur et corrupto. Vnde fortius est apponenda
cura. dissolutum est cum corpus inde mundificetur. Desiccato pondere frequenter mas
ticatum. ut minuatur atque dissoluatur. Contritum aqua infusum in uale dicitur. Mastic
catum autem pro [illegible] per infusionem salubrem ualet. et ficus uel mala pittare cum cera.
et cyminum cum dulce. radicem cum oleo pistatum et sale ualet. Vue passe cum sale
pistate silis. fermentum cum oleo et sale ualet. mirtus cum et apii. Rumicem cum oleo
silis. Farina siliginis [illegible]. cum oleo et melle et par cuminum silis facit. Si
autem saniem mittit. farinam orobi cum butiro et sale et caulis oleribus pistatis
saniem educit. Nux cum taberna carbunculum aperit et saniem trahit. De variola.

Variola incipit ex sanguis corruptione maxime uiridica in brachiis corporis.
et molestam fecit generata. Quorum color rubiendus et [illegible]. Si sanguis colere
rubee sit an [illegible]. uariola sicca et pustulosa generatur. Si colera nigra
fuerit uariola. uaricosa. sic flatus: est liuida et alba. i. pruinosa. Si gr
uariola de sanguine sit. flebotomandus et usque ad defectionem minuatur sanguis. non
aliquid obmaneat. mundificetur in corpus. cum cauteriis et subtalibus dicetur. fris

crustas. Deinde ad ungula cathena redeunt. Unguentum valens mulieribus calidis
r. cerusse. litargiri. cimine argentee. ana ℥. vi. cere albe. olei ro. ana
lib. iii. fiat ung. Ad id. calcidonie. litargiri. sinee. cerusse. catimie
argentee. ana ℥. viii. olei ro. ℥. v. aceti. albuginis oui. ana ℥. viii. sucus
a psilli. ℥. xv. fiat ungt. Ad uar. pruriginosi mulieribus. r. litargiri. ℥.
x. argenti uiui. lapidis ciseri. ana ℥. xiii. calcidonie. ℥. iii. 6. olei
et aceti q. suff. Ad desiccandis uulnera et pustulas. r. boli. ℥. ii. terre
sigillate. ℥. i. caphora. ce. ana ℥. 6. tempera cum aceto et aq. ro. Ad
uulneribus crurium. r. nigella cocta in aq. et post desiccata. fiat pul
uis qui cum oleo. ro. tempera et primum cum aceto laua et unge. Item ualet lithar.
cum oleo. ro. et semen eruce temperatum id facit cum melle. Similiter succus apii. cum
oleo ro. cum aceto et aq. ung. fiat ual. De scrofulis.

Scrofule sunt dure apostemata in molli carne nascentia que si medicinam
suggerant emollientem; sicut illud quod. xii. causis ostendit cum mollificantibus sunt
ponenda si putredine carnis corrosiua. Deinde alia medicamina desiccantia.
et consumentia. Dias. yreos cocte cataplasma ual. quod baccare. Similiter fece
uini . . . et cocta. yreos cum isopologia et dialtea mixta. ual. ad
mollificandas scrophulas. farina lupini. cum aq. temperata id facit. et
lactuca radix pistata. radix ual. capparis cocta et pistata ual. ad
tumorem et fermentum emolliunt. Confectio ualens apostemata in collo et scrofulis. r. mo
tolla. ℥. i. ce. ℥. i. et 6. tempera cum aq. et sup pone. Ad. r. eruginis eris ℥. ii.
armoniaci. ℥. iii. sarcocolle ℥. i. et 6. puluerizata tempera cum melle et cum licinio impone.
Cinis ueteris. pisces ana ℥. x. olei q. suff. fac ung. De pustulis ex desudatione.

Pustule nascentes ex desudatione sunt. iiii. numerus. Sunt enim quedam calidissime
que aq. frigida abluuntur. cum de colla nascuntur igniea. Quedam sunt et calentem

s; tn̄ g̃sta q̄s balneū iuuat in aq̄ cal'a. Aliē it̄ duas h̄is medi
ocres. Q̄rta sp̄s nasci᷑ d̄ colera nig̃. q̄ pessima ē ⁊ ad sanādū dura.
icandis tr̄ g̃nib; . col'a. vii. p̄g̃et ⁊ i q̄rto nig̃. balneū paciēs assue
faciet. Vng̃r succo solat̄. ē coriandro mixto. t̄ sādal' ⁊ cē. t̄ frōd' iq̄
mi ē mell'. Medulla melonū ē succo api. i balneo p̄ sudorē
ual'. Frōdes oliue pistate in aq̄ cocte ual'. Ne p sudorē plima
nascunt᷑ inestate ⁊ nascunt᷑ ē calor fiat nimius. Cū cor
sup̄fluitas ē caries ē sudore sep̄. adunās sup cutē ⁊ coagu
las. q. fit carnegligētia balnei ⁊ mūdificād' cicris. Si aūt
augmētēt᷑ ⁊ uetescāt. i scabiē deuenūt. Vn̄ festināda ē ad
colā p̄gādā d̄ corpe rubei. Vng̃t᷑ de foris medull' ⁊ cor
ticib; melonis ⁊ ē succo solat̄. assiduis balneis. Silr̄ rosa
⁊ mirta cocta ⁊ i balneū pōita ual'. **De separatione**

Si aliq̄ mēb' separationē uicete mēbror̄.
patiunt᷑ i ossib; optet medicē festinare. ū separatio
soluet᷑ ⁊ sanor̄ uicta i solidādis ꝯsidet ⁊ ne itin se ligant᷑
pudeat᷑. Q̄d fiat ē ligaminib; ossa cedātib'. Qm̄ tn̄ ligā
mina bn̄ s̄ ꝯsidanda q̄d forta sit ne exceant custodiat os
sa. s; tn̄ g̃nāt in circuitu. tumorē ⁊ pustulas. Molliane
uti᷑ hor faciunt. s; n̄ bn̄ uictimū custodiūt. maxē isop
nis ⁊ mēbror motu. Ligaīta g̃ facienda sūt mediocria.
ū infirm' utrq; sup̄dictū euitat. Soluat᷑ aūt p̄ diē tertium.
t̄ aīa ū ille loc' q̄escat. p̄q̄ ligēt᷑. ne forte diu ligata ē mēbr
nō assueuit aīa dissoluēda p poros exire p̄hibeat. Vn̄ p̄ri
g' oriat᷑ ⁊ i firmū scalpe seu mēbr̄ mouē cogit. solutū me

bẽ aq̃ balneãd' ĩ calĩa. ñ poros apiat. ⁊ sr̃flua emittat. Cũ aũt
dissolũs ĩ die. vii. ⁊ ĩ nũl' neq; tumorẽ uidis. neq; pustulã. s;
min' eẽ q̃ ĩflammat fuat. Ponẽda st̃ solidatiua. ⁊ carnẽ reducẽ
tia. & mundificatiua. Pũs in q̃d ĩcip̃iedũ a medicãda fractura.
⁊ separatõe uictẽ. ĩ ossib; minuendo sr̃fluitates corpis c̃ flebo
tomia ⁊ farmacia. Quietem' aũ ĩ firmũ c̃ subtilib; ⁊ paucis
cibariis. Dũ c̃taficem tumorẽ siũ ptulas. l' q̃lib; alĩa. Dẽt pau
cia ñ st̃ uetã p̃p loci debilitatẽ ⁊ m̃ humiditatẽ. Postea redam'
torẽ solidatiuã ⁊ nũl' augmentatiuã. mltã q̃ntitatẽ cibi g̃s
si. Cibi eñ subtiles ñ solet ossa solidari. Separatõ aũ c̃ catenatõis.
lauet' c̃ aq̃ calĩa. ⁊ reponat' sic̃ fuãt. ligetq; sic̃ ⁊ fracta. Dĩn
st̃ ponẽd' d' hac ɔfectõe. ual' fracẽ ⁊ separatõi uictẽ. Rx. sumac.
sem̃ urtice. cimile. an̄. ʒ. x. mirra. aloe. an̄. ʒ. vi. tẽpa c̃ aq̃
⁊ unge. Alr. Rx. mirra. ʒ. vi. camemill. ʒ. viii. sãdal' rubi.
ypreos. an̄. ʒ. xv. boli. tre sigillate. an̄. ʒ. xxx. cimile. ʒ. xii.
thuris. ʒ. x. Diaĩe. farina ordi ⁊ maluæ. c̃ ouo tẽpata ua
let. Alr. Rx. ladani. boli. an̄. xv. aloe. ʒ. viii. gallie. ʒ. iii. ro
se. cẽ. nuc̃ cipssi. an̄. ʒ. v. tp̃a c̃ olõ ⁊ unge. Alr. Rx. aloe. mirr.
acacie. betonic̃. malue. thuris. an̄. ʒ. iii. mathẽ. ʒ. i ⁊ s; pl'
uis molẽdũ q̃tũ oĩs spẽs alie fuit. tp̃a c̃ ouo. unge ñuos ⁊
uenas. c̃cdãtes fractas c̃ ungis emollĩetib; d' cera. medull'
bouinis. pinguedine uulpis. pinguedine renũ pecudis.
⁊ similib'. c̃ olõ. ro. **De sanguine effluente amhyo ĩscis.**
In fluxu sãguis de ĩcisiõe gladii. seu cultelli. siue sag
te ⁊ similiũ. p'mũ in sãguine stingẽdo eẽ intẽdium.

sup ponendo digitū ↄ tenēdo panniculū. donec sanguis congelet.
ī uena unū exierat. Deniq; sunt ponenda in medicina sanguis restrictiua que
ducit. sit mitis. Y cum stringunt [illegible] carne non reliquunt. sic sunt farina frumenti
terebentina. gypsum ꝛ silla. Y stringunt ꝛ carnem faciunt. sic thus. aloe. albugo
oui. pili leporis. G. ī megategni. hac ↄfectione dicit thus dicere esse mitis.
Y cum ii equale sit pondus thuris. coriac. ꝛ pulueris scelecti s ponendi. q du
ris corporibus ualet ē. Stiptica cum his sunt necessaria. Y ii tinus duplum quam
aloe ponatur ꝛ thus uiscuosum ꝛ gummosum eligatur. quod ↄsecuo ualet ē mol
libus corporibus quam multis rebus indiget ↄfortatiuis. Tercius modus ii de thu
re plus ponatur. quam aloe ii tamen duplum. hic ↄuenit corporibus me
diocribus. Apponatur albugo oui. ii ī similitudinem mellis unūsceat.
Depili leporis quantum oportet. hic in medicina uene supponatur. ubi
sanguis effluit. Et pretera multa quantitas toti uulneri sup ponendo. atque
ligando. ē pannis lineis. [illegible] in uolutas [illegible] uene fiat unita.
Die tercia soluātur oīa ligamīta. Si aū medicina sit uulneri nimis fuit uisco
sa ꝛ ideo uulnus stetana. nec tacit aufras. quia forsitan ui ablata. loc
ū fere solidatū apriat. Appone ergo de eadem multa quantitate ii emol
liat illā desiccationem. ē mollita paulatim subtrahas. sed dum subtrahis dig
tū uene effluentis sup pone ne exeat sanguis. at si nec hic proficis. ligāda
erit uena. Sic enim precipit. G. in megategni. Puluis iohannis damasceni
stringens ꝛ desiccans. sanguinē uulneris. Rx. aloe. ʒ. i. thuris. coctis ʒ. iii. san
guis draco. sarcocolla. ana. ʒ. [illegible] ramorum cruce. [illegible] ana [illegible] ipsa
ē albugine oui ꝛ pone pilos leporis. Ad stringendum ꝛ solidandum uulnera de
gladio Y de cultello. scilicet Rx. sarcocolle. iii. ʒ. sanguis draco. balaus
ne. cortices lioani. ana ʒ. i. Ad Rx. aloe. mirre. amoniaci. sarcocol

le an. ℥. eruce. ruce. an. ℥. aii. fac pulue & imple uulna. deīn pannos sup ponēdos. infunde saliua. Al'. ∝. sarcocolle. litargiri. ʒ g. sanguis dco. gūmi. ana ℈. ∝. puluia & imple uulna inde. Si aūt uulna crepuint & lingūs efficiūt. rec. albugine oui. olii. ro. rosā. maluā. lentes. q̄ omīa pista & aq̄ infundes q; uobi cinū sup pone. De albedine & asperitate & unguium grossicie.

Albedo in unguib; albugo & grossities nascuntur. & in caro digitoru. q̄ uulnosa efficit: medicandi sut c̄ semine lini. c̄a. melle. ung̃ sup ponat. Aliu sandaracē c̄ aceto id fac. Diaceod's aluin ceparū c̄ aq̄ ungut albedini & c̄situdini & uulnatus ungu. b; ual. Itē feces aceti incēn c̄ rasino idē fac. decoctē ossium. oliue c̄ pinguedine & farina mixte ualet similr. Supfluas carnes in ungul. & aimon sine aptat ccdantib; galla puluera. ual. lētes c̄ aq̄ faciunt simili. Stercus palūbinū coctū. c̄ farina ordei & ... plare in facto ual. assacū lacte simili. Cirmata unguiū sem eruce teparte c̄ taurino felle. ual. Aliū c̄ pinguedine anatis iu-unc. feces uini incēsē. malos ungues fac cadē. De incensione ungu.

Quoniā cūq; fere corpi incedit. oportet reb; frīs refrigerari. ne ad uesicas perueniat. c̄ frōde mirte incēse. c̄ cera & oleo. ro. t gūmi arabica. c̄ albugine oui. t cinnabaro c̄ aceto. siue bolo c̄ aceto & aq̄. ro. t suco scariole. farina ordei. oli. ro. & albugie oui. t oli. ro. c̄ acacia. stercore agnino c̄ oleo. roseo. & cera. t̄ cinuat. malua pistata c̄ oleo. ro. simili fac. Ad si uesice er. suce portulace. t frōdes mirte. siue carbones tamarici. chimolea oiā cōposita siue simphicia c̄ oleo. ro. & cera mixta ualet. Aliū c̄ oleo. rosato fac

ide. Iota oliue iuuat salsa. De uulnib⁹ qui fiunt ex ceraste et aliis calamitatibus.

Aliquando impede ut cruris nascuntur de angustia cerarum uulnera que si sint cum tumore pulmonem herbis sup̄ posita. et agrimonia iuuat. siue uulpis. Si autem uulnera sint sine tumore. gallia incensa. ...cortices malignati. sumac. acatia. suber uetus puluerata sup̄ ponantur. De fissura.

Aliquando sanguis nutriens corpus. cum colera grossa. et rubia acuta miscetur. si tamen nigre cum grauitate et grossitudine sua desiccant ad fissuram in findit pedes. Colera uero rubia cum subtilitate sua et lauitate. findit manus et pedes. Unde purgandi sunt humores corporis ... ad unguenta cum oleo. ... cera. et medulla bouina cum oleo sisamino. et oleo fenugreci cum cera mixtum. ualet fissure pedum de frigiditate aeris. Confectio ualet fissure pedum ac manuum. ℞. medulle bouine. pinguedinis galline. dragmas. cere. ... olei sisamini. ... ung̃ fiat. Aliud. ℞. bacce lauri. aristologie longe. medulle bouine. ana. ... Aliud ualentissimum fissure. ℞. picula. ... sameleos. ana. ... Cancri fluminei cum sisamino oleo incensi. faciunt similiter. Cepe cocte cum oleo. ro. mixte et pistate. ad idem ualent. Concule marine incense. cum oleo rosato multum ualent. Explicit Cirurgia ...

Incipit liber olearum ad omnem dolorem et ad omnem passionem [illegible]

T[illegible] Butirum ita conficitur.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] Paroleo ita conficitur.

S[illegible]

[illegible]

[illegible] Oleum rosaceum

C[illegible] ita conficitur.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

R[illegible]

[illegible]

[illegible]

[illegible] post [illegible] [illegible]

[illegible] sequitur fine [illegible]

[illegible] adiguit [illegible]

[illegible] compeletur [illegible]

[illegible]

[illegible] accipiss [illegible]

Oleum [illegible] olei [illegible]

[illegible] humidro [illegible]

inter manibus [illegible] exprim [illegible]

[illegible]

[illegible] laterum [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] **oleum laurinum.**

S[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] potum [illegible]

Oleum [illegible]

[illegible] cum foliis [illegible]

[illegible] aliis [illegible]

[illegible] coquet & sic colabis & reppones. sicut tuum [illegible] [illegible] [illegible] unusquisque [illegible]
[illegible]tivo.

Oleum rosatum sic facies. coque [illegible] in [illegible] sua [illegible] [illegible] in patella [illegible] usque [illegible] que [illegible] hoc est oleum.

Oleum liliacei confectio. Oleo [illegible]. lib. ii. folia lilii [illegible] [illegible] [illegible] mittes in olla [illegible] [illegible] [illegible] [illegible] dies. ad lapidem de [illegible] patella fictile nova [illegible] [illegible] aqua [illegible] & [illegible] [illegible] [illegible] [illegible] [illegible] patella [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] multis [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] ex [illegible] [illegible].

Oleum [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] quod infusis [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] virtutem habet calefactivam [illegible] [illegible] [illegible] [illegible] menstrua & [illegible].

Olei [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] emittitur [illegible] mittes in ampulla & reppones ad solem diebus xv. est enim virtutis [illegible] [illegible] & [illegible].

O[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] quam [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]

O[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible]

O[illegible] [illegible] confirmat sic [illegible]
[illegible] [illegible] [illegible]
coctil [illegible] [illegible] quoque [illegible]
habent [illegible] habet calefactiuam [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] infirmitatibus
[illegible]

O[illegible] [illegible] [illegible] accipe poma
[illegible] [illegible] [illegible] et
postea [illegible] [illegible] sucum hoc
[illegible] [illegible] [illegible] [illegible]
articulorum dolorem [illegible] opus est.

[illegible]

[illegible]

O [illegible]

[illegible] opio sicut

M [illegible] papa [illegible]

[illegible] croce

C [illegible] magno sic facit

[illegible]

[illegible] croce magna

[illegible] m. Sen sostenuit.

P [illegible] ante quam [illegible]

[illegible]

[illegible]

Ad menstrua prouocanda. xvi.

R[illegible]

Ad menstrua retinenda.

C[illegible]

[illegible] commune [illegible]
[illegible]
[illegible] Ad [illegible]
R[illegible]riosus [illegible] .xxvii.
[illegible] ana [illegible]
[illegible] accipe omnia [illegible]
[illegible] usq; [illegible] Collirium ad oculos.
A[illegible]
[illegible] cum [illegible]
[illegible]
[illegible] oculorum [illegible]
[illegible]
[illegible] .xxiiii. [illegible]
P[illegible]
[illegible]
[illegible]
[illegible]
N[illegible] Ad cancrum. xxv.
[illegible]
[illegible]
[illegible]
[illegible] optimo [illegible] Ad fistulam.
A[illegible]
[illegible] Ant. pigm[entum]
[illegible] alexandrinum macedoni. xxvii.
Q[illegible]

[illegible]

Decimus liber pigmentarius [illegible]

V[illegible]

[illegible] coquatur. [illegible]

[illegible] ad [illegible] tollendum.

et ad [illegible] deponenda.

S[illegible] cognoscas [illegible]

[illegible]

[illegible]

[illegible] Adiutamentum para

A[illegible] in malis [illegible]

[illegible] postea [illegible]

[illegible]

[illegible] A[illegible]

[illegible]

[illegible] A[illegible]

[illegible]

[illegible] C[illegible]

[illegible]

[illegible]

[illegible] A[illegible]

[illegible]

[illegible]

S[illegible]

[illegible] non

[illegible]

[illegible]

[illegible]

C[illegible] Adiutamentum

[illegible]

[illegible] impaucens [illegible]

[illegible] b[illegible]

[illegible] hec [illegible]

[illegible] quā [illegible] tum hē. lac non [illegible]
[illegible]

[illegible] diatrodion. xxx.iii.

F[illegible] ad omnem dolorem. [illegible]
[illegible]
[illegible] solvit. R. hec.
[illegible]
[illegible] galbanum [illegible]
[illegible] ammoniaci [illegible]
[illegible]

Ān. q̄ facit ad omnes febres. xl.

D [illegible]
[illegible]
[illegible] tempore [illegible]
[illegible]
[illegible] R. li. piper album.
[illegible] mirra [illegible] ān. [illegible]
[illegible] xxviii.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] radices [illegible]

[illegible] accessionem [illegible] vng.

ad febres tollendas. xxxviii.

L[illegible]

[illegible]

[illegible] corpus pinge [illegible]

[illegible]

[illegible] sucum [illegible]

millefolii sucum [illegible]

[illegible] equis [illegible]

[illegible]

corpus pinge [illegible]

[illegible]

ge. i debile abstineat [illegible]

emplaustrum. cironium. xlvi.

Emplaustrum cironium [illegible]

pluris. quod solum [illegible]

sanamentum prestat [illegible]

[illegible] omnibus

[illegible] et quolibet [illegible] generatum fuerint.

[illegible] eam [illegible]
[illegible]
[illegible] habent [illegible]
[illegible] impo[illegible]
[illegible] h. similiter [illegible]
[illegible] impositum [illegible]
[illegible] impositum [illegible]
[illegible]
[illegible] aut [illegible]
[illegible] scd' [illegible]
[illegible]
[illegible]
[illegible]
[illegible] habentem.
[illegible]
[illegible]
[illegible] habuit [illegible]
[illegible] confectio [illegible]
[illegible] i. terebentine [illegible]
[illegible] opopanacis [illegible]. Sagapini [illegible]
[illegible] colligis in olla [illegible]
[illegible] pulvere
[illegible] ferventi. [illegible]
[illegible] litharguri.
[illegible] mirum [illegible]
[illegible] et expone.

